LIBRARY OF THE
UNIVERSITY OF ILLINOIS
AT URBANA-CHAMPAIGN

550.5
FI
v. 14-15

JAN 2 1975

GEOLOGY

UNIVERSITY OF
ILLINOIS LIBRARY
AT URBANA-CHAMPAIGN
GEOLOGY

Geology
15
3

CATALOG OF THE COLLECTION OF METEORITES

IN CHICAGO NATURAL HISTORY MUSEUM

HENRY HORBACK

AND

EDWARD J. OLSEN

THE LIBRARY OF THE
JUN 28 1966
UNIVERSITY OF ILLINOIS

JUL 6 1966

FIELDIANA: GEOLOGY
VOLUME 15, NUMBER 3
Published by
CHICAGO NATURAL HISTORY MUSEUM
DECEMBER 30, 1965

GEOLOGY LIBRARY

CATALOG OF THE COLLECTION OF METEORITES

IN CHICAGO NATURAL HISTORY MUSEUM

HENRY HORBACK
Assistant, Department of Geology,
Chicago Natural History Museum

AND

EDWARD J. OLSEN
Curator, Mineralogy,
Chicago Natural History Museum

FIELDIANA: GEOLOGY
VOLUME 15, NUMBER 3
Published by
CHICAGO NATURAL HISTORY MUSEUM
DECEMBER 30, 1965

ACKNOWLEDGMENTS

The authors would like to thank Mrs. Winifred Reinders, Department of Geology, Chicago Natural History Museum, for typing the original manuscript, and Dr. M. H. Hey, British Museum (Natural History), for bringing several corrections to the attention of the authors.

Library of Congress Catalog Card Number: 65–28714

PRINTED IN THE UNITED STATES OF AMERICA
BY CHICAGO NATURAL HISTORY MUSEUM PRESS

Catalog of the Collection of Meteorites

INTRODUCTION

This is the fourth catalog to be published for the meteorite collection of the Chicago Natural History Museum. The preceding catalogs were published in 1895, 1903, and 1916. Over the past forty-eight years the collection has increased in size to a point where a new catalog was felt to be necessary.

At the present time there are approximately 2,400 catalog numbers assigned to specimens in this collection. Such numbers are, in a sense, not an accurate measure of the extent of the meteorite collection for, in some cases, one number may be assigned to many hundreds of specimens, as in the case of individuals from a meteorite shower, or a large meteorite which fragmented badly on impact. For example, in the collection CAÑON DIABLO is represented by 63 individuals, ESTHERVILLE by 145 individuals, and FOREST CITY by 688 individuals. On the other hand, one meteorite, specimens of which were acquired over a period of years, may have several catalog numbers assigned to it.

A more accurate measure of the extent of the collection is in terms of the representation of the number of known finds and falls. On the basis of the figures given by Mason (*Meteorites*, p. 22, 1962, John Wiley and Sons, New York) current coverage is as follows:

KIND	MUSEUM	WORLD TOTAL	% OF WORLD TOTAL
Irons	338	578	58%
Stony-irons	33	66	50%
Chondrites	437	954	46%
Achondrites	37	64	58%
TOTALS	845	1662	51%

No attempt has been made to assess the total gross weight of the collection; it is undoubtedly in the thousands of kilograms. The smallest weight specimen represented is MIDDLESBROUGH at 0.1 gram; the largest weight specimen is NAVAJO at 1,497,618 grams. In a num-

ber of cases the collection contains all, or virtually all, of individual meteorites as, for example, NAVAJO, QUINN CANYON and PARAGOULD.

The Chicago Natural History Museum collection represents one of the larger concentrations of meteorite materials in the world. The size and extent of the collection are largely due to the efforts of Dr. O. C. Farrington (1864–1933), former Curator of Geology, and the late Mr. Stanley Field, Chairman of the Board of Trustees of the Museum, who together added the major portions of the collection through a combination of purchases, exchanges, and field finds.

August 14, 1964

HENRY HORBACK
EDWARD J. OLSEN

ABEE, Abee, Alberta, Canada

Fell: June 10, 1952, 6:00 A.M.
Stone, Enstatite chondrite
Description: Mass from interior, 214 grams Me2474
Slice with crust, 1,668 grams Me2475

ABERNATHY, Abernathy, Lubbock County, Texas, USA

Found: 1941
Stone, Chondrite
Description: Slice, 504.5 grams Me2374

ADAMS COUNTY, Adams County, Colorado, USA

Found: 1928
Stone, Brecciated chondrite
Description: Polished section with crust, 250 grams Me2151

ADARGAS, Adargas, Jiminez, Chihuahua, Mexico

Found: 1780 (known for centuries)
Iron, Medium octahedrite
Description: Polished slab with crust, 78 grams Me1012
Full-sized etched section, 266 grams Me1013

ADMIRE, Admire, Lyon County, Kansas, USA
Found: 1881
Stony-iron, Brecciated pallasite
Description: Mass and fragments, 4,750 grams Me761
Thick, full-sized section, polished, 2,430 grams Me1270
Polished sections, two pieces, 1,175 grams Me557
Fragment, 18.5 grams Me748
End piece, 6,800 grams Me834
Fragments, 9.3 grams Me750

ADRIAN, Adrian, Deaf Smith County, Texas, USA
Found: 1936
Stone, Veined crystalline spherical chondrite
Description: Polished section with crust, 140 grams Me2212

AGEN, Agen, Lot-et-Garonne, France
Fell: September 5, 1814, noon
Stone, Veined intermediate chondrite
Description: Mass with crust, 47 grams Me525
Interior fragment, 0.5 gram Me235
Nearly complete individual, with sawed surface, 292 grams Me1381

AHUMADA, Ahumada, Chihuahua, Mexico
Found: 1909
Stony-iron, Pallasite
Description: Nearly complete individual with sawed surface, 44,847 grams Me780
Slice, 1,071 grams Me780

AINSWORTH, Ainsworth, Brown County, Nebraska, USA
Found: 1907
Iron, Coarsest octahedrite
Description: Full sized etched slab, 164 grams Me977
Full sized slab, 544 grams Me767

AKBARPUR, Akbarpur, Saharanpur district, N. W. provinces, India
Fell: April 18, 1838, 8:00 A.M.
Stone, Polymict brecciated gray chondrite
Description: Fragment with crust and polished surface, 7 grams Me1507

ALAIS, Alais, Gard, France
Fell: March 15, 1806, 5:00 P.M.
Stone, Carbonaceous chondrite
Description: Coarse, brown-black powder, very friable, 14 grams Me1486

ALAMOGORDO, Alamogordo, Otero County, New Mexico, USA
Found: 1938
Stone, Crystalline spherical chondrite
Description: End piece with crust, 574.7 grams Me2302

ALBARETO, Albareto, Modena, Italy
Fell: July, 1766, 5:00 P.M.
Stone, Spherical hypersthene-chondrite
Description: Sawed fragment with crust, 6 grams Me1755

ALDSWORTH, Aldsworth, Cirencester, Gloucestershire, England
Fell: August 4, 1835, 4:30 P.M.
Stone, Veined gray chondrite
Description: Fragment with crust, 4 grams Me1776

ALEPPO, Aleppo, Syria
Fell: 1873?
Stone, Polymict brecciated white chondrite
Description: Fragment with crust, 1.5 grams Me544
Fragment with crust, 10 grams Me1778
Fragment from interior, 8 grams Me1779

ALESSANDRIA, Alessandria, Piedmont, Italy
Fell: February 2, 1860, 11:45 A.M.
Stone, Veined gray chondrite
Description: Mass with crust and polished surface, 70 grams Me1513

ALFIANELLO, Alfianello, Brescia, Italy
Fell: February 16, 1883, 3:00 P.M.
Stone, Intermediate hypersthene-chondrite
Description: Mass from interior, 131 grams Me333
Mass from interior, 766 grams Me1386
Mass with crust, 283 grams Me334
Mass with crust, 147 grams Me1383
Mass with crust, 24 grams Me332

Mass with crust, pitted, 236 grams Me1384
Mass with crust, 475 grams Me1385
Mass with crust, 4,041 grams Me1387

ALGOMA, Algoma, Kewaunee County, Wisconsin, USA
Found: 1887
Iron, Medium octahedrite
Description: Etched fragment with crust, 10 grams Me1057

ALLEGAN, Allegan, Allegan County, Michigan, USA
Fell: July 10, 1899, 8:00 A.M.
Stone, Spherical bronzite-chondrite
Description: Fragments, 6 grams Me500
Mass with crust, 45.2 grams Me500
Mass with crust, 83 grams Me498
Mass with crust, 124 grams Me1430
Mass with crust, chondrules readily separable, 288 grams Me1433
Mass with crust, 258 grams Me1432
Chondrules, 1 gram Me1915
Particles and dust, 1 gram Me498
Mass from interior, 139 grams Me1431

ALT BELA, Alt Bela, Ostrava, Moravia, Czechoslovakia
Found: 1898
Iron, Fine octahedrite
Description: Etched section with crust; figures well marked, 19 grams Me1070

AMATES, (Rancho de los Amates), Iguala, Morelos, Mexico
Known: Before 1889
Iron, Medium octahedrite
Description: Oxidized octahedral fragment, 3 grams Me1173

AMBAPUR NAGLA, Ambapur Nagla, Aligarh district, United Provinces, India
Fell: May 27, 1895, 1:00 A.M.
Stone, Crystalline spherical chondrite
Description: Fragment from interior, 13 grams Me1575
Fragment from interior, 12.6 grams Me1577
Fragment with crust, 4 grams Me1576

AMECA-AMECA, Ameca-Ameca, Mexico State, Mexico
Known: Before 1889
Iron, Medium octahedrite?
Description: Two small chips, 1.2 grams Me2359

ANDERSON, Anderson, Hamilton County, Ohio, USA
Found: 1882 (prehistoric)
Stony-iron, Pallasite
Description: Fragment, 2 grams Me1317

ANDOVER, Andover, Oxford County, Maine, USA
Fell: August 5, 1898, 7:30 A.M.
Stone, Spherical chondrite
Description: Mass with crust, 91 grams Me1466

ANGELICA, Angelica, Shawano County, Wisconsin, USA
Found: 1916
Iron, Coarse octahedrite
Description: Mass with crust and polished faces, 84 grams Me2457

ANGERS, Angers, Maine-et-Loire, France
Fell: June 3, 1822, 8:15 P.M.
Stone, Veined white chondrite
Description: Fragment from interior, 25 grams Me1468
Fragments with crust, 3 grams Me1469

ANGRA DOS REIS, Angra dos Reis, Rio de Janeiro, Brazil
Fell: January 30, 1869, 5:00 A.M.
Stone, Angrite
Description: Fragment with crust, 4 grams Me1368
Sawed slice, 6 grams Me1369

ANTHONY, Anthony, Harper County, Kansas, USA
Found: 1919
Stone, Gray chondrite
Description: Polished slab, 21 grams Me2210
Fragment, 0.8 gram Me2210

APOALA, Apoala, Oaxaca, Mexico
Found: 1889
Iron, Fine octahedrite

Description: Full-sized, etched section. Shows Reichenbach lamellae, 764 grams Me1008
Full-sized, etched section. Shows circular nodules of troilite and elongated ones of schreibersite, 1,405 grams Me1009

APT, Apt, Vaucluse, France
Fell: October 8, 1803, 10:30 A.M.
Stone, Veined gray chondrite
Description: Mass with crust. Extensive veining gives a brecciated appearance. 34 grams Me1472

ARAGON, Aragon, Polk County, Georgia, USA
Found: 1898
Iron, Nickel-poor ataxite
Description: Two fragments, 5 grams Me1962

ARAPAHOE, Arapahoe, Cheyenne County, Colorado, USA
Found: 1940
Stone, Black chondrite
Description: End piece with polished face, 1,720 grams Me2363

ARCADIA, Arcadia, Valley County, Nebraska, USA
Found: 1937
Stone, Achondrite
Description: Polished slice, 388.4 grams Me2301

ARCHIE, Archie, Cass County, Missouri, USA
Fell: August 10, 1932, 4:30 P.M.
Stone, Gray chondrite
Description: Complete individual, 97 grams Me2171

ARISPE, Arispe, Sonora, Mexico
Found: 1896
Iron, Coarsest octahedrite
Description: Full-sized etched section, 350 grams Me781
Nearly complete individual, 8,033 grams Me781
Thick, etched slab, 1,114 grams Me1011
End piece with etched face 30 x 44 cm., 32,659 grams Me1099
Cohenite from siderite, 0.2 gram Me1983

ARLINGTON, Arlington, Sibley County, Minnesota, USA
Found: 1894
Iron, Medium octahedrite
Description: Etched slab with crust on broad surface, 94 grams Me976
Etched fragment with crust, 70 grams Me459

ARRIBA, Arriba, Lincoln County, Colorado, USA
Found: 1936
Stone, Polymict brecciated intermediate chondrite
Description: One end piece with polished face, 2,041 grams Me2232

ASCO, Asco, Corsica
Fell: November, 1805
Stone, Veined white chrondite
Description: Fragment from interior, 5 grams Me1523
Fragment with crust and large mass of troilite, 4.2 grams Me1522

ASHEVILLE, Asheville, Buncombe County, North Carolina, USA
Found: 1839
Iron, Medium octahedrite
Description: Etched fragment with crust, 5 grams Me1086

ASSAM, Assam, India
Found: 1846
Stone, Polymict brecciated gray chondrite
Description: Coarse, dark powder with one light-colored fragment, 3 grams Me1829

ASSISI, Assisi, Perugia, Italy
Fell: May 24, 1886, 7:00 A.M.
Stone, Spherical chondrite
Description: Fragment with crust, 44.3 grams Me1503
Sawed fragment with crust, interior dark gray, 70 grams Me1502

ATEMAJAC, Atemajac, Sierra de Topalpo, Jalisco, Mexico
Fell: February 26, 1896
Stone, Gray hypersthene-chondrite
Description: Mass with crust, 32 grams Me1521

ATLANTA, Atlanta, Winn County, Louisiana, USA
Found: 1938
Stone
Description: End piece with polished face, 267 grams Me2289

AUBRES, Aubres, Nyons, Drome, France
Fell: September 14, 1836, 3:00 P.M.
Stone, Aubrite (enstatite-achondrite)
Description: Fragments, color ash gray, 3 grams Me1506

AUBURN, Auburn, Lee (formerly Macon) County, Alabama, USA
Found: 1867
Iron, Hexahedrite
Description: Sawed fragments with crust, 5 grams Me92
Two irregular fragments with oxidized surfaces, 23 grams Me1111

AUGUSTINOVKA, Augustinovka, Ekaterinoslav, USSR
Found: 1890
Iron, Fine octahedrite
Description: Etched section, 209.6 grams Me508
Etched end piece, 944 grams Me971
Oxidized fragments, 49.5 grams Me972
Oxidized fragment, 59 grams Me507

AUMALE, Aumale, Alger, Algeria, Africa
Fell: August 25, 1865, 11:00 A.M.
Stone, Veined white chondrite
Description: Fragment from interior, 1.5 grams Me283
Mass from interior, 50.5 grams Me599
Mass with crust, 284 grams Me1837

AUMIERES, Aumieres, Lozere, France
Fell: June 3, 1842, 9:00 P.M.
Stone, Veined white chondrite
Description: Fragment with crust, 11.3 grams Me491
Fragment with crust, 19 grams Me1741
Fragment from interior with one polished surface, 15.3 grams Me1742

AURORA, Aurora, Colfax County, New Mexico, USA
Found: 1938
Stone
Description: Polished slice, 108.5 grams Me2294

AUSSON, Ausson, Haute Garonne, France
Fell: December 9, 1858, 7:30 A.M.
Stone, Spherical hypersthene-chondrite
Description: Mass from interior, 11 grams Me271
Mass from interior, 181.5 grams Me1510
Polished fragment, 21.6 grams Me272
Mass with crust and sawed surface, 160 grams Me1511

AVILEZ, Avilez, Cuencame, Durango, Mexico
Fell: June, 1855
Stone, Gray or spherical chondrite
Description: Fragment with crust, 6 grams Me1574

AZTEC, Aztec, San Juan County, New Mexico, USA
Fell: February 1, 1938, 5:00 P.M.
Stone
Description: One nearly complete individual, 2,779 grams Me2298

BABB'S MILL, Babb's Mill, Greene County, Tennessee, USA
Found: 1842
Iron, Nickel-rich ataxite
Description: Morradal group, polished slab, 70 grams Me109
Etched slab. Etching produces minute pits, 43.5 grams Me904
Etched slab, 47 grams Me906
Polished slab with crust, 43.5 grams Me905

BACHMUT, Bachmut, Ekaterinoslav, Ukraine, USSR
Fell: February 15, 1814, noon
Stone, White hypersthene-chondrite
Description: Fragment with crust and polished surface, 9 grams Me234
Fragment with crust, 5 grams Me1724
Sawed slab with crust and polished surface, 26 grams Me1379

BACUBIRITO, Bacubirito, Sinaloa, Mexico
Found: 1863
Iron, Finest octahedrite
Description: Etched slab, 352 grams Me537
End piece with etched surface, 1,497 grams Me1124

BALD EAGLE, Bald Eagle, Williamsport, Lycoming County, Pennsylvania, USA
Found: 1891
Iron, Medium octahedrite
Description: Full-sized section, etched, 300 grams Me1006

BALD MOUNTAIN, Bald Mountain, Yancey County, North Carolina, USA
Fell: July 9, 1929, afternoon
Stone, Veined gray chondrite
Description: Mass with crust, 306.5 grams Me2392

BALLINGER, Ballinger, Runnels County, Texas, USA
Found: 1927
Iron, Granular hexahedrite
Description: Etched section, 53 grams Me2152
Etched section, 70 grams Me2110

BALLINOO, Ballinoo, Murchison River, Western Australia
Found: 1892
Iron, Finest octahedrite
Description: Section with crust, 145×253 mm., 8,290 grams Me979
End piece, 70×150 mm., etched, 2,748 grams Me980

BANDONG, Bandong, Preanger, Java
Fell: December 10, 1871, 1:30 P.M.
Stone, Amphoterite (Rodite)
Description: Mass with crust, 17 grams Me1753
Mass from interior, 8.5 grams Me1754
Two fragments from interior, 1.5 grams Me304

BARBOTAN, Barbotan, Gers, France
Fell: July 24, 1790, 9:00 P.M.
Stone, Veined gray chondrite

Description: Mass with crust, 129 grams Me214
Fragment from interior, 6.0 grams Me213
Mass with crust and polished surface, 314.2 grams Me1844

BAREA, Barea, Logrono, Spain

Fell: July 4, 1842
Stony-iron, Mesosiderite
Description: Fragment with polished surface, 5 grams Me1264
Two fragments, 6.5 grams Me1265

BAROTI, Baroti, Bilaspur, Simla Hill States, Punjab, India

Fell: September 15, 1910, 10:00 A.M.
Stone, White hypersthene-chondrite
Description: Two fragments with crust, 42 grams Me2001

BARRANCA BLANCA, Barranca Blanca, Come Caballo Pass, Atacama, Chile

Found: 1855
Iron, Brecciated octahedrite
Description: Fragment 17 x 30 mm., with torn and etched surfaces, figures irregular, 16 grams Me1085

BARRATTA, Deniliquin, County Townsend, New South Wales, Australia

Found: 1845
Stone, Black hypersthene-chondrite
Description: Nearly complete individual, one surface polished, 72,348 grams Me1465
Mass with crust, 288.5 grams Me539
Full-sized, polished section, 2,107 grams Me1463
Nearly complete individual, one surface polished, 16,867 grams Me1464

BATH, Bath, Brown County, South Dakota, USA

Fell: August 29, 1892, 4:00 P.M.
Stone, Brecciated spherical chondrite
Description: Mass with crust and armored surface, 1,262 grams Me351
Mass with crust and three polished surfaces, 1,698.7 grams Me1782

BATH FURNACE, Bath Furnace, Bath County, Kentucky, USA
Fell: November 15, 1902, 6:45 P.M.
Stone, Intermediate chondrite
Description: End piece with crust and polished surface, 3,038 grams Me1331
Fragments, 3 grams Me555
Complete individual, 80,739 grams Me1332

BEAR CREEK, Bear Creek, Jefferson County, Colorado, USA
Found: 1866
Iron, Fine octahedrite
Description: Etched section with crust on three sides, 60 grams Me1125
Fragment showing crust, 43.7 grams Me88
Thin slab, etched, 26 grams Me89

BEARDSLEY, Beardsley, Rawlins County, Kansas, USA
Fell: October 15, 1929, 11:30 P.M.
Stone, Gray chondrite
Description: Individual, 225 grams Me2193
Polished end, 218 grams Me2194

BEAVER CREEK, Beaver Creek, West Kootenay District, British Columbia
Fell: May 26, 1893, 3:30 P.M.
Stone, Crystalline spherical bronzite-chondrite
Description: Mass from interior, 212 grams Me1391
Mass with crust, 19 grams Me353
Mass with crust, 573.3 grams Me1392
Mass with crust and polished surface, 1,098 grams Me1393
Two fragments, 60.5 grams Me1390
Fragment with crust, 5.6 grams Me352

BEENHAM, Beenham, Union County, New Mexico, USA
Found: 1937
Stone, Veined gray hypersthene-chondrite
Description: Individual, 774.5 grams Me2297

BELLA ROCA, Sierra de San Francisco, Santiago Papasquiaro, Durango, Mexico
Known: 1888

Iron, Fine octahedrite
Description: Etched slice with crust, 222 grams Me611
Section of troilite, 15.2 grams Me1903
Etched slice, 443 grams Me985

BENARES, Benares, United Provinces, India
Fell: December 19, 1798, 8:00 P.M.
Stone, Spherical chondrite
Description: Powder, 0.71 grams Me216
Mass with crust, 61 grams Me1505

BENDEGO, Bendego, Monte Santo, Bahia, Brazil
Found: 1784
Iron, Coarse octahedrite
Description: Etched slab with elongated troilite, 1,126 grams Me6
Scalings from crust, 17 grams Me3
Etched slab, 851 grams Me5
Etched slab with crust, 754 grams Me896

BENLD, Benld, Macoupin County, Illinois, USA
Fell: September 29, 1938, 9:00 A.M.
Stone, Veined gray hypersthene-chondrite
Description: Complete individual, 1,748.5 grams Me2259

BERLANGUILLAS, Berlanguillas, Burgos, Spain
Fell: July 8, 1811, 8:00 P.M.
Stone, Veined intermediate chondrite
Description: Polished fragment, abundant metallic grains, 5.5 grams Me492
Fragment from interior with polished surface, 9 grams Me1757
Fragments with crust, 10.5 grams Me1756

BETHANY, Bethany, Great Namaqualand, Southwest Africa
Known: Before 1836
Iron, Fine octahedrite
Description: Etched slab, 14 grams Me552
Etched slab, 429 grams Me569
Thin shaving, etched, 0.8 gram Me825
Full-sized section, 33×37 cm., etched, 9,460 grams Me789

Fragment with crust, 2.8 grams Me1028
Etched slab, 215 grams Me1032
Fragment, 11 grams Me1029
Mass with crust and two etched surfaces, 20,360 grams Me1033
Etched fragment, 10.5 grams Me1030
Full-sized section, 36×69 cm., etched, 22,620 grams Me1034

BETHLEHEM, Bethlehem, Albany County, New York, USA

Fell: August 11, 1859, 7:30 A.M.
Stone, Crystalline spherical chondrite
Description: Fragment from interior, 1 gram Me1843

BEUSTE, Beuste, Pau, Basses-Pyrenées, France

Fell: May, 1859, afternoon
Stone, Brecciated gray chondrite
Description: Full-sized section with crust, one side polished, 37 grams Me1568

BIALYSTOK, Bialystok, Grodno, Poland

Fell: October 5, 1827, 9:30 A.M.
Stone, Howardite
Description: Fragment from interior, light colored, friable, 4.5 grams Me1563

BIELOKRYNITSCHIE, Bielokrynitschie, Zaslavl, Volhynia, Ukraine, USSR

Fell: January 1, 1887, 6:00 P.M.
Stone, Veined spherical chondrite
Description: Complete individual, 257 grams Me1394

BILLINGS, Billings, Christian County, Missouri, USA

Found: 1903
Iron, Coarse octahedrite
Description: Full-sized, etched section, 925 grams Me1097
Drillings, 22 grams Me1098
About one-fourth the original mass, polished and etched, 11,884 grams Me1098

BINGERA, Bingera, County Murchison, New South Wales, Australia

Found: 1880
Iron, Nickel-poor ataxite
Description: Shaving, 1 gram Me1078

BISCHTÜBE, Bischtübe, Nikolaev, Turgai, Siberia, USSR
Found: 1888
Iron, Coarse octahedrite
Description: Complete individual, 630 grams Me932
Full-sized etched section, 1,864 grams Me933
Thin slab from interior, etched, 14.3 grams Me934

BISHOP CANYON, Bishop Canyon, San Miguel County, Colorado, USA

Found: 1912
Iron, Fine octahedrite
Description: Complete individual, 5,965 grams Me1955
Etched fragment, 42.2 grams Me1948

BISHOPVILLE, Bishopville, Lee County, South Carolina, USA
Fell: March 25, 1843
Stone, Aubrite (enstatite-achondrite)
Description: Fragments with and without crust, 3 grams Me251 and 252
Fragments with and without crust, 5 grams Me253
Fragments showing crust, 32 grams Me1886
Fragments, 7.5 grams Me1887
Fragments from interior, 25 grams Me1888

BISHUNPUR, Bishunpur, Mirzapur district, United Provinces, India
Fell: April 26, 1895, 3:00 P.M.
Stone, Black chondrite
Description: Fragment with crust, 1 gram Me1537

BITBURG, Bitburg, Trier, Rhenish Prussia, Germany
Found: 1802
Stony-iron, Pallasite
Description: Porous slab with one surface polished, 186 grams Me1257
Porous mass, 4×4 cm., containing grains of charcoal, 206 grams Me1258

Porous slab with one surface, 6×9 cm., polished, 572 grams Me 1259

BJELAJA ZERKOV, Bjelaja Zerkov, Kiev, Ukraine, USSR
Fell: January 15, 1796
Stone, Spherical chondrite
Description: Fragments with crust, 7 grams Me1416

BJURBÖLE, Bjurböle, Borga, Nyland, Finland
Fell: March 12, 1899, 10:30 P.M.
Stone, Spherical hypersthene-chondrite
Description: Mass with crust, 307 grams Me522
Powder, 1 gram Me522
Mass with crust, 4,777 grams Me1428
Mass with crust, 944 grams Me1427
Mass from interior, shows veins of troilite, 84.8 grams Me1426

BLACK MOUNTAIN, Black Mountain, 15 miles east of Asheville, Buncombe County, North Carolina, USA
Found: About 1839
Iron, Coarse octahedrite
Description: Several octahedral fragments, 7 grams Me 1080

BLANKET, Blanket, Brown County, Texas, USA
Fell: May 30, 1909, 10:30 P.M.
Stone, Gray chondrite
Description: Nearly complete individual, 1,460 grams Me1964
Nearly complete individual, 133.5 grams Me1964
Complete individual, 1,360 grams Me1965
Fragment, 3.1 grams Me1964

BLANSKO, Blansko, Brno, Moravia, Czechoslovakia
Fell: November 25, 1833, 6:30 P.M.
Stone, Veined gray bronzite-chondrite
Description: Nearly complete individual, one polished surface, metal abundant, 9 grams Me1571

BLITHFIELD, Blithfield, Renfrew County, Ontario, Canada
Found: August 13, 1910

Stone, Enstatite-chondrite
Description: Mass with crust, 472 grams Me1979

BLUE TIER, Blue Tier, County Dorset, NE Coast of Tasmania
Found: 1890
Iron, Medium octahedrite
Description: Etched fragment, 14×19 mm., with oxidized surface, figures not well marked, 29 grams Me952

BLUFF, Bluff, Fayette County, Texas, USA
Found: About 1878
Stone, Brecciated crystalline hypersthene-chondrite
Description: End piece with polished surface, 25×35 cm., alternation extends inward from the crust about 1 cm., 10,962 grams Me173
Polished section, 31×38 cm., showing the characteristic veins of the meteorite, 2,918 grams Me174
Polished slab, 5,538 grams Me1459
Complete individual. This is a crusted fragment of a much larger individual; a primary crust is shown on a relatively small surface, the remainder of the crust is secondary; the surface is much reddened by oxidation, 7,516 grams Me1461

BOCAS, Bocas, San Luis Potosi, Mexico
Fell: November 24, 1804
Stone, White chondrite
Description: Fragment with crust, interior veined, 1 gram Me1497

BOHUMILITZ, Bohumilitz, Vimperk, Bohemia, Czechoslovakia
Fell: Possibly January 1, 1770, Found: 1829
Iron, Coarse octahedrite
Description: Etched slab with crust, 275 grams Me487
Thin slab, etched, 23.6 grams Me898
Full-sized, etched section, 13×22 cm., 1,604 grams Me899

BONDOC, Bondoc Peninsula, Luzon, Philippine Islands
Found: 1957
Iron (with silicate inclusions)

Description: Slab, polished on one side, 10.2×6.4 cm. Almost all silicate with small patches of iron, 153.8 grams Me2557

BONITA SPRINGS, Bonita Springs, Lee County, Florida, USA
Found: 1938
Stone
Description: Thin slab with crust, 546 grams Me2442

BORGO SAN DONINO, Borgo San Donino, Cusignano, Parma, Italy
Fell: April 19, 1808, noon
Stone, (Howarditic chondrite of Brezina) Polymict brecciated gray chondrite
Description: Fragment with crust, 6.4 grams Me1530
Interior fragment, 4.2 grams Me1531

BORI, Bori, Betul district, Central Provinces, India
Fell: May 9, 1894, 4:00 P.M.
Stone, Veined intermediate chondrite
Description: Mass, 5×5×7 cm., with crust, 482 grams Me1382

BORKUT, Borkut, Maramaros, Ruthenia, Ukraine (formerly in Czechoslovakia)
Fell: October 13, 1852, 3:00 P.M.
Stone, Spherical chondrite
Description: Sawed fragment with crust, texture coarse, 77.5 grams Me1555
Individual chondrules, 0.12 gram Me262

BORODINO, Borodino, Moscow, USSR
Fell: September 5, 1812, 1:00 A.M.
Stone, Brecciated gray chondrite
Description: Fragment with crust, polished, firm texture, rusty brown color, 1 gram Me1420

BOTSCHETSCHKI, Botschetschki, Kursk, USSR
Fell: 1823 (end of the year)
Stone, Gray chondrite
Description: Slice, 2×3 cm., from interior, two sides polished; color so dark that the meteorite appears like a black chondrite, 11 grams Me1570

BRADY, Brady, McCulloch County, Texas, USA
Found: 1937
Stone, Gray chondrite
Description: Polished slice with crust, 67.6 grams Me2303

BRAHIN, Brahin, Minsk, USSR
Found: 1810
Stony-iron, Pallasite
Description: Slab with polished surface, 51 grams Me1318
Fragment, 32 grams Me1319

BRAUNAU, Braunau, Trutnov, Bohemia, Czechoslovakia
Fell: July 14, 1847, 3:45 A.M.
Iron, Hexahedrite
Description: Sawed block showing natural surface with pits, 47 grams Me55
Mass with crust, 36 grams Me604
Etched slab with crust, three faces etched, 106 grams Me907
Wedge-shaped mass from interior, shows cubic cleavage, 278 grams Me908

BREECE, Breece, McKinley County, New Mexico, USA
Found: 1921
Iron, Medium octahedrite
Description: Nearly complete iron meteorite with etched surface, 36,500 grams Me2140
Etched section of Me2140, 1,680 grams Me2162
Two fragments, etched, 8.2 grams Me2164
Etched section of Me2140, 1,614 grams Me2165
Etched section of Me2140, 747 grams Me2167

BREMERVÖRDE, Bremervörde, Hanover, Germany
Fell: May 13, 1855, 5:00 P.M.
Stone, Polymict brecciated spherical bronzite-chondrite
Description: Fragment with crust and polished surface, 72 grams Me438
Interior fragment, 0.5 gram Me265
Fragment with crust, 17 grams Me1758

BRENHAM, Brenham Township, Kiowa County, Kansas, USA
Found: 1882

Stony-iron, Pallasite, passing in some specimens into an iron.
Description: Polished section, 40 grams Me199
One-half of a complete individual, one surface polished, 1,832 grams Me195
Four fragments, 29.3 grams Me436
Full-sized section, polished. The central portion for a width of about 5 cm. is solid metal, but on either side the pallasite structure occurs, 1,243 grams Me196
Full-sized section polished, 4,977 grams Me198
Complete individual, the largest of the fall, 218,847 grams Me200
Chrysolite grains, 19 grams Me1914
Full-sized polished section, 1,665 grams Me201
Complete individual, 8,049 grams Me202
Complete individual, of spheroidal form, almost wholly iron, 16,091 grams Me205
Full-sized polished section, 8,490 grams Me203
Complete individual, almost wholly iron, 155,473 grams Me204
Etched section, 160 grams Me432
Full-sized etched section showing transition from siderite to pallasite, 410 grams Me1271
Full-sized etched section showing transition from siderite to pallasite, 587 grams Me1272
Cubical section, 5×5×8 cm., with crust, 768 grams Me1273
Thin, broad section 16×36 cm., polished, 3,065 grams Me1275
End piece with polished surface 16×31 cm., 9,814 grams Me1276
Twelve altered individuals, 1,016 grams Me2119 to 2130
Altered meteorite, 2,014 grams Me2134
End piece with polished surface, 12,522 grams Me1277
End piece of large individual, one polished surface, 44,905 grams Me1278
Sand from Brenham meteorite, 1 gram Me2131

BRIDGEWATER, Bridgewater, Burke County, North Carolina, USA
Found: 1890

Iron, Fine octahedrite
Description: Etched slab with crust, 83 grams Me1895
Etched slab with crust, 19 grams Me137

BRISTOL, Bristol, Sullivan County, Tennessee, USA

Recognized: 1937
Iron, Finest octahedrite
Description: Polished slab, 443 grams Me2248

BROKEN BOW, Broken Bow, Custer County, Nebraska, USA

Found: 1937
Stone, Chondrite
Description: End piece with polished surface, 287 grams Me2244

BRUDERHEIM, Bruderheim, Alberta, Canada

Fell: March 24, 1960, 1:06 A.M.
Stone, Olivine-hypersthene chondrite
Description: Complete individual, 1,199 grams Me2476

BUR-GHELUAI, Bur-Gheluai, Province of Bur-Hagaba, Italian Somaliland, Africa

Fell: October 16, 1919, 8:00 A.M.
Stone, Gray hypersthene-chondrite
Description: Complete individual, 1,556 grams Me2098

BURLINGTON, Burlington, Otsego County, New York, USA

Found: Before 1819
Iron, Medium octahedrite
Description: Etched slab from interior, 61 grams Me915
Wedge-shaped, etched section, showing cleavage, 60.5 grams Me916

BUSCHHOF, Buschhof, Zemgale, Latvia

Fell: June 2, 1863, 7:30 A.M.
Stone, Veined white hypersthene-chondrite
Description: Mass with crust, 37 grams Me774
Fragment from interior, fine grained and friable, 15 grams Me1475
Mass with crust, 21 grams Me1473

BUSTEE, Bustee, between Gorakhpur and Fyzabad, Basti District, United Provinces, India
Fell: December 2, 1852, 10:00 A.M.
Stone, Polymict brecciated aubrite (enstatite-achondrite)
Description: Fragments, 5 grams Me1352

BUTLER, Butler, Bates County, Missouri, USA
Found: Before 1874
Iron, Finest octahedrite
Description: Slab with crust, 108 grams Me1121
Etched slab with crust, 325 grams Me1122
Small slab, etched, 71.5 grams Me96

BUTSURA, Bagaha, Champaran District, Bihar, India
Fell: May 12, 1861, about noon
Stone, Intermediate chondrite
Description: Fragments with crust, 1.85 grams Me277
Polished slab with crust, color dark-brown, metal abundant, 27 grams Me1884
Fragment with crust and polished surface, 10.5 grams Me1885

CABEZO DE MAYO, Cabezo de Mayo, Murcia, Spain
Fell: August 18, 1870, 6:15 A.M.
Stone, White chondrite
Description: Mass with crust, 102.5 grams Me1514
Mass with crust, 59.5 grams Me1515

CABIN CREEK, Cabin Creek, Johnson County, Arkansas, USA
Fell: March 27, 1886, 3:00 P.M.
Iron, Medium octahedrite
Description: Etched fragment with crust on one side, 1 gram Me1091

CACARIA, Cacaria, Durango, Mexico
Found: 1867
Iron, Hammond medium octahedrite
Description: Mass with crust and three etched surfaces, 1,644 grams Me922
Etched slab with crust, 383 grams Me923

CACHIYUYAL, Cachiyuyal, Atacama, Chile
Found: 1874
Iron, Medium octahedrite
Description: End piece with etched surface, 723 grams Me958

CAMBRIA, Cambria, Niagara County, New York, USA
Found: 1818
Iron, Fine octahedrite
Description: Etched slab, 78 grams Me927
Slab with crust; etched, 102.5 grams Me928

CANELLAS, Canellas, Barcelona, Spain
Fell: May 14, 1861, 1:30 P.M.
Stone, Polymict brecciated intermediate chondrite
Description: Fragment with crust, 7 grams Me1793
Fragment from interior, 2 grams Me1794

CANGAS DE ONIS, Cangas de Onis, Asturias, Spain
Fell: December 6, 1866, 11:00 A.M.
Stone, Polymict brecciated gray chondrite
Description: Part of a small individual, 40.8 grams Me1841
Nearly complete individual with crust broken from one end, 53.5 grams Me1842

CAÑON DIABLO, Cañon Diablo, Coconino County, Arizona, USA
Found: 1891
Iron, Coarse octahedrite
Description: Complete individual, flattened form, 460.304 kg. Me143
Six fragments, 122.5 grams Me152
Etched section, 20×29 cm., 2,920 grams Me144
Complete individual, 60 grams Me455
Complete individual, 120.657 kg. Me146
Complete individual, 155 grams Me610
Etched section, 19×30 cm., 4,309 grams Me147
One fragment, 34 grams Me751
Nearly complete individual, 23.590 kg. Me148
Meteoric crust, three fragments, 31.3 grams Me771
Thick slab, 20×27 cm., polished, 26.047 kg. Me150
Nearly complete individual, one polished surface, 24.489 kg. Me151

Complete individual, 185 grams Me2153
Complete individual, 383.292 kg. Me1233
Section of graphitic meteorite and filings; filings 10.9 grams, fragment 31.3 grams Me2150
Cohenite from meteorite, 2.5 grams Me1910
Cohenite, 2.2 grams Me2349
Polished section, 190 grams Me2342
Complete individual, 252.202 kg. Me1234
Complete individual, 169.553 kg. Me1235
Complete individual, 143.791 kg. Me1236
End piece, etched, 48.080 kg. Me1244
End piece, etched, 31.752 kg. Me1245
Etched section, 35×46 cm., 18,514 grams Me1246
Etched section, 35×52 cm., 17.290 kg. Me1247
Etched section, 18×40 cm., 8.455 kg. Me1248
Etched section, 1,286 grams Me1249
Fifty-one individuals ranging from 900 to 25 grams each in weight, 10,731 grams Me1252

CANTON, Canton, Cherokee County, Georgia, USA

Found: 1894
Iron, Medium octahedrite
Description: Fragment from interior, one surface polished, 110 grams Me1092
Full-sized section, etched, 152 grams Me1093

CANYON CITY, Canyon City, Trinity County, California, USA

Found: 1875
Iron, Medium octahedrite
Description: Full-sized section, etched, 412 grams Me1018
End piece, etched, 4,240 grams Me1019

CAPE GIRARDEAU, Cape Girardeau, Cape Girardeau County, Missouri, USA

Fell: August 14, 1846, 3:00 P.M.
Stone, Spherical bronzite-chondrite
Description: Mass with crust, 43 grams Me1566
Mass with crust, 18 grams Me1567

CAPE OF GOOD HOPE, Cape of Good Hope, Cape Province, South Africa
Found: 1793
Iron, Nickel-rich ataxite
Description: Polished slab, 27 grams Me29
Thin, broad slab, etched, 169 grams Me911

CAPERR, Caperr, Rio Senguerr, Chubut Territory, Patagonia
Known: 1869
Iron, Medium octahedrite
Description: Full-sized section, etched, 383 grams Me1005

CAPE YORK, Cape York, West Greenland
Known: 1818
Iron, Medium octahedrite
Description: Shavings, 6 grams Me953

CARBO, Carbo, Alamo Ranch, Sonora, Mexico
Found: 1923
Iron, Medium octahedrite
Description: Torn piece, 41 grams Me2148

CARCOTE, Carcote, western Cordilleras, Atacama, Chile
Found: 1888
Stone, Crystalline bronzite-chondrite
Description: Sawed fragment, 1 gram Me1492

CARLTON, Carlton, Hamilton County, Texas, USA
Found: 1887
Iron, Fine octahedrite
Description: Full-sized etched section, 2,750 grams Me880
Full-sized etched section, 3,215 grams Me879
Full-sized, thin slab, 22×30 cm., showing polished and etched surfaces, 3,385 grams Me131

CARTHAGE, Carthage, Smith County, Tennessee, USA
Found: 1840
Iron, Medium octahedrite
Description: Thick slab showing polished and etched surface and crust, 50 grams Me51
Etched section with crust, 445 grams Me924
Etched section with crust, 14 grams Me925

CASAS GRANDES, Casas Grandes, de Malintzin, Chihuahua, Mexico
Recognized: 1867
Iron, Medium octahedrite
Description: Etched section, 12×12 cm., found in old Aztec tomb, 608 grams Me524
Broad slab, 24×41 cm., etched, 6,026 grams Me881
Broad slab, etched, 3,353 grams Me882

CASEY COUNTY, Casey County, Kentucky, USA
Found: 1877
Iron, Coarse octahedrite
Description: Etched section with crust, 29 grams Me1075
Etched section in two parts, 42 grams Me1076

CASTALIA, Castalia, Nash County, North Carolina, USA
Fell: May 14, 1874, 2:30 P.M.
Stone, Gray brecciated bronzite-chondrite
Description: Fragment with crust, 1.5 grams Me307
Fragment from interior, 6.5 grams Me308
Mass with crust and one sawed surface, 184 grams Me1519

CASTINE, Castine, Hancock County, Maine, USA
Fell: May 20, 1848, 4:00 A.M.
Stone, Veined white hypersthene-chondrite
Description: Mass with crust and polished surface, 42 grams Me1565

CAVOUR, Cavour, Beadle County, South Dakota, USA
Found: 1941
Stone, Brecciated crystalline hypersthene?-chondrite
Description: End piece, polished slice, 301 grams Me2416

CEDAR (KANSAS), Cedar, Smith County, Kansas, USA
Found: 1937
Stone, Black chondrite
Description: Slice, polished on both sides, 79.1 grams Me2293

CEDARTOWN, Cedartown, Polk County, Georgia, USA
Found: Before 1898
Iron, Hexahedrite
Description: Slice, polished, 213 grams Me2373

CENTRAL MISSOURI, Central Missouri, USA
Found: 1855
Iron, Coarsest octahedrite
Description: End piece with polished surface, 2,530 grams
Me1059

CERESETO, Cereseto, Casale, Piedmont, Italy
Fell: July 17, 1840, 7:30 A.M.
Stone, Brecciated spherical chondrite
Description: Fragment with crust and armoured surface,
9.5 grams Me1476

CHAMBERLIN, Chamberlin, Dallam County, Texas, USA
Found: 1941
Stone, Crystalline spherical chondrite
Description: Polished slice, 271.5 grams Me2377

CHAMBORD, Chambord, Lake Saint John County,
Quebec, Canada
Found: 1904
Iron, Medium octahedrite
Description: Etched section with crust, 18.2 grams Me921

CHANARAL, Chanaral, Atacama, Chile
Found: 1884
Iron, Medium octahedrite
Description: End piece with etched surface, 11 grams Me939

CHANDAKAPUR, Chandakapur, Berar, Central Provinces, India
Fell: June 6, 1838, noon
Stone, Polymict brecciated intermediate hypersthene-chondrite
Description: Three fragments from interior; two polished,
3.5 grams Me245
Mass with crust, 68 grams Me1800
Fragment from interior with two polished surfaces,
12 grams Me1802

CHANNING, Channing, Hartley County, Texas, USA
Found: 1936
Stone, Black chondrite
Description: Chondrite with large metallic inclusions, 639 grams
Me2215

CHANTONNAY, Chantonnay, Vendée, France
Fell: August 5, 1812, 2:00 A.M.
Stone, Polymict brecciated gray hypersthene-chondrite
Description: Polished chip, 2 grams Me232
Mass from interior, 46 grams Me1790
Mass from interior, 51 grams Me1791

CHARCAS, Charcas, San Luis Potosi, Mexico
Known: 1804
Iron, Medium octahedrite
Description: Broad, etched section, 5,230 grams Me931

CHARLOTTE, Charlotte, Dickson County, Tennessee, USA
Fell: August 1, 1835, 2-3 P.M.
Iron, Fine octahedrite
Description: Thin slab, one surface etched, 5 grams Me40
Triangular section with crust, etched, 6 grams Me903

CHARSONVILLE, Charsonville, Meung, Loiret, France
Fell: November 23, 1810, 1:30 P.M.
Stone, Veined gray chondrite
Description: Fragment from interior, 22 grams Me229
Two fragments from interior, one with polished surface, 43 grams Me1489
Fragment from interior, 15 grams Me1490

CHARWALLAS, Charwallas, Hissar District, Punjab, India
Fell: June 12, 1834, 8:00 A.M.
Stone, Intermediate chondrite
Description: Fragments, 0.2 gram Me1832

CHASSIGNY, Chassigny, Haute Marne, France
Fell: October 3, 1815, 8:00 A.M.
Stone, Chassignite
Description: Fragment from interior, 9.3 grams Me1780
Powder from the interior, 0.70 gram Me546

CHATEAU-RENARD, Chateau-Renard, Montargis, Loiret, France
Fell: June 12, 1841, 1:30 P.M.
Stone, Veined intermediate hypersthene-chondrite

Description: Fragment from interior, 7 grams Me248
Mass with crust, 174 grams Me1804
Mass from interior, 62 grams Me1805
Fragment with crust and polished surface, 15 grams Me1806

CHERVETTAZ, Chervettaz, Palezieux, Vaud, Switzerland
Fell: November 30, 1901, 2:00 P.M.
Stone, Crystalline spherical chondrite
Description: Fragment with crust and polished surface, 26 grams Me1562

CHESTERVILLE, Chesterville, Chester County, South Carolina, USA
Found: Before 1849
Iron, Nickel-poor ataxite
Description: Thin etched slab, 6.5 grams Me56
Etched slab with crust, 138 grams Me1077

CHIHUAHUA CITY, Chihuahua City, Mexico
Recognized: 1929
Iron, Brecciated hexahedrite
Description: End piece with polished surface, 1,994 grams Me2136

CHILKOOT, Chilkoot Inlet, Portage Bay, Alaska, USA
Found: 1881
Iron, Medium octahedrite
Description: Etched section with crust, 62 grams Me1069

CHINAUTLA, Chinautla, Guatemala, Central America
Found: 1902
Iron, Medium octahedrite
Description: Full-sized etched section, 127 grams Me1949

CHULAFINNEE, Chulafinnee, Cleburne County, Alabama, USA
Found: 1873
Iron, Medium octahedrite
Description: Etched slab, 29 grams Me94
Etched slab with crust, 87 grams Me1109

CHUPADEROS, Chupaderos, Jimenez, Chihuahua, Mexico
Found: 1852—first mentioned (known for centuries)
Iron, Fine octahedrite
Description: Etched mass with crust, 293.2 grams Me1044
Full-sized etched slab; troilite and schreibersite are prominent constituents, 2,593 grams Me1045
Full-sized, etched slab, 2,492 grams Me1046
End piece, etched, 5,438 grams Me1047
Fragment, 2.7 grams Me1902

CINCINNATI, Cincinnati, Hamilton County, Ohio, USA
Found: 1870
Iron, Nickel-poor ataxite
Description: A section with crust, 61.4 grams Me2104
Etched fragment with crust, 1.1 grams Me1089
Powder, 1 gram Me2104

CLARETON, Clareton, Weston County, Wyoming, USA
Found: After 1931
Stone, Gray chondrite
Description: Polished slice, 3×2 cm., 43.7 grams Me2304

CLEVELAND, Cleveland, Bradley County, Tennessee, USA
Found: 1860
Iron, Medium octahedrite
Description: Etched slab with crust, 94.2 grams Me1197
Large, thin slab showing crust, polished and etched surfaces, 234 grams Me127
Etched slab, 174.5 grams Me1196

COAHUILA, Coahuila, Mexico
Known: 1837
Iron, Hexahedrite
Description: Thin polished slab, partly etched, 70.3 grams Me37
Turnings (drill chips), 10.3 grams Me90
Etched slab with crust, 1,233 grams Me847
Etched slabs, 163 grams Me849
Etched slab with crust, 104 grams Me113
Etched section with crust, 425.7 grams Me852
Sawed fragment with crust, 11.5 grams Me853

End section with polished surface; crust surface smooth, 3,381 grams Me43
Etched section, 924 grams Me841
Broad slab, 15×33 cm., etched, 2,153 grams Me843
Thin, etched section, 440 grams Me844

COBIJA, Cobija, Pampa of Santa Barbara, Antofagasta, Chile
Found: February, 1892
Stone, Crystalline bronzite-chondrite
Description: Polished section, 120 grams Me753
End piece with polished surface, 1,100 grams Me1409
One fragment, 2.5 grams Me753

COLBY (KANSAS), Colby, Thomas County, Kansas, USA
Found: 1940
Stone, Crystalline spherical chondrite
Description: Slice, 108.5 grams Me2376

COLBY (WISCONSIN), Colby, Clark County, Wisconsin, USA
Fell: July 4, 1917, 6:20 P.M.
Stone, Veined intermediate hypersthene-chondrite
Description: Mass with crust, 760 grams Me1988
One large fragment, 670 grams Me1989
Three fragments, probably from larger mass, 431 grams Me1989
429 fragments, 8,169 grams Me1990

COLD BOKKEVELD, Cold Bokkeveld, Cape Province, South Africa
Fell: October 13, 1838, 9:00 A.M.
Stone, Carbonaceous chondrite
Description: Fragment with crust, 35 grams Me1736
Fragment with crust, 18 grams Me1737
Four fragments with crust, one from interior, 12 grams Me1738

COLDWATER (IRON), Coldwater, Comanche County, Kansas, USA
Found: 1923
Iron, Octahedrite
Description: Section, 3,736 grams. Meteorite altered to limonite by weathering Me2051

COLDWATER (STONE), Coldwater, Comanche County, Kansas, USA
Found: 1924
Stone, Crystalline spherical chondrite
Description: Nearly complete individual, 3,550 grams Me2052
Polished section, 275 grams Me2071
Polished section, 215 grams Me2072
Three polished sections, 37 grams Me2076

COLFAX, Colfax, Rutherford County, North Carolina, USA
Found: 1880
Iron, Medium octahedrite
Description: End piece etched, 652 grams Me1960
End piece etched (cut from Me153), 193 grams Me1961

COLLESCIPOLI, Collescipoli, Terni, Umbria, Italy
Fell: February 3, 1890, 1:30 P.M.
Stone, Spherical bronzite-chondrite
Description: Fragment with crust, 3 grams Me356
Mass with crust, 40 grams Me1532
Mass with crust, 45 grams Me1533

COOKEVILLE, Cookeville, Putnam County, Tennessee, USA
Found: 1913
Iron, Coarse octahedrite
Description: Etched section, 216 grams Me1985

COOLAC, Coolac, County Harden, New South Wales, Australia
Found: 1874
Iron, Coarse octahedrite
Description: Slice, etched and polished, 14.9 grams Me2421

COOLIDGE, Coolidge, Hamilton County, Kansas, USA
Found: 1937
Stone, Chondrite
Description: End piece, polished face, 213 grams Me2243

COON BUTTE, Coon Butte, Coconino County, Arizona, USA
Found: 1905
Stone, Brecciated gray chondrite
Description: Full-sized section, one surface polished, 308 grams Me1434

COOPERTOWN, Coopertown, Robertson County, Tennessee, USA
Known: 1860
Iron, Medium octahedrite
Description: Thin slab, etched, 82.5 grams Me83
Polished section, 21 grams Me822
Etched section with crust on three edges, 50 grams Me1126
Etched section with crust, 60 grams Me1127

COPE, Cope, Washington County, Colorado, USA
Found: 1934
Stone, Chondrite
Description: Complete individual, 451.4 grams Me2250

COPIAPO, Copiapo, Atacama, Chile
Found: 1863
Iron, Brecciated octahedrite with silicate inclusions
Description: Surface section, etched, 195 grams Me833

COSBY'S CREEK, Cosby's Creek, Cocke County, Tennessee, USA
Known: Before 1837
Iron, Coarse octahedrite
Description: Five irregular fragments, 34 grams Me48
Irregular fragment, shows octahedral cleavage, 43 grams Me49
Four octahedral fragments, 115 grams Me53
Taenite, 5 grams Me1906
Etched slab with crust, 96 grams Me889
Graphite, 10 grams Me1907
Irregular fragment, shows octahedral cleavage, 56 grams Me890
Mass with crust, 2,880 grams Me891

COSINA, Cosina, Dolores Hidalgo, Guanajuato, Mexico
Fell: January, 1844, 11:00 A.M.
Stone, Crystalline chondrite
Description: Fragment with one sawed surface, color dark gray, 5 grams Me1561

COSTILLA PEAK, Costilla Peak, Taos County, New Mexico, USA
Found: 1881

Iron, Medium octahedrite
Description: Nearly full-sized section, etched, 11×20 cm., 1,133 grams Me502
Full-sized, etched section, 11×31 cm., 1,740 grams Me856
Broad, etched section with crust, 6,807 grams Me857

COTESFIELD, Cotesfield, Howard County, Nebraska, USA
Found: 1928
Stone, Veined chondrite
Description: Slice with crust, 77.5 grams Me2154

COVERT, Covert, Osborne County, Kansas, USA
Recognized: 1929, known before 1896
Stone, Veined spherical chondrite
Description: Thick slab, polished one side, 798 grams Me2366

COWRA, Cowra, County Bathurst, New South Wales, Australia
Found: 1888
Iron, Finest octahedrite
Description: Etched section, 68 grams Me783
Thin, broad, etched section, 25 grams Me973

CRAB ORCHARD, Crab Orchard Mountains, Rockwood, Cumberland County, Tennessee, USA
Found: 1887
Stony-iron, Mesosiderite
Description: Etched section, 40.5 grams Me184
Complete individual, the surface shows weathering, 4,343 grams Me185
End piece, with polished surface, 17×26 cm., 6,030 grams Me187
End piece, with polished surface, 600 grams Me1262
Full-sized polished section, 18×27 cm., 1,920 grams Me1263

CRANBERRY PLAINS, Poplar Hill, Giles County, Virginia, USA
Found: 1852

Iron, Fine octahedrite
Description: Fragment, 1.2 grams Me1084

CRANBOURNE, Cranbourne, near Melbourne, County Mornington, Victoria, Australia
Found: 1854
Iron, Coarse octahedrite
Description: Etched section, contains two troilite nodules, each rimmed by schreibersite, 321 grams Me499
Thin, etched slab, 15.4 grams Me70
Two fragments, 2.3 grams Me1159
Etched slice, 712 grams Me1159
Interior fragment with octahedral structure, 22.8 grams Me1198
Three fragments from interior, 38 grams Me68
Cohenite fragments from meteorite, 0.5 grams Me1909
Troilite powder, 0.5 grams Me2344
Anthracite-like carbon from decomposition of cohenite, 0.7 grams Me2353
Full-sized, etched section, 100×120 mm., 707 grams Me1159
Full-sized, etched section, 1,628 grams Me1199

CRONSTAD, Cronstad, Orange Free State, South Africa
Fell: November 19, 1877, 4:00 P.M.
Stone, Veined gray bronzite-chondrite
Description: Fragment with crust, 6 grams Me1546
Slice with crust, 4.5 grams Me1547

CROSS ROADS, Cross Roads, Boyett, Wilson County, North Carolina, USA
Fell: May 24, 1892, 5:00 A.M.
Stone, Gray chondrite
Description: Mass with crust, 18 grams Me1559

CRUMLIN, Crumlin, County Antrim, Ireland
Fell: September 13, 1902, 10:30 A.M.
Stone, Gray hypersthene-chondrite
Description: Fragment with crust, texture firm, 13 grams Me1499

CRUZ DEL AIRE, Sabina Hidalgo, Nuevo Leon, Mexico
Found: 1930 (part of second mass)
Iron, Fine octahedrite
Description: Polished and etched slab, 217 grams Me2405

CUBA, Cuba, West Indies
Described: 1871
Iron, Medium octahedrite
Description: Oxidized fragments, 2.6 grams Me1087

CUERNAVACA, Cuernavaca, Morelos, Mexico
Found: 1889
Iron, Fine octahedrite
Description: Full-sized slab, etched, 338 grams Me1024
End piece with two polished surfaces, 17,340 grams Me1025

CULLISON, Cullison, Pratt County, Kansas, USA
Found: 1911
Stone, Polymict brecciated, spherical bronzite-chondrite
Description: Thin, broad slab with crust and polished surface, 154 grams Me1746

CUMBERLAND FALLS, Cumberland Falls, Whitley County, Kentucky, USA
Fell: April 9, 1919, noon
Stone, Whitleyite, a breccia consisting of fragments of white aubrite and black enstatite-chondrite
Description: Complete individual, 877 grams Me1996
Two end pieces, with polished surface, 1,611 grams Me1997
Complete individual, 2,192 grams Me1998
Fragments with crust, 45 grams Me2002
Fragments of brecciated structure, 11 specimens, 150 grams Me2015

CYNTHIANA, Cynthiana, Harrison County, Kentucky, USA
Fell: January 23, 1877, 4:00 P.M.
Stone, Gray hypersthene-chondrite
Description: Five fragments with crust, 22 grams Me1504

DALTON, Dalton, Whitfield County, Georgia, USA
Found: 1877
Iron, Medium octahedrite
Description: Etched section, 91.7 grams Me1967
Full-sized, etched section, 123 grams Me1119
Angular block etched on two faces, 41 grams Me1120

DANDAPUR, Dandapur, Gorakhpur district, United Provinces, India
Fell: September 5, 1878, 5:00 P.M.
Stone, Veined intermediate hypersthene-chondrite
Description: Sawed mass from interior, 65 grams Me1548

DANIEL'S KUIL, Daniel's Kuil, Griqualand, West Africa
Fell: March 20, 1868
Stone, Crystalline enstatite-chondrite
Description: Polished slice and fragment with crust, 16 grams Me1500

DANVILLE, Danville, Morgan County, Alabama, USA
Fell: November 27, 1868, 5:00 P.M.
Stone, Polymict brecciated veined gray hypersthene-chondrite
Description: Fragment from interior, 5 grams Me1578

DAVIS MOUNTAINS, Davis Mountains, Jeff Davis County, Texas, USA
Found: 1903
Iron, Medium octahedrite
Description: Individual, complete except for a small piece cut from a projecting corner, 693.09 kg. Me1946
Etched mass with crust, 460 grams Me2107

DEAL, Deal, Long Branch, Monmouth County, New Jersey, USA
Fell: August 15, 1829, 12:30 A.M.
Stone, Intermediate chondrite
Description: Fragment from interior, veined, 0.3 grams Me1543

DE CEWSVILLE, De Cewsville, Haldimand County, Ontario, Canada
Fell: January 21, 1887, 2:00 P.M.

Stone, White chondrite
Description: Fragment from interior, 0.2 grams Me1558

DEEP SPRINGS, Deep Springs, Rockingham County, North Carolina, USA
Found: Said to have fallen, 1846
Iron, Nickel-rich ataxite
Description: Nearly complete, etched section, 420 grams Me453
Sawdust, 1.3 grams Me453
Fragment, 9 grams Me884

DELEGATE, Delegate, County Wellesley, New South Wales, Australia
Found: About 1904
Iron, Medium to coarse octahedrite
Description: Etched section, 359.2 grams Me1969

DELLYS, Dellys, Algeria
Found: 1865
Iron, Medium octahedrite
Description: Two irregular fragments, one etched, 3 grams Me1064

DE NOVA, De Nova, Washington County, Colorado, USA
Found: 1940
Stone, White veined crystalline spherical chondrite
Description: Mass with crust and polished face, 632 grams Me2378

DENTON COUNTY, Denton County, Texas, USA
Found: 1856
Iron, Medium octahedrite
Description: Thin slab, polished, 2 grams Me74
Pyramidal fragment with crust, etched, 25 grams Me1190
Thin slab with crust on edge, etched, 17 grams Me1191

DEPORT, Deport, Red River County, Texas, USA
Found: 1926
Iron, Coarse octahedrite
Description: Etched section, 315 grams Me2169

DESCUBRIDORA, Descubridora, Catorce, San Luis Potosi, Mexico
Found: Between 1780 and 1783
Iron, Medium octahedrite
Description: Pyramidal mass with one etched surface, 28,576 grams Me947
Etched slab, 14.2 grams Me2
Full-sized triangular, etched section, 4,755 grams Me 948
Rhabdite from meteorite, 1.6 grams Me1913
Etched slab, 41.2 grams Me949

DHULIA, Dhulia, West Khandesh District, Bombay, India
Fell: November 27, 1877, 6:00 P.M.
Stone, Veined white chondrite
Description: Fragment from interior, 1.5 grams Me1544
Fragments of dark glass, perhaps from crust, 1 gram Me1545

DHURMSALA, Dhurmsala, Kangra District, Punjab, India
Fell: July 14, 1860, 2:15 P.M.
Stone, Intermediate hypersthene chondrite
Description: Mass with crust, 500 grams Me1346
Fragments from interior, 3.6 grams Me275
Mass with crust, 985 grams Me1347
Mass with crust, 1,409 grams Me1348

DIMMITT, Dimmitt, Castro County, Texas, USA
Found: About 1942
Stone, Chondrite
Description: Complete individual, 734 grams Me2402

DIX, Dix, Kimball County, Nebraska, USA
Found: 1927
Stone, Chondrite
Description: End piece with polished surface, 834.1 grams Me2296

DJATI-PENGILON, Djati-Pengilon, Ngawi district, Java
Fell: March 19, 1884, 4:30 A.M.
Stone, Crystalline bronzite-chondrite

Description: Mass with crust and sawed surface, 28 grams Me1556
Mass with crust and sawed surface, 11 grams Me1557

DOKACHI, Dokachi, Munshiganj Subdivision, Dacca District, East Bengal, Pakistan
Fell: October 22, 1903, 7:00 P.M.
Stone, Intermediate veined hypersthene-chondrite
Description: Mass with crust, 25 grams Me772
Nearly complete individual with polished surface, 193 grams Me1380

DOLGOVOLI, Dolgovoli, Luck, Volhynia, West Ukraine (formerly in Wolyn, Poland)
Fell: June 26, 1864, 7:00 A.M.
Stone, White chondrite
Description: Fragment from interior, 6.3 grams Me1509

DORONINSK, Doroninsk, Irkutsk, Siberia, USSR
Fell: April 6, 1805, 5:00 P.M.
Stone, Brecciated gray chondrite
Description: Mass with crust, 53 grams Me1560

DRAKE CREEK, Drake Creek, Nashville, Sumner County, Tennessee, USA
Fell: May 9, 1827, 4:00 P.M.
Stone, Polymict brecciated veined white hypersthene-chondrite
Description: Mass with crust, crust cracked, interior friable, 119.5 grams Me1526

DRUM MOUNTAINS, Drum Mountains, Millard County, Utah, USA
Found: September 24, 1944
Iron, Medium octahedrite
Description: Slice, polished and etched, 1,030 grams Me2419

DUCHESNE, Duchesne County, Utah, USA
Found: 1906
Iron, Fine octahedrite
Description: Etched section, 95 grams Me2109

DUEL HILL (1854), Duel Hill, Walnut Mountains, Madison County, North Carolina, USA

Found: 1854
Iron, Fine octahedrite
Description: Etched slab with crust, 40 grams Me1108

DUEL HILL (1873), Duel Hill, Walnut Mountains, Madison County, North Carolina, USA

Found: 1873
Iron, Coarse octahedrite
Description: Etched slab with crust on edge, 178 grams Me864
Etched slab with crust on one edge, 12.7 grams Me865

DUNDRUM, Dundrum, County Tipperary, Ireland

Fell: August 12, 1865, 7:00 P.M.
Stone, Crystalline bronzite-chondrite
Description: Fragment from interior, 1 gram Me1501

DUNGANNON, Dungannon, Scott County, Virginia, USA

Found: 1922–23
Iron, Medium (to coarse) octahedrite
Description: Incomplete individual, 6,540 grams Me2037
Fragments, 3.7 grams Me2037
Polished and etched section of Me2037, 331 grams Me2090
Polished and etched section, 365 grams Me2091

DURALA, Durala, N. W. of Karnal District, Patiala State, Punjab, India

Fell: February 18, 1815, noon
Stone, Veined intermediate hypersthene-chondrite
Description: Sawed fragment with crust, 53 grams Me559
Sawed fragment with crust, 25 grams Me1542

DURANGO, Durango, Mexico

Recognized: 1904
Iron, Medium octahedrite
Description: Section of iron meteorite, 302 grams Me2138

DURUMA, Duruma, Mombasa, Wanikaland, Kenya, Africa

Fell: March 6, 1853

Stone, Veined intermediate chondrite
Description: Fragment from interior, 4 grams Me1552

DWIGHT, Dwight, Geary County, Kansas, USA
Found: 1940
Stone, Chondrite
Description: End piece, with polished surface, 435.5 grams Me2379

DYALPUR, Dyalpur, Sultanpur District, United Provinces, India
Fell: May 8, 1872
Stone, Ureilite
Description: Fragment, one side polished, black and friable, 0.4 grams Me1541

EAGLE STATION, Eagle Station, Carroll County, Kentucky, USA
Found: 1880
Stony-iron, Pallasite
Description: Sawed slab showing deeply pitted, natural surface and polished surface, 106 grams Me180
Polished slab, 180 grams Me1314
Olivine grains, 4.7 grams Me182

ECTOR COUNTY, Ector County, Texas, USA
Found: About 1943–44
Iron
Description: End piece with polished surface, 721.5 grams Me2329
Three fragments, 473 grams Me2330
Slice, 369.3 grams Me2331
Polished slice, 75.9 grams Me2388
One large and two small fragments, 60 grams Me2332

EDMONTON KENTUCKY, Edmonton, Metcalfe County, Kentucky, USA
Found: 1942
Iron, Finest to fine octahedrite
Description: Slice, etched, 151.5 grams Me2399

EICHSTADT, Eichstadt, Middle Franconia, Bavaria, Germany
Fell: February 19, 1785, 12:15 P.M.
Stone, Spherical bronzite-chondrite

Description: Fragment from interior, 1 gram Me212
Fragment with crust, 13.7 grams Me1876

ELBOGEN, Elbogen, Bohemia, Czechoslovakia
Fell: 1400?, recognized: 1811
Iron, Medium octahedrite
Description: Etched fragment, 2.5 grams Me1
Lath-shaped section from interior, etched, 41.7 grams Me919
Section with polished and oxidized surface, 18.7 grams Me920

EL CAPITAN, El Capitan Range, Lincoln County, New Mexico, USA
Found: 1893
Iron, Medium octahedrite
Description: Etched section with crust, 137 grams Me828
Full-sized, etched section, 483 grams Me968
Full-sized, etched section, 1,612 grams Me969

ELI ELWAH, Eli Elwah, Hay, County Waradgery, New South Wales, Australia
Found: 1888
Stone, White hypersthene-chondrite
Description: Polished slab with crust, 81 grams Me779
Two fragments with crust, 3 grams Me1343

ELM CREEK, Elm Creek, Admire, Lyon County, Kansas, USA
Found: 1906
Stone, Spherical hypersthene-chondrite
Description: Full-sized section, one surface polished, 386 grams Me765
Full-sized section, one surface polished, 378 grams Me1415

EMMITSBURG, Emmitsburg, Frederick County, Maryland, USA
Found: 1854
Iron, Medium octahedrite
Description: Etched slab with crust, 28.2 grams Me67
Etched slab with crust, 13.5 grams Me1182

ENSISHEIM, Ensisheim, Upper Alsace, France
Fell: November 16, 1492, 11:30 A.M.
Stone, Polymict brecciated crystalline hypersthene-chondrite
Description: Fragment from interior, 22.5 grams Me207
Fragment from interior, 4 grams Me208
Mass with crust and armoured surface, 36 grams Me1739
Two masses with polished surfaces, 57 grams Me1740

EPINAL, Epinal, Vosges, France
Fell: September 13, 1822, 7:00 A.M.
Stone, Spherical chondrite
Description: Fragment with crust, 7 grams Me1786
Mass from interior, 12 grams Me1787

ERGHEO, Ergheo, Brava, Italian Somaliland, East Africa
Found: July, 1889
Stone, Crystalline hypersthene-chondrite
Description: Polished section with crust, 186 grams Me553
Fragment of larger specimen, 2 grams Me553
Polished section with crust, 399 grams Me1769

ERXLEBEN, Erxleben, Magdeburg, Prussia, Germany
Fell: April 15, 1812, 4:00 P.M.
Stone, Crystalline bronzite-chondrite
Description: Fragment with crust, 49 grams Me1772

ESNANDES, Esnandes, Charente-Inferieure, France
Fell: August 3, 1837
Stone, Gray chondrite
Description: Fragment from interior, 23 grams Me1569

ESPIRITU SANTO, Espiritu Santo, Michoacan, Mexico
Found: Before 1916(?)
Iron, Fine octahedrite
Description: Etched fragment with crust, 54 grams Me1056

ESTACADO, Estacado, Hale County, Texas, USA
Found: 1883
Stone, Crystalline bronzite-chondrite

Description: Full-sized slab with polished surfaces, 15,380 grams Me760
About one-third the original mass, has two broad polished surfaces, 103,200 grams Me1439

ESTHERVILLE, Estherville, Emmet County, Iowa, USA
Fell: May 10, 1879, 5:00 P.M.
Stony-iron, Mesosiderite
Description: Irregular fragment, 75 grams Me176
Full-sized section, 18×31 cm., one surface polished, 2,716 grams Me177
Thirteen complete individuals, 34 grams Me178
Complete individual, 7 grams Me458
Full-sized section, one surface polished, 5,050 grams Me1302
Section with crust, 489 grams Me1303
Stony mass with crust, 240 grams Me1305
Two individuals, 42 grams Me1306
Twelve small individuals, 23 grams Me1307
One hundred and thirteen complete individuals, 855 grams Me1308

FAIRBANKS, Fairbanks, Alaska, USA
Found: Before 1947
Iron, Medium octahedrite
Description: Polished and etched piece, 75 grams Me2409

FARLEY, Farley, Colfax County, New Mexico, USA
Found: 1936
Stone, Veined gray crystalline-chondrite
Description: Polished slice, 635 grams Me2216

FARMINGTON, Farmington, Washington County, Kansas, USA
Fell: June 25, 1890, 1:00 P.M.
Stone, Polymict brecciated, veined, black hypersthene-chondrite
Description: Mass with crust, 134.4 grams Me345
Fragment, 0.5 grams Me345
Full-sized section, 3,292 grams Me346
End piece of 84 kg. individual, one surface 15×40 cm., polished, 13,353 grams Me347
Nearly encrusted mass, 2,263 grams Me349

Full-sized section, 3,561 grams Me1820
Full-sized section, 2,724 grams Me1820

FAVARS, Favars, Laissac, Aveyron, France
Fell: October 21, 1844, 6:45 A.M.
Stone, Intermediate chondrite
Description: Fragment with crust, 21 grams Me1838
Fragment with crust and polished surface, 8 grams Me1839

FELIX, Felix, Perry County, Alabama, USA
Fell: May 15, 1900, 11:30 A.M.
Stone, Spherical carbonaceous hypersthene-chondrite
Description: Mass with crust, 39.4 grams Me613
Mass with crust, 50 grams Me1330
Mass with crust, 41.9 grams Me613

FINMARKEN, Finmarken, Arctic Norway
Found: 1902
Stony-iron, Pallasite
Description: Polished slab, 462 grams Me2225
Broad polished slab, 2,395 grams Me1310
Polished slab, 181 grams Me2226
Polished slab, 290 grams Me1311
Fragments, 60 grams Me1312
Fragment, 25.8 grams Me2227
Polished slab, 39 grams Me2228
Mass and fragments, 542 grams Me2229
Fragments, 55.6 grams Me1310

FISHER, Fisher, Polk County, Minnesota, USA
Fell: April 9, 1894, 4:00 P.M.
Stone, Veined intermediate hypersthene-chondrite
Description: Mass from interior, 184 grams Me596
Mass with crust, 277 grams Me1341

FÖLLINGE, Föllinge, Ottsjön, Jämtland, Sweden
Found: September, 1932
Iron
Description: Fragment with crust, 17.9 grams Me2451

FOREST CITY, Forest City, Winnebago County, Iowa, USA
Fell: May 2, 1890, 5:15 P.M.
Stone, Brecciated spherical bronzite-chondrite
Description: Five hundred and eighty-eight small, complete individuals, 7,951 grams Me340
One complete individual, 4,218 grams Me340
Fifty-five small, complete individuals, 326 grams Me341
Complete individual, 96 grams Me1816
Complete individual, 175 grams Me1816
Complete individual, 59 grams Me1816
Complete individual, 1,765 grams Me1807
About two-thirds of a complete individual, 998 grams Me1808
Complete individual, 491.5 grams Me1810
Complete individual, 294 grams Me1811
Complete individual, 273 grams Me1812
Complete individual, 234 grams Me1813
Complete individual, 261 grams Me1815
Twenty-one small, complete individuals, 139 grams Me1818
Eight small, complete individuals, 11.7 grams Me1819
Complete individual, 1,698 grams Me1972
Complete individual, 464 grams Me2034
Complete individual, 143 grams Me2035
Complete individual, 282 grams Me2036

FORSYTH, Forsyth, Monroe County, Georgia, USA
Fell: May 8, 1829, 3:30 P.M.
Stone, Veined white hypersthene-chondrite
Description: Polished chip and fragment, 3.5 grams Me240
Mass with crust, 33.5 grams Me241
Mass with crust, 41.6 grams Me1788
Fragment from interior, 6 grams Me1789

FORSYTH COUNTY, Forsyth County, North Carolina, USA
Found: 1891
Iron, Nickel-poor ataxite
Description: Full-sized section with crust, 536 grams Me1014

FORT PIERRE, Fort Pierre, Stanley County, South Dakota, USA
Found: 1856
Iron, Medium octahedrite
Description: Etched section with crust, 64 grams Me1068

FOUR CORNERS, Four Corners, San Juan County, New Mexico, USA
Found: 1924
Iron, Brecciated octahedrite, with silicate inclusions
Description: Polished section, 1,842 grams Me2048

FRANCEVILLE, Franceville, El Paso County, Colorado, USA
Found: 1890
Iron, Medium octahedrite
Description: Full-sized etched section, 892 grams Me863

FRANKFORT (STONE), Frankfort, Franklin County, Alabama, USA
Fell: December 5, 1868, 3:00 P.M.
Stone, Howardite
Description: Fragment, 0.5 gram Me296
Mass from interior, with sawed surface, 16 grams Me1359
Fragment with crust, 6 grams Me1358

FRANKFORT (IRON), Frankfort, Franklin County, Kentucky, USA
Found: 1866
Iron, Medium octahedrite
Description: Etched interior section, 5.5 grams Me1073

FUKUTOMI, Fukutomi, Kinoshima, Saga, Kyushu, Japan
Fell: March 19, 1882, 1:00 P.M.
Stone, Veined gray chondrite
Description: End piece with crust and polished surface, 180 grams Me1491

FUTTEHPUR, Futtehpur, Allahabad District, United Provinces, India
Fell: November 30, 1822, 6:00 P.M.
Stone, Veined white chondrite

Description: Polished fragment with crust, 17 grams Me588
Mass with crust and sawed surfaces, 37.5 grams Me1733
Mass with crust and sawed surfaces, 38.5 grams Me1734

GALAPIAN, Galapian, Agen, Lot-et-Garonne, France
Fell: August (?), 1826
Stone, Veined white chondrite
Description: Two fragments, one with crust, 5 grams Me1777

GAMBAT, Gambat, Khairpur State, Sind, Pakistan
Fell: September 15, 1897
Stone, Veined intermediate chondrite
Description: Mass with crust and two polished surfaces, 72 grams Me1512

GARNETT, Garnett, Anderson County, Kansas, USA
Found: 1938
Stone, Chondrite
Description: Polished slice; contains free copper, 254.5 grams Me2288

GARRAF, Garraf, Barcelona, Catalonia, Spain
Found: 1905
Stone, Chondrite
Description: Fragment with crust, 61 grams Me2105
Fragment with crust, 7 grams Me2106

GERONA, Gerona, Catalonia, Spain
Found: 1899
Stone, Polymict brecciated gray to white chondrite
Description: Fragment from interior showing dark and light areas, 1 gram Me1487

GILGOIN, Gilgoin Station, Brewarrina, County Clyde, New South Wales, Australia
Recognized: 1889
Stone, Crystalline bronzite-chondrite
Description: Mass with crust and polished surface, 195.5 grams Me538
Fragments, 7 grams Me538

Mass with crust, 757 grams Me1424
Complete individual; the surface is much reddened by oxidation, 11,947 grams Me1425

GIRGENTI, Girgenti, Sicily, Italy
Fell: February 10, 1853, 1:00 P.M.
Stone, Veined white hypersthene-chondrite
Description: Mass with crust on two surfaces, 45 grams Me1774
Incomplete individual with crust, 2,141 grams Me2412
Mass with crust, 29 grams Me1775

GLADSTONE (IRON), Gladstone, Port Curtis, Queensland, Australia
Found: 1915
Iron, Coarsest octahedrite
Description: Nearly complete individual, 634,200 grams Me2114
End piece with crust and polished surface, 40 lbs. (18 kgs.) Me2147
Many fragments, 290 grams Me2147
Iron shale, 247.2 grams Me2147
Turnings no. 1, 1777 grams Me2147
Turnings no. 2, 970 grams Me2147
Fragment, 26.9 grams Me2147
Fragments 4,944 grams Me2192
Metal strips on blocks, 2 grams Me2147
Troilite from crust, 1.3 grams Me2147
Carbon residue, 0.1 gram Me2147
Troilite from nodule, 8.7 grams Me2147

GLADSTONE (STONE), Gladstone, Union County, New Mexico, USA
Found: 1936
Stone, Black veined crystalline spherical chondrite
Description: Mass from interior with polished surface, 800 grams Me2219

GLASGOW, Glasgow, Barren County, Kentucky, USA
Found: 1922
Iron, Coarse octahedrite
Description: Polished and etched slice, 138.4 grams Me2254

GLORIETA MOUNTAIN, Glorieta Mountain, Canoncito, Santa Fe County, New Mexico, USA

Found: 1884
Iron, Medium octahedrite, passing in parts into a pallasite
Description: Individual of pallasite, 167.5 grams Me2365
Broad, thin etched section showing curved figures, 65 grams Me1001
Full-sized etched section, 1,262 grams Me122
Complete individual, 358 grams Me998
Etched section, 284.5 grams Me1002
Etched section, 13.3 grams Me123
Complete individual, 1,467 grams Me997
Cut mass showing etched, torn and striated surfaces, 1,054 grams Me999
Etched section, 40.8 grams Me2170

GNADENFREI, Between Reichenbach and Frankenstein, Silesia, Germany (now Poland)

Fell: May 17, 1879, 4:00 P.M.
Stone, Polymict brecciated spherical bronzite-chondrite

Description: Fragment with crust, 18 grams Me1549
Fragment with crust, 6 grams Me1550

GOALPARA, Goalpara, Assam, India

Found: 1868
Stone, Ureilite
Description: Fragments, 7 grams Me764
Fragments, including crust and polished surface, 6 grams Me1771

GRADY (1937), Grady, Curry County, New Mexico, USA

Found: 1937
Stone, Veined crystalline spherical chondrite
Description: Polished slice with crust, 581 grams Me2305

GRAND RAPIDS, Grand Rapids, Kent County, Michigan, USA

Found: 1883
Iron, Fine octahedrite
Description: Full-sized etched section, 2,246 grams Me1102
Full-sized etched section, 1,136.3 grams Me116
Thick, full-sized section, polished and etched, 7,862 grams Me117

GREENBRIER COUNTY, Greenbrier County, West Virginia, USA
Found: 1880
Iron, Coarse octahedrite
Description: Polished slab with crust, 21.5 grams Me957

GROSNAJA, Mekensk, Terek, Caucasus, USSR
Fell: June 28, 1861, 7:00 P.M.
Stone, Black hypersthene-chondrite
Description: Fragments from interior, 4 grams Me485
Slab from interior with polished surfaces, 76.3 grams Me1732

GROSS-DIVINA, Gross-Divina, Sillein, Trencsen, Czechoslovakia
Fell: July 24, 1837, 11:30 A.M.
Stone, Spherical chondrite
Description: Crust fragments, 0.559 grams Me545
Fragments with crust, friable, 4.3 grams Me1792

GROSSLIEBENTHAL, Grossliebenthal, Odessa, Kherson, Ukraine, USSR
Fell: November 19, 1881, 6:30 A.M.
Stone, Veined white hypersthene-chondrite
Description: Mass from interior, 24 grams Me785
Mass with crust, 20.3 grams Me1830
Fragment with crust, 1 gram Me549

GRÜNEBERG, Grüneberg, Silesia, Germany (Now Poland)
Fell: March 22, 1841, 3:30 P.M.
Stone, Veined gray chondrite
Description: Slab with crust and two polished surfaces, 12 grams Me1479
Two fragments from interior, 3.8 grams Me1481
Mass with slightly crusted surface, 98.5 grams Me1478

GRUVER, Gruver, Hansford County, Texas, USA
Found: 1934
Stone, Chondrite
Description: End piece with polished surface, 783.6 grams Me2214

GUARENA, Guarena, Badajos, Spain
Fell: July 20, 1892, 10:30 A.M.
Stone, Crystalline chondrite
Description: Fragment from interior with polished surface, 6.5 grams Me1540
Fragment with crust, 14 grams Me1539

GUFFEY, Guffey, Park County, Colorado, USA
Found: 1907
Iron, Ataxite
Description: Fragment, 15 grams Me770

GUILFORD COUNTY, Guilford County, North Carolina, USA
Found: 1822 (Known before)
Iron, Medium octahedrite
Description: Etched fragment, 13 grams Me2143
Oxidized fragment, 2.4 grams Me1066

GÜTERSLOH, Gütersloh, Westphalia, Germany
Fell: April 17, 1851, 8:00 P.M.
Stone, Brecciated spherical chondrite
Description: Fragments from interior, 2 grams Me1495

HAINHOLZ, Hainholz, Minden, Westphalia, Germany
Found: 1856
Stony-iron, Mesosiderite
Description: Interior fragment, 1.3 grams Me267
Mass with crust and polished surface, 1,048 grams Me1287
Mass with crust and polished surface, 768 grams Me1288
Full-sized section, polished, 386 grams Me1290

HALLINGEBERG, Hallingeberg, Västervik, Kalmarlän, Sweden
Fell: February 1, 1944, 2:00 P.M.
Stone, Gray chondrite
Description: Two fragments from interior, 4.5 grams Me2444

HAMMOND, Hammond Township, St. Croix County, Wisconsin, USA
Found: 1884

Iron, Medium octahedrite
Description: Etched section with crust, 97 grams Me987
Thin slab, showing one etched and one polished surface, 35 grams Me124

HANIET-EL-BEGUEL, Haniet-El-Beguel, Oued Mzab, South Algeria, Africa
Found: 1888
Iron, Medium octahedrite
Description: Full-sized section with polished surface, 11 grams Me944

HARDWICK, Hardwick, Battle Plain Township, Rock County, Minnesota, USA
Found: 1937
Stone, Chondrite
Description: Slice, one surface polished, 279.6 grams Me2292

HARRISON COUNTY, Harrison County, Indiana, USA
Fell: March 28, 1859, 4:00 P.M.
Stone, Polymict brecciated spherical hypersthene-chondrite (Howarditic chondrite)
Description: Fragments from interior, 1.3 grams Me1494

HARRISONVILLE, Harrisonville, Cass County, Missouri, USA
Found: April 9, 1933
Stone, Crystalline chondrite
Description: Polished slice, 93 grams Me2198
Complete individual, 1,450 grams Me2217

HASSI-JEKNA, Oued Mequiden, El Golea, South Algeria, Africa
Found: 1890
Iron, Fine octahedrite
Description: Fragment, 1 gram Me1065

HAWK SPRINGS, Hawk Springs, Goshen County, Wyoming, USA
Found: December 23, 1935
Stone, Black chondrite
Description: Fragment with crust, 53.8 grams Me2306

HAYDEN CREEK, Hayden Creek, Lemhi County, Idaho, USA
Found: 1895

Iron, Medium octahedrite
Description: Etched section with crust, 45 grams Me489
Etched section with crust, 23.5 grams Me1020

HEDESKOGA, Hedeskoga, Ystad, Sweden
Fell: April 20, 1922, 7:45 P.M.
Stone, Veined hypersthene-chondrite
Description: Fragment with crust and polished faces, 40.5 grams Me2445

HELT TOWNSHIP, Helt Township, Vermillion County, Indiana, USA
Fell: About 1883–84
Iron, Coarsest octahedrite
Description: Etched slice, 49.5 grams Me2389

HENBURY, Henbury, MacDonnell Ranges, Central Australia
Found: June, 1931
Iron, Medium octahedrite
Description: Two individuals, 40 grams, 34 grams Me2156
Individual, 13,669 grams Me2173
Individual, 2,684 grams Me2174
Individual, 261.5 grams Me2175
Individual, 279 grams Me2176
Slug, 249 grams Me2177
Shale fused by impact of meteorite, 247 grams Me2190
Slug, 359 grams Me2178
Slug, 76 grams Me2179
Slug, 910 grams Me2180
Shale ball from meteor crater, 93 grams Me2189
Etched half of slug, 429 grams Me2202
Etched slice, 351 grams Me2203
Lava from meteor crater, 40 grams Me2181
Lava from meteor crater, 117 grams Me2182
Lava from meteor crater, 29.3 grams Me2183
Lava from meteor crater, 39 grams Me2184
Lava from meteor crater, 51.5 grams Me2185
Fragments of silica glass from crater, 35 grams Me2186

Shale ball from oxidation of meteorite, 93 grams Me2187
Shale ball from oxidation of meteorite, 81 grams Me2188

HENDERSONVILLE, Hendersonville, Henderson County, North Carolina, USA
Found: 1901
Stone, Spherical hypersthene-chondrite
Description: Fragment with crust, 23 grams Me1773

HEREDIA, Heredia, San Jose, Costa Rica, Central America
Fell: April 1, 1857, night
Stone, Brecciated spherical chondrite
Description: Fragment from interior, 4.5 grams Me442
Fragment with crust, 5 grams Me1781

HERMITAGE PLAINS, Hermitage Plains, County Canbelego, New South Wales, Australia
Found: 1909
Stone, Gray hypersthene-chondrite
Description: Mass with crust, 216.3 grams Me784

HESSLE, Hessle, Upsala, Sweden
Fell: January 1, 1869, 12:30 P.M.
Stone, Spherical bronzite-chondrite
Description: Sawed fragment with crust, 9 grams Me297
Nearly complete individual, 6 grams Me298
Complete individual, 363 grams Me1750
Complete individual, 42.7 grams Me1751
Complete individual, 1.8 grams Me1752

HEX RIVER MOUNTAINS, Hex River Mountains, Cape Province, South Africa
Found: 1882
Iron, Hexahedrite
Description: Sawed slab, one surface etched, 446 grams Me115
Polished slab with crust, 248 grams Me986

HIGH POSSIL, Glasgow, Lanarkshire, Scotland
Fell: April 5, 1804, morning
Stone, White chondrite
Description: Fragments with crust, 3.5 grams Me1551

HILL CITY, Hill City, Graham County, Kansas, USA
Found: 1945
Iron, Finest octahedrite
Description: Small slab, etched and polished, 22 grams Me2413
Slice, etched and polished, 139 grams Me2417

HOBA, Hoba, Grootfontein, South-West Africa
Found: 1920
Iron, Nickel-rich ataxite
Description: Iron shale from meteorite, 197 grams Me2191
Meteorite iron shale, 26.5 grams Me2201
Meteorite iron shale, 1,326 grams Me2200
Rectangular block drilled out of fresh metal, with crust on one side, 503 grams Me2477

HOBBS, Hobbs, Lea County, New Mexico, USA
Found: 1931, recognized: 1933
Stone, Gray chondrite
Description: Polished slice, 145 grams Me2206

HÖKMARK, Hökmark, Västerbotten, Sweden
Fell: June 9, 1954, 8:31 P.M.
Stone, Chondrite
Description: Three fragments with crust, 9.5 grams Me2443

HOLBROOK, Holbrook, Navajo County, Arizona, USA
Fell: July 19, 1912, 7:15 P.M.
Stone, Crystalline spherical hypersthene-chondrite
Description: 170 small, complete individuals, 617 grams Me801
Eight complete individuals, 69.7 grams Me2014
Complete individual, 3.5 grams Me2016
Complete aerolite, 57 grams Me2017
Complete aerolite, 24 grams Me2018
Complete aerolite, 36 grams Me2019
Complete aerolite, 126 grams Me2020
Complete aerolite, 188 grams Me2021
Complete aerolite, 462 grams Me2022
Complete aerolite, 316 grams Me2023
Complete aerolite, 307 grams Me2024
Complete aerolite, 142 grams Me2025
Complete aerolite, 84 grams Me2026

Complete aerolite, 385 grams Me2027
Complete aerolite, 573 grams Me2028
Complete aerolite, 1,673 grams Me2030
Complete aerolite, 1,557 grams Me2031
Complete aerolite, 3,465 grams Me2032
Complete aerolite, 180 grams Me2033

HOLLAND'S STORE, Holland's Store, Chattooga County, Georgia, USA

Found: 1887
Iron, Brecciated hexahedrite
Description: Thin fragment with crust, polished surface, 27.4 grams Me129
Full-sized slab, thin, with polished surface, 247 grams Me1007

HOLYOKE, Holyoke, Phillips County, Colorado, USA

Found: About 1933, recognized: 1935
Stone, Gray chondrite
Description: Polished slice with crust, 344.2 grams Me2307

HOMESTEAD, Homestead, Iowa County, Iowa, USA

Fell: February 12, 1875, 10:15 P.M.
Stone, Polymict brecciated gray bronzite-chondrite
Description: Complete individual, 3,162 grams Me312
Three-fourths of a complete individual, 7,512 grams Me313
Complete individual, 5,085 grams Me1345
Full-sized, polished section, 16×20 cm., 1,744 grams Me314

HONOLULU, Honolulu, Oahu, Hawaiian Islands, USA

Fell: September 27, 1825, 10:30 A.M.
Stone, Veined white hypersthene-chondrite
Description: Two fragments with crust, 18.2 grams Me1553

HOPEWELL MOUNDS, Hopewell Mounds, Ross County, Ohio, USA

Prehistoric
Iron, Medium octahedrite
Description: Fragment with etched surface, 103 grams Me480
Dust, 0.4 gram Me480
Beads made from meteorite, 23 grams Me481

HOPPER, Hopper, Henry County, Virginia, USA
Found: 1889
Iron, Medium octahedrite
Description: Cleavage pieces, much oxidized, 47 grams Me136

HORACE, Horace, Greeley County, Kansas, USA
Found: 1940
Stone, Gray chondrite
Description: End piece with polished surface, 1,563 grams Me2362

HORSE CREEK, Horse Creek, Baca County, Colorado, USA
Found: 1937
Iron, Pseudo-octahedrite
Description: Etched slice with crust, 15.2 grams Me2309
Etched slice with crust, 33.5 grams Me2308

HOUCK, Houck, Apache County, Arizona, USA
Found: Summer, 1927
Iron, Coarse octahedrite
Description: Nearly complete individual, 65,000 grams Me2108
End piece with etched surface, 1,709 grams Me2108
Drillings, 10 grams Me2108
Fragment with crust and polished surface, 34.5 grams Me2108

HOWE, Howe, Grayson County, Texas, USA
Found: 1938
Stone, Veined gray chondrite
Description: Polished slice, 402 grams Me2310

HRASCHINA, Hraschina, Zagreb, Croatia, Yugoslavia
Fell: May 26, 1751, 6:00 P.M.
Iron, Medium octahedrite
Description: Etched interior fragment, 9 grams Me1072

HRESSK, Pukovo Village, Hressk District, Minsk, USSR
Found: 1954
Iron, Hexahedrite
Description: Small slab with crust on one side, 538.5 grams Me2423

HUGOTON, Hugoton, Stevens County, Kansas, USA
Found: 1927, recognized: 1936
Stone, Polymict brecciated black chondrite
Description: Mass with crust and polished surface, 1,264 grams Me2221

HUIZOPA, Huizopa, Temosachic, Guerrero District, Chihuahua, Mexico
Found: 1907
Iron, Fine octahedrite
Description: Etched slab, 303 grams Me2137

HUNGEN, Hungen, Hesse, Germany
Fell: May 17, 1877, 7:00 A.M.
Stone, Veined gray chondrite
Description: Three fragments with crust, 8 grams Me1573

HVITTIS, Hvittis, Abo, Finland
Fell: October 21, 1901, noon
Stone, Crystalline enstatite-chondrite
Description: Polished fragment with crust, 130 grams Me578
Mass with crust and polished surface, 566 grams Me1470

IBBENBUHREN, Ibbenbuhren, Westphalia, Germany
Fell: June 17, 1870, 2:00 P.M.
Stone, Monomict brecciated diogenite
Description: Fragments from interior, 4 grams Me1554

ILIMAES (PALLASITE), Ilimaes, Taltal, Atacama, Chile
Found: 1874–5
Stony-iron, Pallasite
Description: Full-sized, polished section, 11,472 grams Me1267
Polished segment with crust, 391 grams Me742

ILLINOIS GULCH, Illinois Gulch, Deer Lodge County, Montana, USA
Found: 1899
Iron, Nickel-rich ataxite
Description: Full-sized thick section with polished surfaces, 457 grams Me838

End piece with polished surface, 116 grams Me839
Shavings, 30 grams Me839

IMILAC, Imilac, Desert of Atacama, Chile

Known: 1822
Stony-iron, Pallasite
Description: Etched section, 205 grams Me162
Complete individual, 118 grams Me1325
Fragment of iron matrix, 12.8 grams Me160
End piece, 206 grams Me1326
Fragment of iron matrix, 21.8 grams Me161
Polished slab, 62 grams Me1328
Fragment of iron matrix, 4.3 grams Me463

INDARCH, Indarch, Shusha, Elisavetpol, Transcaucasia, USSR

Fell: April 7, 1891, 8–10 P.M.
Stone, Enstatite-chondrite
Description: Mass with crust, 64.5 grams Me1402
Full-sized polished section, 892 grams Me1403
Nearly complete individual, one surface polished, 18,139 grams Me104
Small slab, 132 grams Me1403

INDIANOLA, Indianola, Red Willow County, Nebraska, USA

Found: 1939
Stone, Gray chondrite
Description: Polished slice with crust, 200 grams Me2311

INDIAN VALLEY, Indian Valley Township, Floyd County, Virginia, USA

Found: 1887
Iron, Brecciated nickel-poor ataxite to hexahedrite
Description: One-half the original mass, 7,426 grams Me154
Full-sized section, polished, 531 grams Me1950

INDIO RICO, Indio Rico, Buenos Aires, Argentina

Found: 1887
Stone, Crystalline chondrite
Description: Fragment with crust, 11 grams Me1520

IQUIQUE, Iquique, Pampa del Tamarugal, Tarapaca, Chile
Found: 1871
Iron, Nickel-rich ataxite
Description: Etched slab with crust, 16 grams Me1067

IREDELL, Iredell, Bosque County, Texas, USA
Found: 1898
Iron, Hexahedrite
Description: Fragment from surface, etched, 11 grams Me1079

IRON CREEK, Iron Creek, Battle River, North Alberta, Canada
Known: Before 1869
Iron, Medium octahedrite
Description: Full-sized, etched section, 251 grams Me1897

ITAPICURU-MIRIM, Itapicuru-Mirim, Maranhao, Brazil
Fell: March, 1879
Stone, Spherical chondrite
Description: Mass with crust and sawed surface, 220 grams Me1747

IVANPAH, Ivanpah, San Bernardino County, California, USA
Found: 1880
Iron, Medium octahedrite
Description: Etched slab with crust, 220 grams Me1118

JACKSON COUNTY, Jackson County, Tennessee, USA
Found: 1846
Iron, Medium octahedrite
Description: Cleaved mass with nearly plane surfaces, one end etched, 116 grams Me1116

JAMESTOWN, Jamestown, Stutsman County, North Dakota, USA
Found: 1885
Iron, Fine octahedrite
Description: End piece etched, 581 grams Me1021

JAMKHEIR, Jamkheir, Ahmadnagar district, Bombay, India
Fell: October 5, 1866, noon
Stone, Brecciated spherical chondrite
Description: Fragment with crust and polished surface, 1 gram Me1572

JELICA, Jelica, near Jezevica, Serbia, Yugoslavia

Fell: December 1, 1889, 2:30 P.M.
Stone, Monomict brecciated amphoterite
Description: Fragment with crust. Crust black, rather smooth, the surface showing typical pittings. Interior gray, with angular pieces of bronzite projecting from a fine grained ground mass. Texture friable. Metallic grains small and scarce. 67.5 grams Me511
Mass with crust, 44 grams Me1353
Mass with crust, 68 grams Me1354
Mass with crust, 71.5 grams Me1355

JENNY'S CREEK, Jenny's Creek, Wayne County, West Virginia, USA

Found: 1883
Iron, Coarse octahedrite
Description: Two masses showing cleavage octahedrons, separated by bright plates of taenite, 114 grams Me954
Chiseled fragments, 21 grams Me114

JEROME, Jerome, Gove County, Kansas, USA

Found: 1894
Stone, Crystalline spherical bronzite-chondrite
Description: Mass with crust, all oxidized to uniform rust-brown color, 64 grams Me1518

JHUNG, Jhung, West Punjab, Pakistan

Fell: June, 1873, 3:00 P.M.
Stone, Spherical chondrite
Description: Fragments from interior, 1 gram Me305
Fragment from interior, 4.5 grams Me306
Two fragments with crust, 12.7 grams Me1798
Polished interior fragment, 5.4 grams Me1799

JODZIE, Jodzie, Panevezys, Kovno, Lithuania

Fell: June 17, 1877, 4:30 A.M.
Stone, Brecciated howardite
Description: Mass with crust. The black glassy crust and brecciated interior are striking characters, 38 grams Me1371

JOEL'S IRON, Desert of Atacama, Chile
Found: 1858
Iron, Medium octahedrite
Description: Full-sized etched section, 43.5 grams Me940

JOE WRIGHT MOUNTAIN, Joe Wright Mountain, Independence County, Arkansas, USA
Found: 1884
Iron, Medium octahedrite
Description: Etched slice, 265 grams Me982
Complete individual, 8,750 grams Me2265

JOHNSTOWN, Johnstown, Weld County, Colorado, USA
Fell: July 6, 1924, 4:30 P.M.
Stone, Monomict brecciated diogenite (hypersthene-achondrite)
Description: Complete individual, 67 grams Me2058
Nearly complete individual, 145 grams Me2059
Complete individual, 1,520 grams Me2060

JONZAC, Jonzac, Charente-Inferieure, France
Fell: June 13, 1819, 6:00 A.M.
Stone, Monomict brecciated eucrite
Description: Fragment with crust, 4.5 grams Me1482
Fragment from interior, 3.3 grams Me1483

JUDESEGIRI, Judesegiri, Tumkur district, Mysore, India
Fell: February 16, 1876, evening
Stone, Spherical chondrite
Description: Fragment from interior, 4 grams Me1529

JUNCAL, Juncal, Desert of Atacama, Chile
Found: 1866
Iron, Medium octahedrite
Description: Etched slab with crust, 60 grams Me140
Etched slab with crust, 50 grams Me1201

JUVINAS Juvinas, Libonnes, Entraigues, Ardeche, France
Fell: June 15, 1821, 3:00 P.M.
Stone, Monomict brecciated eucrite
Description: Mass with crust, 107 grams Me1365
Mass from interior, 67 grams Me1366

KABA, Kaba, Debreczen, Hungary
Fell: April 15, 1857, 10:00 P.M.
Stone, Carbonaceous hypersthene-chondrite
Description: Fragment from interior, 1.5 grams Me1745

KADONAH, Kadonah, Agra district, United Provinces, India
Fell: August 7, 1822, night
Stone, Veined gray chondrite
Description: Fragment with crust, 19 grams Me1508
Fragment with crust, 0.6 gram Me584

KAKOWA, Kakowa, Oravicza, Krasno-Szoreny, Romania
Fell: May 19, 1858, 8:00 A.M.
Stone, Veined gray hypersthene-chondrite
Description: Fragments, 0.2 gram Me1493

KARAKOL, Karakol, Ayagus, Semipalatinsk, Siberia, USSR
Fell: May 9, 1840, noon
Stone, White chondrite
Description: Mass with crust and polished surface, 30 grams Me1498

KARKH, Karkh, Jhalawan, Baluchistan, Pakistan
Fell: April 27, 1905, 1:00 P.M.
Stone, Gray chondrite
Description: Five fragments, one with crust, 30 grams Me2246

KARVAL, Karval, Lincoln County, Colorado, USA
Found: 1936
Stone, Gray chondrite
Description: Slice, 194.3 grams Me2385

KELLY, Kelly, Logan County, Colorado, USA
Recognized: 1937
Stone, White to gray brecciated chondrite
Description: One polished slice, 2,138 grams Me2235
Three fragments, 77 grams Me2235

KENDALL COUNTY, Kendall County, Texas, USA
Found: 1887
Iron, Brecciated hexahedrite

Description: Full-sized slab with polished surface, 286 grams Me1022
Full-sized slab with polished surface, 408 grams Me1023

KENTON COUNTY, Kenton County, Kentucky, USA

Found: 1889
Iron, Medium octahedrite
Description: Mass with crust and polished surface, 22×42 cm., 39,454 grams Me133
Full-sized slab, both sides polished, 7,515 grams Me1053
Scalings, 1,000 grams Me1053
Full-sized slab, etched, 14×19 cm., 6,845 grams Me134
Full-sized slab, both sides polished, 23×44 cm., 9,565 grams Me135

KERILIS, Kerilis, Mael Pestivien, Callac, Cotes-du-Nord, France

Fell: November 26, 1874, 10:30 A.M.
Stone, Veined gray chondrite
Description: Fragment with crust, 3 grams Me758
Slab with crust, one surface polished, 35 grams Me1524
Fragment with crust, 4 grams Me1525

KERMICHE, Kermiche, Vannes, Morbihan, France

Fell: June 30, 1903? *Found:* 1911
Stone, Crystalline chondrite
Description: Mass much oxidized, 62.8 grams Me796

KERNOUVE, Kernouve, Morbihan, France

Fell: May 22, 1869, 10:00 P.M.
Stone, Veined crystalline bronzite-chondrite
Description: Interior fragment, 0.4 gram Me299
Interior fragment, 0.4 gram Me300
Mass with polished surface, 24.2 grams Me301
Mass from interior, 104.3 grams Me1484

KESEN, Kesen, Iwate, Honshu, Japan
Fell: June 12, 1850, 5:00 A.M.
Stone, Brecciated spherical hypersthene-chondrite
Description: Mass showing crust and interior, 1,273 grams Me257
Similar to specimen Me 257, 1,189 grams Me258
Mass from interior, with polished surface, 601.2 grams Me1828

KEYES, Keyes, Cimarron County, Oklahoma, USA
Found: 1939
Stone, Veined howarditic chondrite
Description: Fragment, one side polished, 312 grams Me2415
Fragment, 355 grams Me2375

KHAIRPUR, Khairpur, Bahawalpur State, Pakistan
Fell: September 23, 1873, 5:00 A.M.
Stone, Crystalline enstatite-chondrite
Description: Slab with polished surface, 63 grams Me1538

KHARKOV, Kharkov, Ukraine, USSR
Fell: October 12, 1787, 3:00 P.M.
Stone, Veined white chondrite
Description: Fragment with crust, 10.3 grams Me1535
Fragment from interior with polished surface, 6.5 grams Me1536

KHETRI, Khetri, Shekhawati, Jaipur State, Rajputana, India
Fell: January 19, 1867, 9:00 A.M.
Stone, Brecciated gray bronzite-chondrite
Description: Fragment from interior, 5.2 grams Me1485

KIKINO, Kikino, Vyazma, Smolensk, USSR
Found: 1809
Stone, Gray to white chondrite
Description: Mass with crust, 61 grams Me1496

KILBOURN, Kilbourn, Columbia County, Wisconsin, USA
Fell: June 16, 1911, 5:00 P.M.
Stone, Gray chondrite

Description: Full-sized sawed section with crust, 68 grams Me797
Fragment, 7.5 grams Me1991

KILLETER, Killeter, County Tyrone, Ireland
Fell: April 29, 1844, 3:30 P.M.
Stone, Veined white chondrite
Description: Fragment with crust, 3 grams Me1477

KINGSTON, Kingston, Sierra County, New Mexico, USA
Found: 1891
Iron, Medium octahedrite
Description: End piece, etched, 1,128 grams Me800

KISSIJ, Kissij, Christopol, Kazan, USSR
Found: 1899
Stone, Black chondrite
Description: Mass with crust and polished surfaces, 420 grams Me1471

KLEIN-WENDEN, Klein-Wenden, Nordhausen, Erfurt, Germany
Fell: September 16, 1843, 4:45 P.M.
Description: Fragment with crust and polished surface, 2 grams Me1534

KLONDIKE, Klondike, Yukon, Canada
Found: 1901
Iron, Nickel-rich ataxite
Description: Etched section, 715 grams Me1963

KNYAHINYA, Knyahinya (Nagy-Bereszna, Ungvar) Velke Berezno, Uzhorod, Czechoslovakia
Fell: June 9, 1866, 5:00 P.M.
Stone, Polymict brecciated gray hypersthene-chondrite
Description: Complete individual, 239 grams Me286
Complete individual, 8.6 grams Me285
Complete individual, 1,525 grams Me1821
Complete individual, 1,526 grams Me1822
Mass with crust and polished surface, 1,963 grams Me1823

KODAIKANAL, Kodaikanal, Palni Hills, Madura District, Madras, India
Found: 1898, perhaps fell in 1890
Iron, Brecciated fine octahedrite
Description: Slab with crust, 168.5 grams Me574
Broad, etched slice with crust, 128 grams Me943

KOFA, Kofa, Yuma County, Arizona, USA
Found: 1917
Iron, Ataxite
Description: Portion of meteorite, 492 grams Me1993

KOKOMO, Kokomo, Howard County, Indiana, USA
Found: 1862
Iron, Nickel-rich ataxite
Description: Thin, etched slab with crust, 22 grams Me1060
Etched slab with crust, 40 grams Me1061

KOKSTAD, Kokstad, Griqualand East, Cape Province, South Africa
Found: 1884
Iron, Medium octahedrite
Description: Broad, thin etched slab with crust, 268 grams Me1015

KRÄHENBERG, Krähenberg, Zweibrücken, Rhenish Prussia, Germany
Fell: May 5, 1869, 6:30 P.M.
Stone, Polymict brecciated intermediate hypersthene-chondrite
Description: Fragments with crust, 0.2 grams Me1488

KRASNOI-UGOL, Krasnoi-Ugol, Ryazan, USSR
Fell: September 9, 1829, 2:00 P.M.
Stone, Spherical chondrite
Description: Fragment from interior, 0.2 grams Me1564

KRASNOJARSK, Krasnojarsk, Yeniseisk, Siberia, USSR
Found: 1749
Stony-iron, Pallasite
Description: Fragments of iron and chrysolite, 77.5 grams Me159
Torn mass, 186 grams Me1254

Torn mass, 300 grams Me1255
Torn mass, 298 grams Me1256

KULESCHOVKA, Kuleschovka, Poltava, Ukraine, USSR
Fell: March 12, 1811, 11:00 A.M.
Stone, Veined white chondrite
Description: Mass with crust, 10 grams Me1349
Mass from interior, 14 grams Me1350

KUTTIPPURAM, Kuttippuram, Ponnani taluq, Malabar district, Madras, India
Fell: April 6, 1914, 7:00 A.M.
Stone, Veined white chondrite
Description: Mass showing crust, 67 grams Me1999

KYANCUTTA, Kyancutta, Le Hunte County, Eyre Peninsula, South Australia
Found: June, 1932
Iron, Medium octahedrite
Description: Block with three polished faces, 1410 grams Me2204

KYUSHU, Kyushu, Japan
Fell: October 26, 1886, 3:00 P.M.
Stone, Veined white chondrite
Description: Mass with primary and secondary crust, 158 grams Me1783
Mass with crust and sawed surface, 54 grams Me1785
Complete individual, 85 grams Me1784

LA BECASSE, La Becasse, Dun le Poelier, Indre, France
Fell: January 31, 1879, noon
Stone, White chondrite
Description: Slab with crust and sawed surfaces, 27 grams Me1364
Fragment with crust, 0.7 gram Me1364
Sawed mass with crust, 61 grams Me741

LABOREL, Laborel, Drome, France
Fell: June 14, 1871, 8:00 P.M.

Stone, Brecciated intermediate chondrite
Description: Two fragments with crust, 16 grams Me1670

LA CAILLE, La Caille, Grasse, Alpes Maritimes, France
Recognized: 1828
Iron, Medium octahedrite
Description: Poorly etched slab with crust, 65 grams Me900
Etched mass with crust, 34 grams Me901
Etched slab with crust, 8 grams Me902

LADDER CREEK, Ladder Creek, Greeley County, Kansas, USA
Found: July, 1937
Stone, Crystalline spherical chondrite
Description: One polished end slice with crust, 440 grams Me2233

LAFAYETTE, Lafayette, Tippecanoe County, Indiana, USA
Known: Before 1931
Stone, Achondrite?, nakhlite (diopside-olivine achondrite)
Description: End piece with polished surface, 111.3 grams Me2116
Fragments, 0.5 gram Me2116

LA GRANGE, La Grange, Oldham County, Kentucky, USA
Found: 1860
Iron, Fine to finest octahedrite
Description: Etched section with crust, 172 grams Me1194
Polished section with crust, 46.5 grams Me84

L'AIGLE, L'Aigle, Orne, France
Fell: April 26, 1803, 1:00 P.M.
Stone, Brecciated, intermediate hypersthene-chondrite
Description: Gray powder, 0.25 grams Me218
Mass with crust, 110 grams Me219
Portions of two individuals with crust, 402 grams Me1407
Interior fragment with polished surface, 15 grams Me1405
Portions of three individuals with crust, 228 grams Me1406

LAKE LABYRINTH, Lake Labyrinth, South Australia
Fell: February 5, 1924, night. Found: October, 1934
Stone, Brecciated and slickensided chondrite (Intermediate enstatite chondrite)
Description: Mass with crust and polished face, 124.5 grams Me2236

LALITPUR, Lalitpur district, United Provinces, India
Fell: April 7, 1887, 10:30 A.M.
Stone, Polymict brecciated veined intermediate chondrite
Description: Sawed fragment with crust, 9.5 grams Me1516

LAMPA, Lampa, Sierra de Chicauma Atacama, Chile
Found: 1905
Stone, Crystalline bronzite-chondrite
Description: Mass with crust and polished surface, 554 grams Me769
Mass with crust and polished surface, 884 grams Me1408

LANCE, Lance, Vendome, Loir-et-Cher, France
Fell: July 23, 1872, 5:20 P.M.
Stone, Spherical carbonaceous chondrite
Description: Mass with crust and sawed surface, 84 grams Me589
Mass with crust and sawed surface, 91 grams Me1351

LANCON, Lancon, Bouches-du-Rhone, France
Fell: June 20, 1897, 8:30 P.M.
Stone, Veined intermediate chondrite
Description: Mass with crust, 78 grams Me526
Mass with crust and sawed surfaces, 101 grams Me1803

LANGHALSEN, Langhalsen, Vrena, Södermanland, Sweden
Fell: February 6, 1947, 3:15 P.M.
Stone, Chondrite
Description: Fragment with crust and polished surface, 67.5 grams Me2446

LA PORTE, La Porte, La Porte County, Indiana, USA
Found: 1900
Iron, Medium octahedrite
Description: Bottle of drillings, 5 grams Me2271
Etched slice, 775 grams Me2271
Full-sized etched slice, 805 grams Me2343
Part of individual with etched surface, 10,030 grams Me2269

LA PRIMITIVA, La Primitiva, Santa Catalina, Desert of Tarapaca, Chile
Found: 1888
Iron, Nickel-poor ataxite
Description: Thin slab, polished, 30 grams Me1071

LAURENS COUNTY, Laurens County, South Carolina, USA
Found: 1857
Iron, Fine octahedrite
Description: Thin, broad, full-sized section, 40 grams Me959
Thin, broad, full-sized section, 41 grams Me960

LEEDS, Leeds, Quebec, Canada
Found: 1931
Iron, Medium octahedrite
Description: Slice, etched, 80 grams Me2197

LEIGHTON, Leighton, Colbert County, Alabama, USA
Fell: January 12, 1907, 8:00 P.M.
Stone, Polymict brecciated gray chondrite
Description: Nearly complete individual with polished surface, 640 grams Me768
Three fragments, 3.4 grams Me768

LENARTO, Lenarto, Saros, Czechoslovakia
Found: 1814
Iron, Medium octahedrite
Description: Etched slab with crust, 336 grams Me1177
Etched slab with crust and well-marked figures, 273 grams Me1178
Small slab with torn edges, etched, 68 grams Me1179

LEONOVKA, Leonovka, Novgorod-Syeversk district, Chernigov Government, Ukraine, USSR
Fell: August 23, 1900, 9:00 P.M.
Stone, White enstatite-chondrite
Description: Fragment with crust, 1 gram Me1413

LE PRESSOIR, Le Pressoir, Indre-et-Loire, France
Fell: January 25, 1845, 3:00 P.M.
Stone, Spherical chondrite
Description: Fragment with crust. Crust black, smooth, 17 grams Me439
Mass with crust and polished surface, 48.4 grams Me1664

LES ORMES, Les Ormes, Yonne, France
Fell: October 1, 1857, 5:00 P.M.
Stone, White chondrite
Description: Fragments with crust, 1.5 grams Me1417

LESVES, Lesves, Namur, Belgium
Fell: April 13, 1896, 7:30 A.M.
Stone, Gray hypersthene-chondrite
Description: Fragment with crust, 10 grams Me542
Mass with crust, 32 grams Me1661

LE TEILLEUL, Le Teilleul, Manche, France
Fell: July 14, 1845, 3:00 P.M.
Stone, Howardite
Description: Three fragments with crust, 14 grams Me1418

LEXINGTON COUNTY, Lexington County, South Carolina, USA
Found: 1880
Iron, Coarse octahedrite
Description: Etched slab with crust, 23.5 grams Me111
Etched slab with crust, 87 grams Me1113
End piece, etched, 969 grams Me1114

LICK CREEK, Lick Creek, Davidson County, North Carolina, USA
Found: 1879
Iron, Hexahedrite
Description: Etched slab, 15 grams Me1074

LILLAVERKE, Lillaverke, Kalmar, Smaland, Sweden
Fell: May 11, 1930, 4:00 P.M.
Stone, Veined chondrite
Description: Mass with crust, 111 grams Me2447

LIME CREEK, Claiborne, Monroe County, Alabama, USA
Found: 1834
Iron, Nickel-rich ataxite
Description: Full-sized etched section, 84.5 grams Me937

LIMERICK, Limerick County, Ireland
Fell: September 10, 1813, 9:00 A.M.
Stone, Veined gray bronzite-chondrite
Description: Polished chip, 1.5 grams Me233
Nearly complete individual, 51 grams Me1795

LINCOLN COUNTY, Lincoln County, Colorado, USA
Found: 1937
Stone, Chondrite
Description: End piece with polished face, 64.7 grams Me2319

LINUM, Linum, Fehrbellin, Brandenburg, Germany
Fell: September 5, 1854, 8:00 P.M.
Stone, White chondrite
Description: Fragment with crust, 0.5 gram Me1414

LINVILLE, Linville Mountain, Burke County, North Carolina, USA
Found: 1882
Iron, Nickel-rich ataxite
Description: Thin slab, etched, 27 grams Me1110

LINWOOD, Linwood, Butler County, Nebraska, USA
Found: About 1940–41
Iron, Coarsest octahedrite with silicate inclusions
Description: Polished and etched slice, 8×5 inches, 760 grams Me2395

LISSA, Lissa, Bunzlau, Bohemia, Czechoslovakia
Fell: September 3, 1808, 3:30 P.M.
Stone, Veined white hypersthene-chondrite

Description: Interior fragment, 30 grams Me510
Mass with crust, 150 grams Me1410
Mass with crust, 26 grams Me1411

LITTLE PINEY, Little Piney, Pulaski County, Missouri, USA
Fell: February 13, 1839, 3:30 P.M.
Stone, Spherical chondrite
Description: Two fragments from interior, 3 grams Me1423

LIVINGSTON, Livingston, Overton County, Tennessee, USA
Found: 1937
Iron, Irregular medium octahedrite
Description: Fragment, 57.5 grams Me2404

LIXNA, Lixna, Dvinsk, Latvia
Fell: July 12, 1820, 5:30 P.M.
Stone, Veined gray bronzite-chondrite
Description: Mass with crust, 61 grams Me1764
Interior fragment, 2 grams Me550
Slice from interior, with polished surface, 10 grams Me1765

LOCUST GROVE, Locust Grove, Henry County, Georgia, USA
Found: 1857
Iron, Nickel-poor ataxite
Description: Thick, etched slab with crust, 370 grams Me558

LODRAN, Lodran, Multan district, West Punjab, Pakistan
Fell: October 1, 1868, 2:00 P.M.
Stony-iron, Lodranite
Description: Three fragments, 2 grams Me1260

LONACONING, Lonaconing, Allegany County, Maryland, USA
Found: 1888
Iron, Coarse octahedrite
Description: Full-sized etched section, 39 grams Me941

LONG ISLAND, Long Island, Phillips County, Kansas, USA
Found: 1891
Stone, Veined intermediate hypersthene-chondrite
Description: Four large masses with crust, about 3,000 smaller

pieces belonging to the same individual, 536.353 kgs. Me350
Mass with crust, 8,059 grams Me1889
Small mass cut from Me1889, 709 grams Me1889a
Polished mass from interior, 1,902 grams Me1891
Polished mass from interior, 1,015 grams Me1892
Mass with crust, 270 grams Me1894
Mass with polished surface, 794 grams Me2061
Mass with polished surface, 1,464 grams Me2062

LOS REYES, Los Reyes, Mexico State, Mexico
Found: 1897
Iron, Medium octahedrite
Description: Nearly complete individual, 14,593 grams Me454
Etched section, 984 grams Me1986
End piece, etched, 2,148 grams Me1987
Etched section, 638 grams Me2223

LOSTTOWN, Losttown, Cherokee County, Georgia, USA
Found: 1868
Iron, Medium octahedrite
Description: Polished mass with crust, 75 grams Me1058

LUBBOCK, Lubbock, Lubbock County, Texas, USA
Found: November 28, 1938
Stone, Veined gray chondrite
Description: Polished slice with crust, 150.1 grams Me2312

LUCÉ, Lucé, Sarthe, France
Fell: September 13, 1768, 4:30 P.M.
Stone, Veined white chondrite
Description: Two fragments from interior, 4.3 grams Me1421

LUCKY HILL, Lucky Hill, Bellevue, St. Elizabeth, Jamaica
Found: 1885
Iron, Medium octahedrite
Description: Six oxidized fragments, 51 grams Me1151

LUIS LOPEZ, Luis Lopez, Socorro County, New Mexico, USA
Found: 1896
Iron, Medium octahedrite

Description: About one-half the original mass with etched surface, 11×19 cm., 3,107 grams Me913

LUJAN, Lujan, Buenos Aires, Argentina
Prehistoric: Found before 1892
Stony-iron, Mesosiderite(?)
Description: Three crust fragments, 2.7 grams Me1400

LUMPKIN, Lumpkin, Stewart County, Georgia, USA
Fell: October 6, 1869, 11:45 P.M.
Stone, Crystalline spherical hypersthene-chondrite
Description: Slice with crust and polished surface, 3 grams Me1412

LUNDSGARD, Lundsgard, Ljungby, Gottland, Sweden
Fell: April 3, 1889, 8:30 P.M.
Stone, White hypersthene-chondrite (somewhat brecciated)
Description: Mass with crust, 34 grams Me1398
Mass with crust, 21 grams Me1399

LUOTOLAX, Luotolax, Viborg, Finland
Fell: December 13, 1813, day
Stone, Howardite
Description: Fragments from interior, 3 grams Me1613

LUPONNAS, Luponnas, Ain, France
Fell: September 7, 1753, 1:00 P.M.
Stone, Brecciated intermediate hypersthene-chondrite
Description: Mass with crust, 14.7 grams Me1419

MACAU, Macau, Rio Grande do Norte, Brazil
Fell: November 11, 1836, 5:00 A.M.
Stone, Veined intermediate chondrite
Description: Fragment with crust, 4 grams Me787
Three fragments with crust, 68 grams Me1640
Slab with crust and polished surface, 12 grams Me1641

MADOC, Madoc, Hastings County, Ontario, Canada
Found: 1854
Iron, Fine octahedrite

Description: Spheroidal fragment, 9 grams Me65
Thin sawed slab, 5 grams Me66
Slab with crust and etched surface, 24 grams Me1189

MADRID, Madrid, Spain
Fell: February 10, 1896, 9:30 A.M.
Stone, Veined white hypersthene-chondrite
Description: Fragments from interior, 1 gram Me1422

MAGURA, Magura, Arva, Czechoslovakia
Found: 1840
Iron, Coarse octahedrite
Description: Rough mass, 134.5 grams Me46
Etched mass, 166 grams Me47
Rough mass, 847 grams Me887
Etched mass, 520 grams Me888
Taenite from meteorite, 1 gram Me1904

MAINZ, Mainz, Hesse, Germany
Found: 1852
Stone, Veined intermediate hypersthene-chondrite
Description: Polished fragment, 2 grams Me441
Two fragments from interior with polished surfaces, 27.5 grams Me1649
Fragment from interior with polished surfaces, 11.5 grams Me1650

MAKAREWA, Makarewa, Invercargill, County Southland, New Zealand
Found: 1879
Stone, Brecciated gray hypersthene-chondrite
Description: Polished slice with crust, 3 grams Me1590

MANBHOOM, Manbhoom, Manbhum district, Bihar, Bengal, India
Fell: December 22, 1863, 9:00 A.M.
Stone, Monomict brecciated amphoterite
Description: Mass with crust, 11.8 grams Me1620
Fragments from interior, 11 grams Me583
Mass from interior, 19 grams Me1621

MANEGAON, Manegaon, Bhusawal taluq, East Khandesh district, Bombay, India
Fell: June 29, 1843, 3:30 P.M.
Stone, Monomict brecciated diogenite (hypersthene-achondrite)
Description: Fragment from interior, 1 gram Me1632

MANTOS BLANCOS, Mantos Blancos, Atacama Desert, Chile
Found: 1876
Iron, Fine octahedrite
Description: Thin slab, etched, 72 grams Me1062

MAPLETON, Mapleton, Monona County, Iowa, USA
Found: June 17, 1939
Iron, Medium octahedrite
Description: End piece with etched surface, 21,291 grams Me2286A
End piece with polished surface, 15,120 grams Me2286B
Etched slab, 3,375 grams Me2286D
Four fragments with crust, 73 grams Me2286F

MARION, Marion, Linn County, Iowa, USA
Fell: February 25, 1847, 2:45 P.M.
Stone, Veined white hypersthene-chondrite
Description: Mass with crust, 121 grams Me255
Mass with crust and polished surfaces, 60 grams Me1749

MARJALAHTI, Marjalahti, Viipuri, Finland
Fell: June 1, 1902, 10:00 P.M.
Stony-iron, Pallasite
Description: Mass with crust, 537 grams Me1323
Mass with crust, 738 grams Me1324

MARMANDE, Marmande, Lot-et-Garonne, France
Fell: July 4, 1848
Stone, Spherical chondrite
Description: Fragment from interior, friable, 2 grams Me1595

MARSHALL COUNTY, Marshall County, Kentucky, USA
Described: 1860

Iron, Medium octahedrite
Description: Etched fragment with crust, 17 grams Me945

MART, Mart, McLennan County, Texas, USA
Found: 1898
Iron, Finest octahedrite
Description: End piece, etched, 1,127 grams Me1040

MASCOMBES, Mascombes, Correze, France
Fell: January 31, 1836, 1:00 P.M.
Stone, White chondrite
Description: Fragment with crust, 7 grams Me1591
Fragment from interior with polished surface, 8 grams Me1592

MÄSSING, Mässing, Eggenfelden, Lower Bavaria, Germany
Fell: December 13, 1803, 10:30 A.M.
Stone, Howardite
Description: Two fragments from interior, 1.7 grams Me1648

MATATIELE, Matatiele, Drakensberg, Cape Province, South Africa
Known: 1878
Iron, Medium octahedrite
Description: Fragment with crust and etched surface, 24 grams Me936

MAUERKIRCHEN, Mauerkirchen, Upper Austria
Fell: November 20, 1768, 4:00 P.M.
Stone, White hypersthene-chondrite
Description: Mass with crust, 105 grams Me211
Mass from interior with polished surface, 11 grams Me1610
Fragment with crust, 16 grams Me1611
Fragment with crust, 14 grams Me1612

MAURITIUS, Mauritius, Indian Ocean
Fell: December 22, 1801
Stone, Polymict brecciated (howarditic) chondrite
Description: Fragment with crust, 6 grams Me1606

MAZAPIL, Mazapil, Zacatecas, Mexico
Fell: November 27, 1885, 9:00 P.M.
Iron, Medium octahedrite
Description: Section, etched, 19 grams Me1977

MCKINNEY, McKinney, Collin County, Texas, USA
Found: 1870
Stone, Black hypersthene-chondrite
Description: Mass with crust and polished surface, 54 grams Me355
Mass with crust and polished surface, 1024 grams Me1436
Full-sized, polished section, 2,565 grams Me1437
Complete individual with one polished face, 33 x 35 cm., thickness of stone 25 cm., 52,613 grams Me1438

MEJILLONES (1875), Mejillones, Atacama, Chile
Found: Before 1875
Iron, Brecciated hexahedrite
Description: Etched fragment, 2 grams Me1063

MEJILLONES (1905), Mejillones, Atacama, Chile
Found: 1905
Stony-iron, Mesosiderite (Grahamite)
Description: Polished section with crust. Large inclusions of chrysolite are visible, 183.4 grams Me1266

MELROSE, Melrose, Curry County, New Mexico, USA
Found: Before 1933
Stone, Hypersthene-chondrite
Description: Slice with polished faces, 1,385 grams Me2172
Six fragments, 119 grams Me2172

MENOW, Menow, Alt-Strelitz, Mecklenberg, Germany
Fell: October 7, 1862, 12:30 P.M.
Stone, Crystalline spherical chondrite
Description: Mass with crust and two polished surfaces, 701 grams Me1388
Fragment from interior, 2 grams Me278
Mass from interior, 80 grams Me1389

MERCEDITAS, Merceditas, Chanarel, Atacama, Chile
Known: 1884
Iron, Medium octahedrite
Description: Etched slab with crust, 124 grams Me586
Etched slab with crust, 727 grams Me922
Etched slab with crust, 172.5 grams Me821

MERN, Mern, Praesto, Denmark
Fell: August 29, 1878, 2:30 P.M.
Stone, Veined crystalline spherical chondrite
Description: Mass with crust, 28 grams Me1589

MERTZON, Mertzon, Irion County, Texas, USA
Found: 1943–44
Iron, Fine octahedrite
Description: Polished slice, 202 grams Me2408

MEUSELBACH, Meuselbach, Thuringia, Germany
Fell: May 19, 1897, 7:45 P.M.
Stone, Veined crystalline spherical hypersthene-chondrite
Description: Fragment with crust, 2.2 grams Me1855

MEZO-MADARAS, Mezo-Madaras, Transylvania, Romania
Fell: September 4, 1852, 4:30 P.M.
Stone, Polymict brecciated gray hypersthene-chondrite
Description: Fragment with crust and polished surface, 4 grams Me261
Mass with crust and polished surface, 165 grams Me1607
Mass with crust and armored surfaces, 331 grams Me1608

MHOW, Mhow, Mau tahsil, Azambgarh district, United Provinces, India
Fell: February 16, 1827, 3:00 P.M.
Stone, Intermediate chondrite
Description: Fragment from interior, polished surface, 2 grams Me1633

MIDDLESBROUGH, Middlesbrough, Yorkshire, England
Fell: March 14, 1881, 3:35 P.M.

Stone, White hypersthene-chondrite
Description: Fragments with crust, 0.1 grams Me1634

MIGHEI, Mighei, Olviopol, Kherson, Ukraine, USSR
Fell: June 18, 1889, 8:30 A.M.
Stone, Carbonaceous chondrite
Description: Fragment with crust, 7 grams Me339
Fragment with crust, 0.3 grams Me338
Two large masses with crust, 2,281 grams Me1456

MILENA, Milena, Varazdin, Croatia, Yugoslavia
Fell: April 26, 1842, 3:00 P.M.
Stone, White chondrite
Description: Fragment from interior, 4 grams Me250
Polished slab with crust, 10 grams Me1849
Fragment from interior with polished surface, 3 grams Me1850

MILLER, Miller, Cleburne County, Arkansas, USA
Fell: July 13, 1930
Stone, Enstatite-chondrite
Description: Fragment with portion of fusion crust, 32.8 grams Me2559

MINAS GERAES, Minas Geraes, Brazil
Found: 1888
Stone, Veined white chondrite
Description: Mass with crust and polished surface, 422 grams Me1622

MINCY, Mincy, Taney County, Missouri, USA
Found: 1857
Stony-iron, Mesosiderite
Description: Thin slab 17×33 cm., with polished surface, 2,147 grams Me1253

MISSHOF, Misshof, Baldohn, Kurland, Latvia
Fell: April 10, 1890, 3:30 P.M.
Stone, Spherical bronzite-chondrite
Description: Mass with crust and polished surfaces, 85.5 grams Me1630

Fragments, 1.5 grams Me1630
Mass with crust and polished surface, 175 grams Me1631

MISTECA, Misteca, Oaxaca, Mexico
Known: 1804
Iron, Medium octahedrite
Description: Full-sized etched section, 82 grams Me32
Rhabdite, 2 grams Me1912
Etched section, 69 grams Me956

MOCS, Mocs, Cluj, Transylvania, Romania
Fell: February 3, 1882, 4:00 P.M.
Stone, Veined white hypersthene-chondrite
Description: Three fragments with crust, 26 grams Me323
Nearly complete individual, mended from five fragments, 542 grams Me324
One complete individual, 39 grams Me330
One complete individual, 7 grams Me331
Complete individual, 2,224 grams Me1444
Complete individual, 840 grams Me1445
Complete individual, 564 grams Me1446
Fifteen complete individuals, 540 grams Me1447
Eight small individuals, 11.5 grams Me1448
Complete individual, 291 grams Me1449
Oriented fragment, 188 grams Me1450
Nearly complete individual, 338 grams Me1451
Wedge-shaped individual with primary and secondary crust, 564 grams Me1452
Mass with crust, 530 grams Me1453
Mass with crust and polished surface, 481 grams Me1454

MOCTEZUMA, Moctezuma, Sonora, Mexico
Found: 1899
Iron, Medium octahedrite
Description: Etched slab with fractured edges, 357 grams Me926

MODOC (1905), Modoc, Scott County, Kansas, USA
Fell: September 2, 1905, 9:30 P.M.
Stone, Veined white hypersthene-chondrite

Description: Complete individual, 3,184 grams Me743
Complete individual, 163.3 grams Me744
Nearly complete individual, 269.5 grams Me745
Mass with oriented crust, 875 grams Me747
Mass with crust, 170 grams Me1971
Troilite from Modoc, 0.2 gram Me2348

MOKOIA, Mokoia, Taranaki, North Island, New Zealand
Fell: November 26, 1908, 12:30 P.M.
Stone, Carbonaceous chondrite
Description: Two fragments from interior, 3.4 grams Me2460

MOLINA, Molina, Murcia, Spain
Fell: December 24, 1858
Stone, Brecciated gray bronzite-chondrite
Description: Mass with crust, 33 grams Me1635

MOLONG, Molong, County Ashburnham, New South Wales, Australia
Found: 1912
Stony-iron, Pallasite
Description: Fragments, 543.3 grams Me1970

MONAHANS, Monahans, Ward County, Texas, USA
Found: 1938
Iron, Nickel-rich ataxite
Description: Polished slab, 844 grams Me2247

MONROE, Monroe, Cabarrus County, North Carolina, USA
Fell: October 31, 1849, 3:00 P.M.
Stone, Polymict brecciated veined bronzite-chondrite
Description: Fragment from interior with polished surface, 10 grams Me2448
Fragment from interior, 4 grams Me256
Mass from interior, 79.5 grams Me1761
Mass with crust and polished surface, 19.8 grams Me1762

MONTE MILONE, Monte Milone, Macerata, Italy
Fell: May 8, 1846, 9:15 A.M.
Stone, Brecciated white chondrite

Description: Fragments from interior and with crust, 11 grams Me1623

MONTLIVAULT, Montlivault, Loir-et-Cher, France
Fell: July 22, 1838, day
Stone, White chondrite
Description: Two fragments with crust and polished surface, 4 grams Me1619

MONZE, Monze, Northern Rhodesia
Fell: October 5, 1950, 4:10 A.M.
Stone, Hypersthene-chondrite
Description: Mass with crust, 153 grams Me2441

MOORANOPPIN, Mooranoppin, Avon, County Lansdowne, West Australia
Recognized: 1893
Iron, Coarsest octahedrite
Description: Polished and etched section with crust, 98 grams Me540
Full-sized section, etched, 73 grams Me975

MOORESFORT, Mooresfort, County Tipperary, Ireland
Fell: August, 1810, noon
Stone, Veined gray chondrite
Description: Fragment with crust, 7 grams Me228
Two fragments from interior, 16 grams Me1681
Two fragments from interior, 14 grams Me1682

MORADABAD, Moradabad district, United Provinces, India
Fell: 1808
Stone, White chondrite
Description: Fragments from interior, 1 gram Me1596

MORITO, Morito, San Gregoria, Chihuahua, Mexico
Known: 1600
Iron, Medium octahedrite
Description: Etched fragment with crust, 13 grams Me942

MORLAND, Morland, Graham County, Kansas, USA
Found: About 1890—main mass found in 1935

Stone, Veined gray crystalline chondrite
Description: Mass with polished surface, 988 grams Me2213

MORNANS, Mornans, Bordeaux, Drome, France
Fell: September, 1875
Stone, Veined gray chondrite
Description: Sawed fragment with crust, 2 grams Me1599

MORRADAL, Morradal, Grjotli, between Skiaker and Stryn, Norway
Found: 1892
Iron, Nickel-rich ataxite
Description: Thin, etched slab, 17.5 grams Me824
Thin, etched slab, 5 grams Me961

MORRISTOWN, Morristown, Hamblen County, Tennessee, USA
Found: 1887
Stony-iron, Mesosiderite
Description: Thick, full-sized polished section, 646 grams Me1280
End piece with polished surface, 1,084 grams Me1281
Wedge-shaped section with crust and polished surface, 2,207 grams Me1282

MOTI-KA-NAGLA, Goordha, Biana district, Bharatpur State, Rajputana, India
Fell: December 22, 1868, 5:00 P.M.
Stone, Crystalline chondrite
Description: Fragment with crust and two polished surfaces, 7.5 grams Me1683
Fragment from interior, 4.5 grams Me1684

MOTTA DI CONTI, Motta di Conti, Casale, Piedmont, Italy
Fell: February 29, 1868, 11:00 A.M.
Stone, Spherical chondrite
Description: Mass with crust, friable, 35.6 grams Me1685

MOUNT BROWNE, Mount Browne, County Evelyn, New South Wales, Australia
Fell: July 17, 1902, 9:30 A.M.

Stone, Spherical bronzite-chondrite
Description: Mass with crust, 149 grams Me576
Mass with crust, 226 grams Me1329
Fragment from interior, 5.3 grams Me1329a

MOUNT DYRRING, Mount Dyrring, Singleton district, County Durham, New South Wales, Australia
Found: 1903
Stony-iron, Pallasite
Description: Mass with crust, 271 grams Me575
Mass with crust, 131 grams Me1320

MOUNT EDITH, Mount Edith, Ashburton district, Western Australia
Found: 1913
Iron, Medium octahedrite
Description: Full-sized, etched section, 9,823 grams Me1959
Small slab, 62 grams Me1959a

MOUNT JOY, Mount Joy, Adams County, Pennsylvania, USA
Found: 1887
Iron, Coarsest octahedrite
Description: Etched section, 10×13 cm., 670 grams Me482
Full-sized, etched section, 61×83 cm., 20,000 grams Me1051
Etched section, 51 grams Me1899

MOUNT STIRLING, Mount Stirling, York, Southwest Division, Western Australia
Found: 1892
Iron, Coarse octahedrite
Description: Etched fragment, 56 grams Me829
Full-sized etched section, 944 grams Me1004

MOUNT TABBY, Mount Tabby, Hannah, Duchesne County, Utah, USA
Found: 1921
Iron, Octahedrite
Description: Etched section, 888 grams Me2111

MOUNT VERNON, Mount Vernon, Christian County, Kentucky, USA

Found: 1868
Stony-iron, Pallasite
Description: Small polished slab and fragments, 248 grams Me567
Fragments, 44 grams Me567

MUDDOOR, Muddoor taluq, Mysore, India

Fell: September 21, 1865, 7:00 A.M.
Stone, Spherical hypersthene-chondrite
Description: Fragment with crust, 6 grams Me1593
Fragment from interior, 4 grams Me1594

MUNGINDI, Mungindi, County Benarba, New South Wales, Australia

Found: 1897
Iron, Finest octahedrite
Description: Full-sized etched section 21×9 cm., 627 grams Me461
End piece with etched surface, 1,383 grams Me1003

MUONIONALUSTA I, Muonionalusta, Norrbötten, Sweden

Found: 1906
Iron, Fine octahedrite
Description: Fragment with crust, 43.5 grams Me2452

MUONIONALUSTA II, Muonionalusta, Norrbötten, Sweden

Found: August 15, 1946
Iron, Fine octahedrite
Description: Fragment with crust, 41.6 grams Me2453

MURFREESBORO, Murfreesboro, Rutherford County, Tennessee, USA

Found: 1847
Iron, Medium octahedrite
Description: Etched slab, 20 grams Me58
Etched slab from surface, 20 grams Me827
Thin, etched slab with crust, 18 grams Me909
Polished mass with oxidized edges, 25 grams Me910

MURPHY, Murphy, Cherokee County, North Carolina, USA
Found: 1899
Iron, Hexahedrite
Description: Polished and etched section, 98.5 grams Me503
Full-sized slab, etched, 257 grams Me966
Full-sized slab, etched, 305 grams Me967

NAGARIA, Nagaria, Fatehabad pargana, Agra district, United Provinces, India
Fell: April 24, 1875, 7:30 A.M.
Stone, Eucrite
Description: Fragment with crust, 1.4 grams Me1674

NAGY-BOROVE, Nagy-Borove, Lipto, Czechoslovakia
Fell: May 9, 1895
Stone, Gray chondrite
Description: Complete individual, 183.5 grams Me1604
Mass with crust and sawed surfaces, 26 grams Me1605

NAGY-VAZSONY, Nagy-Vazsony, Veszprem, Hungary
Found: 1890
Iron, Medium octahedrite
Description: Thin slab, etched, 36 grams Me974

NAKHLA, Nakhla, Abu Hommos, Alexandria, Egypt
Fell: June 28, 1911, 9:00 A.M.
Stone, Nakhlite (Diopside-olivine achondrite)
Description: Fragment with crust, 14 grams Me804

NAMMIANTHAL, Nammianthal, North Arcot district, Madras, India
Fell: January 27, 1886
Stone, Veined spherical chondrite
Description: Mass with crust, 64 grams Me1627
Mass with crust and polished surface, 20.5 grams Me1628
Mass from interior, 35 grams Me1629

NANJEMOY, Nanjemoy, Charles County, Maryland, USA
Fell: February 10, 1825, noon
Stone, Spherical chondrite

Description: Mass with crust and polished surface, 23.5 grams Me1625
Fragment from interior, 0.5 grams Me238
Mass with crust and sawed surfaces, 82 grams Me1626

NARRABURRA, Narraburra Creek, Temora, County Bland, New South Wales, Australia
Found: 1855
Iron, Finest octahedrite
Description: Full-sized section, deeply etched, 133.5 grams Me1142

NÄS, Näs, Värvik, Dalsland, Sweden
Found: 1907
Stone, Chondrite
Description: Fragment with crust, 10.5 grams Me2450

NAVAJO, Navajo, Apache County, Arizona, USA
Found: July 10, 1921
Iron, Nickel-poor ataxite
Description: Complete individual, 1,497.618 kilograms Me2038
Borings, 2 grams Me2038
Individual, 683.124 kilograms Me2099
Scalings, 420 grams Me2099
Small end piece, etched, 48 grams Me2099a
Polished slice, 1,676 grams Me2099b

NAWAPALI, Nawapali, Bargarh tahsil, Sambalpur district, Orissa, Central Provinces, India
Fell: June 6, 1890, 6:00 P.M.
Stone, Carbonaceous chondrite
Description: Fragment from interior, 1.5 grams Me1655

NEDAGOLLA, Nedagolla, Vizagapatam district, Madras, India
Fell: January 23, 1870, 7:00 P.M.
Iron, Nickel-poor ataxite
Description: Two fragments, etched, 9 grams Me1090

NEJED, Nejed, Wadee Banee Khaled, Central Arabia
Found: 1863
Iron, Medium octahedrite

Description: Etched slab with crust, 179 grams Me523
Nearly complete individual with one etched surface, 48,080 grams Me1100

NELSON COUNTY, Nelson County, Kentucky, USA
Found: 1856
Iron, Coarsest octahedrite
Description: Oxidized scaling, 23 grams Me73
Large, polished slab, 455 grams Me488
Polished slab, 151 grams Me1183
Etched section with crust, 281 grams Me1184

NENNTMANNSDORF, Nenntmannsdorf, Pirna, Saxony, Germany
Found: 1872
Iron, Hexahedrite
Description: Cleavage pieces, 4 grams Me447
Thin slab with polished surface, 22 grams Me1123

NERFT, Nerft, Kurland, Latvia
Fell: April 12, 1864, 4:45 A.M.
Stone, Veined intermediate hypersthene-chondrite
Description: Mass from interior, 44 grams Me585
Mass with crust, 61 grams Me1637

NESS COUNTY (1894), Ness County, Kansas, USA
Found: 1894
Stone, Crystalline bronzite-chondrite
Description: Complete individual, 1,362 grams Me754
Ten complete individuals, 309 grams Me806
Complete individual, 572 grams Me807
Complete individual, crust black, 2,926 grams Me808
Complete individual, rounded, wedge-shaped, shows primary and secondary crust, 3,410 grams Me809
Complete individual, form rectangular prismatic, 1,190 grams Me811
Complete individual, 972 grams Me812
Two complete individuals, 1,595 grams Me813
Two complete individuals, 575 grams Me814
Mass with polished surface, 953 grams Me815
Complete individual, crust black, 34 grams Me816

Complete individual, 22 grams Me817
Mass with crust and polished surface, 2,523 grams Me818
Complete individual, 148 grams Me2042
Complete individual, 520 grams Me2043
Complete individual, 607 grams Me2044
Complete individual, 693 grams Me2046
Complete individual, 1,335 grams Me2050
Complete individual, form triangular pyramid, 1,190 grams Me810
Fragments (from Me818), 3 grams Me818a

NETSCHAEVO, Netschaevo, Tula, USSR
Found: 1846
Iron, Brecciated octahedrite with silicate inclusions
Description: Mass with crust and etched surfaces, 135 grams Me1152
Thin slab, etched, 30 grams Me1153
Thin slab from siliceous portion, 15 grams Me1154

NEW ALMELO, New Almelo, Norton County, Kansas, USA
Found: about 1917, recognized: 1932
Stone, Polymict brecciated veined chondrite
Description: Polished slice, 240 grams Me2195

NEW BALTIMORE, New Baltimore, Somerset County, Pennsylvania, USA
Found: 1922
Iron, Coarsest octahedrite
Description: Etched slice, 1,613 grams Me2054

NEW CONCORD, New Concord, Muskingum County, Ohio, USA
Fell: May 1, 1860, 12:45 P.M.
Stone, Veined intermediate hypersthene-chondrite
Description: Nearly complete individual, 341 grams Me273
Mass with crust and polished surfaces, 752 grams Me274
Individual cut in two parts, 3,718 grams Me1824
Mass with crust and polished surfaces, 650 grams Me1825

NEWPORT, Newport, Jackson County, Arkansas, USA
Found: 1923
Stony-iron, Pallasite
Description: End piece, polished and etched, 137 grams Me2144

NEW WESTVILLE, New Westville, Preble County, Ohio, USA
Found: 1941
Iron, Medium to fine octahedrite
Description: Etched slice, 206.3 grams Me2400

NGAWI, Ngawi, Gentoeng, Madioen, Java
Fell: October 3, 1883, 5:15 P.M.
Stone, Spherical hypersthene-chondrite
Description: Sawed section with crust, 8.5 grams Me1675

N'GOUREYMA, N'Goureyma, Jenne, Massina, French West Africa
Fell: June 15, 1900
Iron, Brecciated octahedrite
Description: Full-sized polished section, 145 grams Me597
Full-sized etched section, 882 grams Me978

NIAGARA, Niagara, Grand Forks County, North Dakota, USA
Found: 1879
Iron, Coarse octahedrite
Description: Fragment with crust and etched surface, 25 grams Me946

NOBLEBORO, Nobleboro, Lincoln County, Maine, USA
Fell: August 7, 1823, 4:30 P.M.
Stone, Howardite
Description: Mass with crust, 19 grams Me1370

NOCHTUISK, Nochtuisk, Yakutsk, Siberia, USSR
Found: 1876
Iron, Coarse octahedrite
Description: Apparently a small individual wlth one end etched, 2 grams Me1175

NOCOLECHE, Nocoleche, Wanaaring, County Ularara, New South Wales, Australia
Found: 1895
Iron, Medium octahedrite
Description: Full-sized etched section, 1,120 grams Me1039

NOGOYA, Nogoya, Entre Rios, Argentina
Fell: June 30, 1879, evening
Stone, Carbonaceous hypersthene-chondrite
Description: Mass with crust, 10 grams Me1680

NORCATEUR, Norcateur, Decatur County, Kansas, USA
Found: 1940, recognized: July, 1948
Stone, Polymict brecciated veined intermediate chondrite
Description: Small slice, 31.5 grams Me2411

NORFOLK, Norfolk, Montgomery County, Virginia, USA
Fell: September 23, 1907
Iron, Medium octahedrite
Description: Etched slab, 145.5 grams Me2252

NOVO-UREI, Novo-Urei, Karamzinka, Nizhni-Novgorod, USSR
Fell: September 4, 1886, 7:15 A.M.
Stone, Ureilite
Description: Fragment with crust, 4.3 grams Me582
Mass with crust and polished surface, 48.3 grams Me1678

NULLES, Nulles, Catalonia, Spain
Fell: November 5, 1851, 5:30 P.M.
Stone, Brecciated gray bronzite-chondrite
Description: Fragments with crust, 8 grams Me1676

OAKLEY (STONE), Oakley, Logan County, Kansas, USA
Found: 1895
Stone, Crystalline bronzite-chondrite
Description: Full-sized section, 25×30 cm., polished on one surface, 2,300 grams Me1457
End piece with polished surface, 25×30 cm., 6,535 grams Me1458

OBERNKIRCHEN, Obernkirchen, Bukerberg, Rinteln, Hesse-Nassau, Germany

Found: Before 1863
Iron, Fine octahedrite
Description: Mass with crust and polished surfaces, 124 grams Me1081
Mass with crust and polished surfaces, 60 grams Me1082

OCHANSK, Ochansk, Perm, USSR

Fell: August 30, 1887, 1:00 P.M.
Stone, Polymict brecciated spherical bronzite-chondrite
Description: Fragment with crust, 24 grams Me335
Fragment from interior, 48.5 grams Me1440
Mass with crust, 2,292 grams Me1442
Mass from interior, 1,742 grams Me1441
Mass with crust, 8,890 grams Me1443

OCZERETNA, Oczeretna, Lipovets, Kiev, Ukraine, USSR

Found: 1871
Stone, Veined gray chondrite
Description: Fragment with crust and sawed surface, 3 grams Me1677

ODESSA, Odessa, Ector County, Texas, USA

Found: Before 1922
Iron, Coarse octahedrite
Description: Complete individual, 10,219 grams Me2397
Complete individual, 76 grams Me2393
Fragment, 6.2 grams Me2157
Etched slice, 1,162 grams Me2398
Iron shale, 11 grams Me2158
Complete individual, 832 grams Me2258

OESEL, Oesel Island, Esthonia

Fell: May 11, 1855, 3:30 P.M.
Stone, White hypersthene-chondrite
Description: Mass from interior, 46.5 grams Me1688
Crusted fragments, 1.5 grams Me264

OGALLALA, Ogallala, Keith County, Nebraska, USA

Found: 1918

Iron, Medium octahedrite
Description: Etched slice, 48 grams Me2145

OGI, Ogi, Hizen (Saga), Kyushu, Japan
Fell: June 8, 1741, 11:00 A.M.
Stone, White bronzite-chondrite
Description: Mass with crust and sawed surface, 23 grams Me1690

OHABA, Ohaba, Alba Iulia, Transylvania, Romania
Fell: October 11, 1857, 12:15 A.M.
Stone, Veined gray bronzite-chondrite
Description: Slab with crust and polished surface, 7 grams Me1652

OKECHOBEE, Lake Okechobee, Florida, USA
Found: Before 1916, fell: 1903?
Stone, Spherical chondrite
Description: Fragment, 71 grams Me1975

OKNINY, Okniny, Krzemieniec, Wolyn, Poland (now Volhynia, West Ukraine)
Fell: January 8, 1934, 9:30 A.M.
Stone, Brecciated gray chondrite
Description: Polished slab with crust and armored surface, 10 grams Me1653

OKTIBBEHA COUNTY, Oktibbeha County, Mississippi, USA
Found: About 1854
Iron, Nickel-rich ataxite
Description: Small slice, 1 gram Me1174

OLIVENZA, Olivenza, Badajoz, Spain
Fell: June 19, 1924, 8:00 A.M.
Stone, Gray spherical hypersthene-chondrite
Description: Fragment with crust, 39.4 grams Me2094
Interior mass, 204 grams Me2095

OLMEDILLA DE ALARCON, Olmedilla de Alarcon, Cuenca, Spain
Fell: February 26, 1929, about midday

Stone, Veined brecciated hypersthene-chondrite, approaching eucrite
Description: Mass with crust, 398.5 grams Me2141

ORANGE RIVER (IRON), Orange River, Garib, South Africa
Known: 1855
Iron, Medium octahedrite
Description: Sawed section with natural crust, 114 grams Me71
Etched slab, 95.5 grams Me72
Etched slab with crust, 74 grams Me1896

ORGUEIL, Orgueil, Montauban, Tarn-et-Garonne, France
Fell: May 14, 1864, 8:00 P.M.
Stone, Carbonaceous chondrite
Description: Fragments with crust, 20 grams Me509
Mass with crust, 29 grams Me1743
Fragments with crust, 26 grams Me1744

ORNANS, Ornans, Doubs, France
Fell: July 11, 1868, 7:15 P.M.
Stone, Spherical hypersthene-chondrite (Ornansite)
Description: Fragment sawed from interior, 19.5 grams Me294
Two fragments with crust, 62 grams Me1766

OROVILLE, Oroville, Butte County, California, USA
Found: 1893
Iron, Medium octahedrite
Description: Full-sized etched section, 315 grams Me859

ORVINIO, Orvinio, Rome, Italy
Fell: August 31, 1872, 5:15 A.M.
Stone, Polymict brecciated black bronzite-chondrite (Orvinite)
Description: Three fragments with crust, 38 grams Me1651
Two fragments with crust, 0.5 grams Me759

OSCURO MOUNTAINS, Oscuro Mountains, Socorro County, New Mexico, USA
Found: 1895
Iron, Coarse octahedrite
Description: Etched section with crust, 113 grams Me457
End piece, etched, 638 grams Me855

OSSEO, Osseo, Timiskaming District, Ontario, Canada
Fell: June, 1931
Iron, Coarsest kamacitic octahedrite
Description: Etched section, 166.2 grams Me2242

OTEROY, Oteroy Island, Kragero, Norway
Fell: October 15, 1928, 3:00 P.M.
Stone, Chondrite
Description: Fragments from interior, 0.7 grams Me2458

OTTAWA, Ottawa, Franklin County, Kansas, USA
Fell: April 9, 1896, 6:15 P.M.
Stone, Polymict brecciated gray chondrite (howarditic chondrite)
Description: Fragment with crust, 3.5 grams Me757
Mass with crust, 35 grams Me1691
Mass with crust, 36 grams Me1692

OTUMPA, Gran Chaco Gualamba, Argentina
Found: 1576
Iron, Nickel-poor ataxite
Description: Section, 16×6 cm., with crust on border, 530 grams Me1016

OVID, Ovid, Sedgwick County, Colorado, USA
Found: February, 1939
Stone, Gray chondrite
Description: End piece with polished surface, 612 grams Me2364

OZONA, Ozona, Crockett County, Texas, USA
Found: 1929, recognized: 1939
Stone, Gray chondrite
Description: Mass with one cut face, 40,544 grams Me2333
Slice, 2,085 grams Me2334
Slice, 1,915 grams Me2335
Slice, 1,705 grams Me2336
Mass with one cut face, 964 grams Me2337
Mass with one cut face, 2,340 grams Me2338
Twenty-two fragments, 518.5 grams Me2339
Four fragments, 128.2 grams Me2340

PACULA, Pacula, Jacala, Hidalgo, Mexico
Fell: June 18, 1881, morning
Stone, Brecciated white chondrite
Description: Mass with crust, 91.5 grams Me1615
Mass with crust, 88 grams Me1616

PAMPA DE AGUA BLANCA, Pampa de Agua Blanca, Chile
Known: 1916
Stone
Description: Much oxidized fragment with crust, 9.6 grams Me1901
Fragment, 0.4 grams Me1901

PAMPANGA, Pampanga, Luzon, Philippine Islands
Fell: April 4, 1859
Stone, Brecciated grey chondrite
Description: Fragment with polished surface, 2 grams Me1598

PAN DE AZUCAR, Pan de Azucar, Tarapaca, Desert of Atacama, Chile
Found: 1887
Iron, Coarse octahedrite
Description: Full-sized slab, etched, 210 grams Me1133

PANTAR, Pantar, Lanao, Philippine Islands
Fell: June 16, 1938, 8:45 P.M.
Stone, Veined chondrite
Description: Individual, 521.4 grams Me2401

PARAGOULD, Paragould, Greene County, Arkansas, USA
Fell: February 17, 1930, 4:08 A.M.
Stone, Monomict brecciated gray chondrite
Description: Complete individual, 337,485 grams Me2135

PARNALLEE, Parnallee, Ramnad district, Madras, India
Fell: February 28, 1875, noon
Stone, Polymict brecciated veined gray hypersthene-chondrite
Description: Mass with crust and polished surface, abundant troilite, 162 grams Me437
Thin slab with crust, 160 grams Me1847
Mass with crust and polished surface, 486 grams Me1848

PASAMONTE, Pasamonte Ranch, Union County, New Mexico, USA
Fell: March 24, 1933, 5:05 A.M.
Stone, Howardite
Description: Nearly complete individual, 21 grams Me2208

PAULDING COUNTY, Paulding County, Georgia, USA
Found: About 1901
Iron, Coarse octahedrite
Description: Oxidized fragments, 161 grams Me1978

PAVLODAR, Pavlodar, Semipalatinsk, Siberia, USSR
Found: 1885
Stony-iron, Pallasite
Description: End piece with polished surface, 1,406 grams Me1313

PAVLOGRAD, Pavlogard, Ekaterinoslav, Ukraine, USSR
Fell: May 19, 1826
Stone, White chondrite
Description: Fragment from interior, 15 grams Me448
Fragment from interior, 11.8 grams Me1687
Fragment with crust, 9.7 grams Me1645
Mass with crust and polished surface, 22 grams Me1686
Sawed mass from interior, oxidized, 87 grams Me1644

PAVLOVKA, Pavlovka, Balashev, Saratov, USSR
Fell: August 2, 1882, 5:00 P.M.
Stone, Howardite
Description: Mass from interior, 69 grams Me1377
Mass with crust, 93.5 grams Me1378

PEACE RIVER, Peace River, Alberta, Canada
Fell: March 31, 1963, 4:35 A.M.
Stone, Hypersthene-chondrite
Description: Irregular fragment with small patch of fusion crust, 609 grams Me2556

PEETZ, Peetz, Logan County, Colorado, USA
Found: 1937
Stone, Black chondrite
Description: Polished slice with crust, 751 grams Me2295

PERPETI, Perpeti, Tippera district, East Bengal, Pakistan
Fell: May 14, 1935, 11:00 P.M.
Stone, White enstatite-chondrite
Description: Fragment with crust, 49 grams Me2245

PERRYVILLE, Perryville, Perry County, Missouri, USA
Found: 1906
Iron, Finest octahedrite
Description: Full-sized section, etched, 181 grams Me802

PERSIMMON CREEK, Persimmon Creek, Cherokee County, North Carolina, USA
Found: 1903 (?)
Iron, Granular, finest octahedrite
Description: Four fragments with crust, 146 grams Me614
Shavings, 9 grams Me614
Full-sized etched section, 108 grams Me970

PETERSBURG, Petersburg, Lincoln County, Tennessee, USA
Fell: August 5, 1855, 3:30 P.M.
Stone, Howardite
Description: Mass with crust, 205 grams Me1356
Fragment with crust, 3.3 grams Me1357

PETROPAVLOVSK, Petropavlovsk, Mrasa River, Tomsk, Siberia, USSR
Fell: 1841
Iron, Medium octahedrite
Description: Slab from surface, etched, 45 grams Me1115

PHILLIPS COUNTY, Phillips County, Colorado, USA
Found: 1935
Stony-iron, Pallasite
Description: End piece with polished surface, 332.6 grams Me2313

PHU-HONG, Phu-Hong, Binh-Chanh, Cochin China
Fell: September 22, 1887
Stone, Veined spherical bronzite-chondrite
Description: Polished slab with crust, 11.8 grams Me1618

PICKENS COUNTY, Pickens County, Georgia, USA
Found: 1908
Stone, Crystalline chondrite
Description: Mass with crust, 312 grams Me836
Mass with crust, 68 grams Me837

PIERCEVILLE, Pierceville, Finney County, Kansas, USA
Found: 1939
Stone, Gray chondrite
Description: Polished slice, 96.6 grams Me2314

PILLISTFER, Pillistfer, Livonia, Latvia
Fell: August 8, 1863, 12:30 P.M.
Stone, Crystalline enstatite-chondrite
Description: Mass with crust, 39 grams Me1646
Fragment from interior, 1 gram Me279
Mass with crust and polished surface, 29 grams Me1647

PINE RIVER, Pine River, Waushara County, Wisconsin, USA
Found: 1931
Iron, Octahedrite with silicate inclusions
Description: Fragment of crust, 2.6 grams Me2382
Etched slice, 99.5 grams Me2390

PIÑON, Piñon, Otero County, New Mexico, USA
Found: 1928 or 1930
Iron, Nickle-rich ataxite
Description: Polished end with cubic streaks, 410 grams Me2196

PIPE CREEK, Pipe Creek, Bandera County, Texas, USA
Found: 1887
Stone, Veined crystalline bronzite-chondrite
Description: Mass with crust and polished surfaces, 368 grams Me1579
About one-third the original mass; one surface polished, 3,873 grams Me1580

PIRGUNJE, Pirgunje, Thakurgaon Subdivision, Dinajpur district, East Bengal, Pakistan
Fell: August 29, 1882
Stone, Veined white chondrite
Description: Mass with crust, contains vein of troilite, 28 grams Me1639

PIRTHALLA, Pirthalla, Barwala tahsil, Hissar district, Punjab, India
Fell: February 9, 1884, 2:30 P.M.
Stone, Brecciated spherical chondrite
Description: Fragments with crust, 1 gram Me1643

PITTS, Pitts, Wilcox County, Georgia, USA
Fell: April 20, 1921, 9:00 A.M.
Iron, Octahedrite (with silicate inclusions)
Description: Fragment, 0.42 gram Me2039

PITTSBURG, Pittsburg, Allegheny County, Pennsylvania, USA
Found: About 1850
Iron, Coarsest octahedrite
Description: Etched fragment with crust, 4.7 grams Me433
Etched fragment with crust, 12.5 grams Me823
Etched fragment with crust, 22 grams Me1187

PLAINVIEW (1917), Plainview, Hale County, Texas, USA
Found: 1917
Stone, Polymict brecciated, veined intermediate chondrite
Description: Complete individual in three parts, 1,921 grams Me1968
Individual, 3,838 grams Me2323

PLOSCHKOVITZ, Ploschkovitz, Litomerice, Bohemia, Czechoslovakia
Fell: June 22, 1723, 2:00 P.M.
Stone, Brecciated spherical chondrite
Description: Fragments with crust, 2 grams Me493
Fragment from interior, 2 grams Me1617

PLYMOUTH, Plymouth, Marshall County, Indiana, USA
Found: 1893
Iron, Medium octahedrite

Description: Full-sized section, etched, 626 grams Me1130
Full-sized section, etched, 460 grams Me1131

PNOMPENH, Pnompenh, Cambodia
Fell: June 30, 1868, 3:00 P.M.
Stone, White chondrite
Description: Fragments from interior, 0.2 grams Me1597

POHLITZ, Pohlitz, Gera, Reuss, Thuringia, Germany
Fell: October 13, 1819, 8:00 A.M.
Stone, Veined white chondrite
Description: Three fragments with crust, 11 grams Me1624
Interior fragment, 0.5 gram Me236

PONCA CREEK, Ponca Creek, Holt County, Nebraska, USA
Found: 1863
Iron, Coarsest octahedrite
Description: Full-sized slab, etched, 303 grams Me929

POTTER, Potter, Cheyenne County, Nebraska, USA
Found: 1941
Stone, Polymict brecciated grey chondrite
Description: Complete individual, 86,070 grams Me2381
Slice with polished surface, 410 grams Me2370
Fragments, 46 grams Me2381

PRAIRIE DOG CREEK, Prairie Dog Creek, Decatur County, Kansas, USA
Found: 1893
Stone, Spherical crystalline chondrite
Description: Fragment from interior, 18 grams Me563
Mass with crust, 94 grams Me1337
Mass with crust, 63 grams Me1338

PRAMBANAN, Prambanan, Surakarta, Java
Known: 1797
Iron, Fine octahedrite
Description: Etched fragment with crust, 16 grams Me1160

PRICETOWN, Pricetown, Highland County, Ohio, USA
Fell: February 13, 1893

Stone, White chondrite
Description: Fragment with crust, 4 grams Me1768

PUENTE DEL ZACATE, Puente del Zacate, Monclova district, Coahuila, Mexico
Found: About 1904
Iron, Medium to fine octahedrite
Description: Polished and etched slice, 495 grams Me2253

PULSORA, Pulsora, Ratlam State, Central India
Fell: March 16, 1863, afternoon
Stone, Polymict brecciated intermediate chondrite
Description: Fragment from interior, 5 grams Me1638

PULTUSK, Pultusk, Warsaw, Poland
Fell: January 30, 1868, 7:00 P.M.
Stone, Veined gray bronzite-chondrite
Description: Part of a large individual, 377 grams Me289
Forty-eight small individuals, 660 grams Me290
Two medium-sized individuals, 142 grams Me291
Four medium-sized individuals, 248 grams Me292
Complete individual, 7,885 grams Me1581
Medium-sized individual, 354 grams Me1582
One medium-sized individual, 275 grams Me1584
Ninety-five small individuals, 1,770 grams Me1585
Individual with armored and smoked surfaces, 151 grams Me1586
Individual cut in two and surfaces polished, 166 grams Me1587
Individual showing primary and secondary crust, 646 grams Me1588
One medium-sized individual, 370 grams Me1583

PUQUIOS, Puquios, Copiapo, Atacama, Chile
Found: 1885
Iron, Medium octahedrite
Description: Full-sized slab, etched, 154 grams Me377
Nearly full-sized section, etched, 171 grams Me1106

PUTNAM COUNTY, Putnam County, Georgia, USA
Found: 1839

Iron, Fine octahedrite
Description: Polished slab with crust, 26 grams Me892
Fragments, 27.2 grams Me893

QUEENS MERCY, Matatiele, East Griqualand, Cape Province, South Africa
Fell: April 30, 1925, 8:00 P.M.
Stone, Veined gray bronzite-chondrite
Description: Mass with crust, 2,810 grams Me2100

QUENGGOUK, Quenggouk, Bassein district, Lower Burma, Burma
Fell: December 27, 1857, 2:30 A.M.
Stone, Spherical chondrite
Description: Mass with crust, 300 grams Me1614

QUESA, Quesa, Enguera, Valencia, Spain
Fell: August 1, 1898, 9:00 P.M.
Iron, Fine octahedrite
Description: Etched fragment, 1 gram Me1169

QUINCAY, Quincay, Vienne, France (Very doubtful)
Fell: 1851, Summer
Stone, Brecciated gray chondrite
Description: Two fragments with crust and polished surfaces, 11 grams Me1657

QUINN CANYON, Quinn Canyon, Nye County, Nevada, USA
Found: 1908
Iron, Coarse octahedrite
Description: Complete individual, 1,450,000 grams Me775
Drillings, 2 grams Me775

RACO, Raco, Tafi, Tucuman, Argentina
Fell: November 17, 1957
Stone
Description: Fragment from interior, 4 grams Me2455

RAFRUTI, Rafruti, Emmenthal, Berne, Switzerland
Found: 1886
Iron, Ataxite
Description: Two slabs with crust, etched, 7 grams Me1136
Fragment, 3 grams Me1136

RAKOVKA, Rakovka, Tula, USSR
Fell: November 20, 1878, 3:00 P.M.
Stone, Intermediate hypersthene-chondrite
Description: Mass with crust, 163 grams Me1654

RAMSDORF, Ramsdorf, Westfallen, Germany
Fell: July 26, 1958, 6:30 P.M.
Stone, Brecciated chondrite
Description: Three fragments, one with fusion crust, 40.3 grams Me2558

RANCHO DE LA PILA, Rancho de la Pila, Durango, Mexico
Found: 1882
Iron, Medium octahedrite
Description: Etched section with crust on three edges, 74 grams Me1172

RANCHO DE LA PRESA, Rancho de la Presa, Zenapecuaro, Michoacan, Mexico
Found: 1899
Stone, Brecciated veined gray chondrite
Description: Fragment with crust, 3 grams Me1671

RANSOM, Ransom, Ness County, Kansas, USA
Recognized: 1938
Stone, Gray chondrite, metal-rich
Description: Polished slab, 343 grams Me2249

RED RIVER, Red River, Cross Timbers, Johnson County, Texas, USA
Found: 1808
Iron, Medium octahedrite
Description: Chiseled fragment, one end etched, 55 grams Me34
Etched fragment with crust, 33 grams Me917
Small, etched slab, 20.5 grams Me918

REED CITY, Reed City, Osceola County, Michigan, USA
Found: 1895
Iron, Coarse octahedrite
Description: Full-sized individual, 882 grams Me1041
End piece, etched, 2,086 grams Me1042

RENAZZO, Renazzo, Cento, Ferrara, Italy
Fell: January 15, 1824, 8:30 P.M.
Stone, Black chondrite
Description: Two fragments with crust, 7.5 grams Me1656

RHINE VILLA, Rhine Villa, Rhine Valley, Adelaide, South Australia
Found: 1900
Iron, Medium octahedrite
Description: Full-sized, etched section, 155 grams Me869

RICHARDTON, Richardton, Stark County, North Dakota, USA
Fell: June 30, 1918, 10:00 P.M.
Stone, Veined spherical bronzite-chondrite
Description: Complete individual, 3,180 grams Me1994
Two individuals, 431 grams Me1995

RICHMOND, Richmond, Chesterfield County, Virginia, USA
Fell: June 4, 1828, 8:30 A.M.
Stone, Crystalline spherical hypersthene-chondrite
Description: Section with crust and polished, 35 grams Me1735
Fragments from interior, 3.5 grams Me239

ROCHESTER, Rochester, Fulton County, Indiana, USA
Fell: December 21, 1876, 8:45 P.M.
Stone, Spherical chondrite
Description: Two fragments with crust, 1.5 grams Me1636

RODA, Roda, Huesca, Spain
Fell: 1871, Spring
Stone, Monomict brecciated amphoterite (rodite)
Description: Mass with crust, 26 grams Me1376

RODEO, Rodeo, Durango, Mexico
Found: 1852
Iron, Fine octahedrite
Description: About one-half of the original mass, etched surface, 25,821 grams Me590
Full-sized etched section, 1,105 grams Me1128
Full-sized etched section, 1,797 grams Me1951

ROEBOURNE, Roebourne, Hammersley Range, North-West Division, Western Australia

Found: 1892
Iron, Medium octahedrite
Description: Full-sized section, etched, 6 cm. thick, 19,355 grams Me873
Full-sized etched section, 2,400 grams Me872
End piece with etched surface, 12,116 grams Me874

ROSARIO, Rosario, Opalaca Mountains, Honduras

Found: 1896
Iron, Coarse octahedrite
Description: Full-sized, etched section, 450 grams Me1132

ROSE CITY, Rose City, Ogemaw County, Michigan, USA

Fell: October 17, 1921, 11:00 P.M.
Stone, Brecciated black bronzite-chondrite
Description: Three pieces, 1,360 grams Me2396

ROWTON, Rowton, Wellington, Shropshire, England

Fell: April 20, 1876, 3:45 P.M.
Iron, Medium octahedrite
Description: Fragment with crust and etched surfaces, 13 grams Me1164

ROY (1933), Roy, Harding County, New Mexico, USA

Found: 1933, Spring
Stone, Crystalline spherical bronzite-chondrite
Description: Mass with polished surfaces, 493 grams Me2207

RUFF'S MOUNTAIN, Ruff's Mountain, Lexington County, South Carolina, USA

Found: 1844
Iron, Medium octahedrite
Description: Mass with crust and etched surfaces, 116 grams Me1171
Mass with crust and etched surface, 118 grams Me1170

RUSH CREEK, Rush Creek, Kiowa County, Colorado, USA
Found: 1938
Stone, Polymict brecciated chondrite
Description: End piece with crust, 464.5 grams Me2315

RUSHVILLE, Rushville, Franklin County, Indiana, USA
Found: 1866
Stone, Brecciated gray chondrite
Description: Two fragments with crust, 1 gram Me1673
Two fragments from interior, 18 grams Me1672

RUSSEL GULCH, Russel Gulch, Gilpin County, Colorado, USA
Found: 1863
Iron, Fine octahedrite
Description: Etched slab with crust, 273 grams Me1157

SACRAMENTO MOUNTAINS, Sacramento Mountains, Eddy County, New Mexico, USA
Found: 1896
Iron, Medium octahedrite
Description: Full-sized, etched section, 2,335 grams Me465
Full-sized, etched section, 15 x 53 cm., 6,100 grams Me875

SAINT CAPRAIS-DE-QUINSAC, Saint Caprais-de-Quinsac, Gironde, France
Fell: January 28, 1883, 2:45 P.M.
Stone, Intermediate chondrite
Description: Fragment from interior, 4 grams Me1668

SAINT CHRISTOPHE-LA-CHARTREUSE, Saint Christophe-la-Chartreuse, Roche-Serviere, Vendée, France
Fell: November 5, 1841
Stone, White hypersthene-chondrite
Description: Slice with crust, 7.5 grams Me1693

SAINT DENIS-WESTREM, Saint Denis-Westrem, Ghent, Belgium
Fell: June 7, 1855, 4:45 P.M.
Stone, Veined spherical hypersthene-chondrite
Description: Two fragments with crust, 13 grams Me1642

SAINT FRANCOIS COUNTY, Saint Francois County, Missouri, USA
Known: Before 1863
Iron, Coarse octahedrite
Description: Full-sized, etched section, 749 grams Me866

SAINT GENEVIEVE COUNTY, Saint Genevieve County, Missouri, USA
Found: 1888
Iron, Fine octahedrite
Description: Etched slab, 9 x 12 cm., 790 grams Me512
Full-sized etched section, 7,610 grams Me1048
About one-half the original mass, two etched surfaces 98,428 grams Me1049

SAINT GERMAIN-DU-PINEL, Saint Germain-du-Pinel, Vitre, Ille-et-Vilaine, France
Fell: July 4, 1890, 3:30 P.M.
Stone, Spherical chondrite
Description: Mass with crust, 106 grams Me805

SAINT MESMIN, Saint Mesmin, Aube, France
Fell: May 30, 1866, 3:45 P.M.
Stone, Polymict brecciated intermediate hypersthene-chondrite
Description: Mass with crust, 32 grams Me612
Three fragments, one with crust, 13 grams Me1722

SAINT MICHEL, Saint Michel, Finland
Fell: July 12, 1910, 7:25 P.M.
Stone, White hypersthene-chondrite
Description: Mass with crust, 232 grams Me1947

SALINE, Saline Township, Sheridan County, Kansas, USA
Fell: November 15, 1898? 9:30 P.M.; found, 1901
Stone, Crystalline spherical hypersthene-chondrite
Description: About two-thirds of the original individual, 19,480 grams Me527
Polished section, 658 grams Me565
Mass with crust and polished surface, 1,432 grams Me1333
One large and one small fragment, 55 grams Me1334
Mass with crust, 1,037 grams Me1334

SALLES, Salles, Villefranche, Rhone, France
Fell: March 12, 1798, 6:00 P.M.
Stone, Veined intermediate chondrite
Description: Mass with crust, 107 grams Me1723

SALT LAKE CITY, Salt Lake City, Utah, USA
Found: 1869
Stone, Brecciated gray bronzite-chondrite
Description: Mass with crust and polished surface, 123 grams Me1859

SALT RIVER, Salt River, Bullitt County, Kentucky, USA
Found: 1850
Iron, Finest octahedrite
Description: Etched mass with crust, 79 grams Me1141

SAMS VALLEY, Sams Valley, Jackson County, Oregon, USA
Found: 1894
Iron, Medium octahedrite
Description: Etched section, 531 grams Me1976

SAN ANGELO, San Angelo, Tom Green County, Texas, USA
Found: 1897
Iron, Medium octahedrite
Description: Full-sized, etched section, 1,454 grams Me478
Fragment, 5 grams Me478
Full-sized, etched section, 1,875 grams Me964
Full-sized section, etched, 2,551 grams Me965

SAN CRISTOBAL, San Cristobal, Antofagasta, Chile
Found: About 1882
Iron, Nickel-rich ataxite
Description: End piece, etched, 114 grams Me1146

SANDERSON, Sanderson, Terrel County, Texas, USA
Found: March, 1936
Iron, Medium (or fine) octahedrite
Description: Etched slice with crust, 335.5 grams Me2316

SANDIA MOUNTAINS, Sandia Mountains, Albuquerque, New Mexico, USA

Found: 1925
Iron, Brecciated hexahedrite
Description: Polished slice, 460 grams Me2199

SAN EMIGDIO, San Emigdio Mountains, Kern County, California, USA

Known: 1887
Stone, Spherical hypersthene-chondrite
Description: Fragments from interior, one bearing crust, 2.5 grams Me446
Fragments from interior, one bearing crust, 10 grams Me451
Interior fragments, 3 grams Me1712
Mass with crust and polished surface, 23 grams Me1713

SAN FRANCISCO DEL MEZQUITAL, San Francisco del Mezquital, Durango, Mexico

Known: Before 1868
Iron, Nickel-poor ataxite
Description: Etched slab with crust, 12 grams Me1135

SAN FRANCISCO MOUNTAINS, San Francisco Mountains, near Flagstaff, Arizona, USA

Found: About 1920
Iron, Finest octahedrite
Description: Etched slice, 36 grams Me2391

SANTA APOLONIA, Santa Apolonia, Nativitas, Tlaxcala, Mexico

Found: 1872
Iron, Medium octahedrite
Description: Etched slab with crust, 211 grams Me1010
Several small fragments, 8.5 grams Me1010

SANTA BARBARA, Santa Barbara, Porto Alegre, Rio Grande do Sul, Brazil

Fell: September 26, 1873
Stone, Howarditic chondrite
Description: Mass with crust, 41 grams Me1851

SANTA CATHARINA, Santa Catharina, Brazil
Found: 1875
Iron, Nickel-rich ataxite
Description: Complete individual, 2,575 grams Me100
Complete individual, 11,525 grams Me106
Polished slice, 1,002 grams Me1919
Individual, 217 grams Me97
Individual, 255 grams Me98
Eighteen fragments, 1,732 grams Me101
Individual, 556.5 grams Me102
Individual, 3,307 grams Me104
Individual (two pieces), 10,453 grams Me105
Individual, 3,061 grams Me107
Individual, 1,570 grams Me108
Individual, 2,152 grams Me1920
Individual, 311 grams Me1921
Individual, 4,177 grams Me103

SANTA LUZIA, Santa Luzia, Goyaz, Brazil
Found: 1921 (supposed to have fallen June 1, 1919, 6:00 P.M.)
Iron, Coarsest octahedrite
Description: Individual, 2,480 grams Me2047
Etched section of Me2047, 427 grams Me2063
Fragment, 6.6 grams Me2047
Etched section, 87.6 grams Me2068
End piece with polished surface, 30 grams Me2069
Schreibersite, 1 gram Me2047

SANTA ROSA, Santa Rosa, Tunja, Boyaca, Colombia
Found: 1810
Iron, Nickel-poor ataxite to obscure brecciated octahedrite
Description: Polished slab, 1,811 grams Me762
Fragment with crust and etched surfaces, 15 grams Me1155
End piece with etched surface, 98,200 grams Me1945
Thin slice, 2 grams Me435
Polished section, 97 grams Me571
Mass with crust and polished surface, 55 grams Me1156

SÃO JULIÃO DE MOREIRA, São Julião de Moreira, Ponte de Lima, Minho, Portugal

Known: Before 1883
Iron, Coarsest octahedrite
Description: Full-sized, polished section, 1,764 grams Me556
Etched fragment with crust, 29.8 grams Me536
Full-sized, etched section, 783 grams Me1104
Schreibersite powder, 188 grams Me1908
Schreibersite, 2 grams Me2345
Schreibersite, 18 grams Me2346

SAREPTA, Sarepta, Saratov, USSR

Found: 1854
Iron, Coarse octahedrite
Description: Etched section with crust, 286 grams Me1145

SAUGUIS, Sauguis, St. Etienne, Basses-Pyrénées, France

Fell: September 7, 1868, 2:30 A.M.
Stone, Veined white enstatite-chondrite
Description: Fragment with crust and polished surface, 4 grams Me295
Fragments from interior, 11 grams Me1711

SAVTSCHENSKOJE, Savtschenskoje, Tiraspol, Kherson, Ukraine, USSR

Fell: July 27, 1894, 8:00 P.M.
Stone, Intermediate crystalline spherical chondrite
Description: Mass with crust, 25 grams Me1852

SCHELLIN, Schellin, Stargard, Pomerania, Prussia, Germany (now in Poland)

Fell: April 11, 1715, 4:00 P.M.
Stone, Veined intermediate chondrite
Description: Fragment from interior, 0.5 gram Me1600

SCHÖNENBERG, Schönenberg, Pfaffenhausen, Swabia, Bavaria, Germany

Fell: December 25, 1846, 2:00 P.M.
Stone, Veined white hypersthene-chondrite
Description: Fragment with crust, 8.2 grams Me254
Thin slab with crust, 24 grams Me1853

SCHWETZ, Schwetz, Kwidzyn, Poland
Found: 1850
Iron, Medium octahedrite
Description: Etched slab with crust, 91 grams Me1163

SCOTT CITY, Scott City, Scott County, Kansas, USA
Found: 1905
Stone, Spherical chondrite
Description: Complete individual, 135 grams Me1958
A polished slice and nearly complete individual with one polished surface, 800 grams Me1957

SCOTTSVILLE, Scottsville, Allen County, Kentucky, USA
Found: 1867
Iron, Hexahedrite
Description: Full-sized slab, etched, 361 grams Me91
End piece, etched, 1,120 grams Me1043

SEARSMONT, Searsmont, Waldo County, Maine, USA
Fell: May 21, 1871, 8:15 A.M.
Stone, Spherical bronzite-chondrite
Description: Fragments from interior, 1.25 grams Me302
Fragments from interior, 5.5 grams Me303
Fragment with crust, 5 grams Me1710

SEELÄSGEN, Seeläsgen, Schwiebus, Brandenberg, Prussia, Germany (now in Poland)
Known: Before 1847
Iron, Coarsest octahedrite
Description: Chiseled fragment, 41.5 grams Me57
Mass with crust and etched surfaces, 374 grams Me1054
Etched slab, 12.5 grams Me375
Etched slab, 623 grams Me1055

SEGOWLIE, Segowlie, Bettiah, Champaran district, Bihar, India
Fell: March 4, 1853, noon
Stone, Crystalline chondrite
Description: Slice from interior with polished surfaces, much oxidized, 11 grams Me1863
Fragments from interior, 7 grams Me1864

Broad mass with crust and polished surface, 166 grams Me1865

SEIBERT, Seibert, Kit Carson County, Colorado, USA
Found: 1941
Stone, Chondrite
Description: Slice with polished surface, 151 grams Me2386

SELMA, Selma, Dallas County, Alabama, USA
Found: 1906 (possibly fell July 20, 1898, 9:00 P.M.)
Stone, Spherical chondrite
Description: Mass from interior with polished surface, 24 grams Me1868

SENA, Sena, Sarinena, Huesca, Spain
Fell: November 17, 1773, midnight
Stone, Brecciated gray chondrite
Description: Fragment from interior, 5 grams Me445
Two fragments, one with crust, 4 grams Me1854

SENECA FALLS, Seneca Falls, Cayuga County, New York, USA
Found: 1850
Iron, Medium octahedrite
Description: Sawed section showing natural surface and fracture 261 grams Me60
Full-sized section, etched, 104 grams Me1200

SENECA TOWNSHIP, Seneca Township, Lenawee County, Michigan, USA
Found: July, 1923, possibly fell 1914
Iron, Medium octahedrite
Description: Etched slice, 181 grams Me2256

SERES, Seres, Macedonia, Greece
Fell: June, 1818
Stone, Gray hypersthene-chondrite
Description: Mass from interior, 38.5 grams Me1866
Mass with polished surfaces, 5.5 grams Me1867

SERRANIA DE VARAS, Serrania de Varas, Atacama, Chile
Found: 1875
Iron, Fine octahedrite

Description: Mass with crust and etched surface, 31 grams Me950
Rough fragment, 10 grams Me951

SEVILLA, Sevilla, Andalusia, Spain
Fell: November 1, 1862
Stone, Polymict brecciated chondrite
Description: Fragments with crust, 0.2 grams Me1601

SEVRUKOVO, Sevrukovo, Belgorod, Kursk, USSR
Fell: May 11, 1874, 11:45 P.M.
Stone, Black bronzite-chondrite
Description: Mass from interior with polished surface, 140 grams Me1602
Mass from interior with polished surface, 51 grams Me1603

SHALKA, Shalka, Bishnupur, Bankura district, West Bengal, India
Fell: November 30, 1850, 4:30 P.M.
Stone, Monomict brecciated diogenite or chladnite
Description: Fragments with crust, 11 grams Me572
Fragment with crust, 9 grams Me1367

SHALLOWATER, Shallowater, Lubbock County, Texas, USA
Found: July, 1936
Stone, Aubrite
Description: One polished slice, 289 grams Me2234

SHELBURNE, Shelburne, Gray County, Ontario, Canada
Fell: August 13, 1904, 8:00 P.M.
Stone, Polymict brecciated veined gray hypersthene-chondrite
Description: One-half of small individual, 2,905 grams Me606
Mass with crust and two polished surfaces, 1,756 grams Me1336
End piece, 176.5 grams Me1952
Full-sized section, 338 grams Me1953
Full-sized section, 476 grams Me2142
Fragment with crust, 28.5 grams Me2142A

SHERGOTTY, Shergotty, Gya district, Bihar, India
Fell: August 25, 1865, 9:00 A.M.
Stone, Shergottite
Description: Mass with crust, 40 grams Me1372

SHINGLE SPRINGS, Shingle Springs, El Dorado County, California, USA

Found: 1869–70
Iron, Nickel-rich ataxite
Description: Etched section with crust, 117 grams Me1137

SHREWSBURY, Shrewsbury, York County, Pennsylvania, USA
Found: 1907
Iron, Medium octahedrite
Description: Etched section, 85 grams Me776
Fragment, 18.5 grams Me777

SHYTAL, Shytal, Madhupur jungle, Mymensingh district, East Bengal, Pakistan
Fell: August 11, 1863, noon
Stone, Polymict brecciated intermediate hypersthene-chondrite
Description: Fragment from interior, 8 grams Me1696
Two fragments with polished surfaces, 13.5 grams Me1697

SIENA, Siena, Tuscany, Italy
Fell: June 16, 1794, 7:00 P.M.
Stone, Polymict brecciated intermediate chondrite (howarditic chondrite)
Description: Mass with crust, 52 grams Me1698
Mass with polished surface, 13 grams Me1699

SIERRA BLANCA, Sierra Blanca, Jiminez, Chihuahua, Mexico
Found: 1784
Iron, Coarse octahedrite
Description: Two fragments, 2 grams Me1144

SIERRA GORDA, Santa Catalina, Desert of Tarapaca, Chile
Found: 1898
Iron, Hexahedrite
Description: Polished slice, 550 grams Me2420

SIKHOTE-ALIN, Sikhote-Alin, Eastern Siberia, USSR
Fell: February 12, 1947, 10:38 A.M.
Description: Mass from interior, 86 grams Me2456

SILVER BELL, Silver Bell, Pima County, Arizona, USA
Known: Before 1947
Iron, Coarsest octahedrite
Description: Etched slice, 89 grams Me2403

SILVER CROWN, Silver Crown, Laramie County, Wyoming, USA
Found: 1887
Iron, Coarse octahedrite
Description: Etched slab with crust, 105 grams Me995
Etched slab with crust, 71 grams Me130

SINDHRI, Sindhri, Khipro taluq, Thar and Parkar district, Sind, Pakistan
Fell: June 10, 1901, 11:00 P.M.
Stone, Spherical chondrite
Description: Mass with crust, 351 grams Me573
Mass with crust, 322 grams Me1339
Fragment from interior, 15 grams Me1340

SITATHALI, Sitathali, Mahasamund tahsil, Raipur district, Central Provinces, India
Fell: March 4, 1875, 11:00 A.M.
Stone, Gray bronzite-chondrite, or howarditic chondrite
Description: Two fragments with crust and sawed surfaces, 14 grams Me1695

SKI, Ski, Akershuus, Christiania, Oslo, Norway
Fell: December 27, 1848, evening
Stone, Veined white hypersthene-chondrite
Description: Fragment from interior, 1 gram Me1667

SLAVETIC, Slavetic, Zagreb, Croatia, Yugoslavia
Fell: May 22, 1868, 10:30 A.M.
Stone, Brecciated gray chondrite
Description: Mass with crust and polished surface, 11 grams Me1665

SLOBODKA, Slobodka, Yukhnov, Smolensk, USSR
Fell: August 10, 1818
Stone, Spherical chondrite
Description: Fragment from interior, 11 grams Me1694

SMITHLAND, Smithland, Livingston County, Kentucky, USA

Found: 1839–40
Iron, Nickel-rich ataxite
Description: Torn fragment, etched, 21.5 grams Me1161
Mass worked into form of a wedge, 49 grams Me1162
Etched slice, 21.5 grams Me1181

SMITHONIA, Smithonia, Oglethorpe County, Georgia, USA

Found: 1940
Iron, Hexahedrite
Description: Complete individual, 69,000 grams Me2383
Fragment with crust, 31 grams Me2383a
End piece with polished surface, 67.5 grams Me2383b
Polished slice, 1,109 grams Me2383c

SMITH'S MOUNTAIN, Smith's Mountain, Rockingham County, North Carolina, USA

Found: 1863
Iron, Fine octahedrite
Description: Large etched section, 228.5 grams Me452
Etched section, 17.5 grams Me85
Full-sized etched section, 213 grams Me1107

SMITHVILLE, Smithville, De Kalb County, Tennessee, USA

Found: 1840
Iron, Coarse octahedrite
Description: Thin slab, etched, 55 grams Me50
Etched end piece, 1,804 grams Me1027
Full-sized, etched section, 1,867 grams Me1026

SOKO-BANJA, Soko-Banja, Aleksinac, Serbia, Yugoslavia

Fell: October 13, 1877, 2:00 P.M.
Stone, Polymict brecciated spherical hypersthene-chondrite
Description: Irregular fragment, 33 grams Me319
Mass from interior, 243 grams Me1373
Mass from interior, 75 grams Me1374

SOPER, Soper, Choctaw County, Oklahoma, USA
Found: March 14, 1938
Iron, Nickel-poor ataxite
Description: Etched slice, 165 grams Me2264

SOUTH BEND, South Bend, St. Joseph County, Indiana, USA
Found: 1893
Stony-iron, Pallasite
Description: Nearly complete individual, 1,652 grams Me607

SOUTH BYRON, South Byron, Genesee County, New York, USA
Found: 1915
Iron, Nickel-rich ataxite
Description: Slab with crust and polished surface, 161.5 grams Me2553
Polished fragment with crust, 8.2 grams Me2555
Slab with crust and polished surface, 16.4 grams Me2554
End piece with polished surface, 2,685 grams Me1980

SOUTHERN ARIZONA, Southern Arizona, USA (doubtful)
Known: 1947
Iron, Coarse octahedrite
Description: Etched slab, 266 grams Me2406

SOUTHERN MICHIGAN, Southern Michigan, USA
Found: ?
Iron, Medium octahedrite
Description: Polished and etched slice, 49 grams Me2407

SPEARMAN, Spearman, Hansford County, Texas, USA
Found: 1934
Iron, Medium octahedrite
Description: Etched slice, 766 grams Me2218

SPRINGFIELD, Springfield, Baca County, Colorado, USA
Found: 1937
Stone, Crystalline spherical chondrite
Description: End piece with crust, 45.2 grams Me2317

SPRINGWATER, Springwater, Battleford County, Saskatchewan, Canada
Found: August, 1931
Stony-iron, Pallasite
Description: Polished slice, 857 grams Me2220
Polished slice, 366 grams Me2220

SSYROMOLOTOVO, Ssyromolotovo, Keshma, Yeniseisk, Siberia, USSR
Found: 1873
Iron, Medium octahedrite
Description: Torn fragment, etched, 22 grams Me1147
Thin slab, etched, 4 grams Me1148

STÄLLDALEN, Ställdalen, Nya Kopparberg, Örebro, Sweden
Fell: June 28, 1876, 11:30 P.M.
Stone, Brecciated gray bronzite-chondrite
Description: Fragment with crust, 2 grams Me315
Irregular mass, with crust and polished surface, 34 grams Me316
Mass with crust and armored surfaces, 341 grams Me1658

STANNERN, Stannern, Iglau, Moravia, Czechoslovakia
Fell: May 22, 1808, 6:00 A.M.
Stone, Monomict brecciated eucrite
Description: Crust and interior fragments, 1.5 grams Me227
Mass with crust, 269 grams Me1362
Mass with crust, 386 grams Me1363

STAUNTON, Staunton, Augusta County, Virginia, USA
Found: 1858–9
Iron, Medium octahedrite
Description: Full-sized etched section, 1,582 grams Me80
Full-sized etched section, 1,260 grams Me1095

STAVROPOL, Stavropol, northside of the Caucasus, USSR
Fell: March 24, 1857, 5:00 P.M.
Stone, Crystalline bronzite-chondrite
Description: Three fragments from interior, with polished surfaces, 21.5 grams Me1883

STEINBACH, Steinbach, Erzgebirge, Saxony, Germany
Found: 1724
Stony-iron, Siderophyre
Description: Thin, polished slab; the stony portion exceeds the metallic, 34 grams Me164
Thin, polished fragment, 1 gram Me169
Slab with crust, polished and etched, 148 grams Me1321
Fragment with polished surfaces, 45 grams Me1322

SUMMIT, Summit, Blount County, Alabama, USA
Found: 1890
Iron, Granular hexahedrite
Description: Etched section with crust, 38 grams Me1149

SUPUHEE, Supuhee, Padrauna tahsil, Gorakhpur district, United Provinces, India
Fell: January 19, 1865, noon
Stone, Brecciated gray chondrite
Description: Polished fragment with crust, 14 grams Me1880
Fragment with crust, 5 grams Me1881

SURPRISE SPRINGS, Surprise Springs, Bagdad, San Bernardino County, California, USA
Found: 1899
Iron, Medium octahedrite
Description: End piece, etched, 1,008 grams Me854

TABOR, Tabor, Bohemia, Czechoslovakia
Fell: July 3, 1753, 8:00 P.M.
Stone, Brecciated spherical bronzite-chondrite
Description: Mass with crust, 58.5 grams Me1856
Interior fragment, 0.3 gram Me209
Full-sized section, polished, 54 grams Me1857

TACUBAYA, Tacubaya, Mexico
Found: 1931
Iron, Medium octahedrite
Description: Etched section, 275 grams Me2149

TAMARUGAL, Tamarugal, Iquique, Tarapaca, Chile
Found: 1903

Iron, Medium octahedrite
Description: Square slab with crust, polished and etched surfaces, 830 grams Me819

TAMENTIT, Tamentit, Tuat, Morocco, Africa
Known: 1864, fell in the late 14th century
Iron, Coarse octahedrite
Description: Etched slice, 534 grams Me2272

TANOKAMI MOUNTAIN, Tanokami Mountain, Kurimuto, Shiga, Honshu, Japan
Found: 1885
Iron, Medium octahedrite
Description: Etched slab with crust, 162 grams Me1150

TAZEWELL, Tazewell, Claiborne County, Tennessee, USA
Found: 1853
Iron, Finest octahedrite
Description: Torn mass, 197 grams Me867
Slab with polished surfaces, 82 grams Me868

TEMPLE, Temple, Bell County, Texas, USA
Found: 1959
Stone, Hypersthene-chondrite
Description: Fragment with polished surface, 33.2 grams Me2560

TENHAM, Tenham, South Gregory, Queensland, Australia
Fell: Spring of 1879, night
Stone, Veined white hypersthene-olivine-chondrite
Description: Fragment with crust, 57 grams Me2000

TENNANT'S IRON, USSR
Found: 1784
Iron, Coarse octahedrite
Description: Etched slab with crust, 29 grams Me1166

TENNASILM, Tennasilm, Estonia
Fell: June 28, 1872, noon
Stone, Veined spherical hypersthene-chondrite
Description: Mass from interior, 62 grams Me1874

TEPLÁ, Teplá, Finsterhölzel-Ries, Marienbad, Bohemia, Czechoslovakia
Found: September 18, 1909
Iron, Medium octahedrite
Description: Etched section with crust, 42 grams Me803

TERNERA, Ternera, Atacama, Chile
Found: Before 1891
Iron, Nickel-rich ataxite
Description: Fragment, 1 gram Me1176

TEXLINE, Texline, Dallam County, Texas, USA
Found: July, 1937
Stone, Gray chondrite
Description: Complete individual, 672.9 grams Me2318

THUNDA, Thunda, Windorah, County Grey, Queensland, Australia
Known: Since 1881
Iron, Medium octahedrite
Description: Etched section, 71.5 grams Me861
Thick slab with crust, etched, 1,145 grams Me994
Sawed slab, one surface etched, 154 grams Me128

THURLOW, Thurlow, Hastings County, Ontario, Canada
Found: 1888
Iron, Fine octahedrite
Description: End piece, etched, 209 grams Me870

TIERACO CREEK, Tieraco Creek, North Murchison Goldfield, Western Australia
Found: Before 1922
Iron, Fine (to medium) octahedrite
Description: Fragments, 15 grams Me2102

TIESCHITZ, Tieschitz, Prerov, Moravia, Czechoslovakia
Fell: July 15, 1878, 1:45 P.M.
Stone, Spherical hypersthene-chondrite
Description: Mass with crust, 27 grams Me1726
Mass with crust, 17 grams Me1725

TILDEN, Tilden, Randolph County, Illinois, USA
Fell: July 13, 1927, 1:00 P.M.
Stone, White hypersthene-chondrite
Description: Mass with crust, 1,282 grams Me2112
Fragment, 1.7 grams Me2112

TIMOCHIN, Timochin, Yukhnov, Smolensk, USSR
Fell: March 25, 1807, 3:00 P.M.
Stone, Spherical chondrite
Description: Mass with crust and polished surface, 37 grams Me1727
Mass from interior with sawed surfaces, 18 grams Me1728

TJABE, Tjabe, Padang, Rembang, Java
Fell: September 19, 1869, 9:00 P.M.
Stone, Crystalline hypersthene-chondrite
Description: Mass with crust, 47.2 grams Me1704
Mass with crust and sawed surface, 22.5 grams Me1705

TLACOTEPEC, Tlacotepec, Tecamachalco, Puebla, Mexico
Found: 1903
Iron, Nickel-rich ataxite
Description: Full-sized slab, polished and etched, 2,008 grams Me2159
Full-sized polished section, 138 grams Me1165

TOLUCA, Toluca, Mexico State, Mexico
Known: Before 1776
Iron, Medium octahedrite
Description: End piece with etched surface, 6,130 grams Me16
Complete individual, 4,800 grams Me18
Complete individual of crescentic form, 18,960 grams Me27
Full-sized etched section, 4,520 grams Me370
Complete individual, 2,585 grams Me372
Complete individual, 8,190 grams Me1204
Etched section, 4,600 grams Me1205
Complete individual, 4,410 grams Me1206
Complete individual, 5,777 grams Me1207
End piece, etched, 900 grams Me1210

Complete individual, 23,814 grams Me22
Scalings from Me22, 23, 27, 3,330 grams
Etched slice, 49 grams Me1083
Complete individual, of spheroidal form, 456 grams Me7
Complete individual, of spheroidal form, 251 grams Me9
Complete individual, 251 grams Me10
Complete individual, of spheroidal form, 225 grams Me11
Complete individual, of spheroidal form, 808 grams Me12
Complete individual, 111 grams Me13
Complete individual, 227 grams Me14
Nearly complete individual, with etched surface, 16,157 grams Me15
Mass showing cleavage, 1,968 grams Me17
Complete individual, 1,879 grams Me20
Complete individual, of spheroidal form, 1,106 grams Me21
Complete individual, of hemi-spheroidal form, 43,318 grams Me23
Complete individual, 17,750 grams Me24
Etched section, 1,890 grams Me25
Etched section, 2,400 grams Me26
Complete individual, 19,251 grams Me1202
Broad thin etched section, 255.8 grams Me1222
Nearly complete individual with etched surface, 16,130 grams Me1203
Etched section, 91.8 grams Me1223
Cube, 6 cm. on a side, etched, 1,489 grams Me1209
End piece, etched, 617 grams Me1211
Ten hammer stones (complete individual): 947 grams Me1212; 669 grams Me1213; 439 grams Me1214; 562 grams Me1215; 495 grams Me1216; 416 grams Me1217; 540 grams Me1218; 245 grams Me1219; 808 grams Me1220; 223 grams Me1221
Etched section, 313 grams Me1224
Etched section, 485 grams Me1225
Etched section, 478 grams Me1226

Etched section, 382 grams Me1227
Torn fragment, 110 grams Me1228
Chisel forged from meteorite, 110 grams Me1229
Chisel forged from meteorite, 116 grams Me1230
Etched section, 60 grams Me1231
Etched section, 58 grams Me1232
Taenite, 1 gram Me2350

TOMATLAN, Tomatlan, Jalisco, Mexico
Fell: September 17, 1879, 4:30 P.M.
Stone, Spherical chondrite
Description: Fragments with crust, 8 grams Me1703

TOMBIGBEE RIVER, Tombigbee River, Choctaw and Sumter County, Alabama, USA
Found: 1859
Iron, Nickel-poor ataxite
Description: Etched section, 1,705 grams Me504
Full-sized etched section, 506 grams Me1180

TOMHANNOCK CREEK, Tomhannock Creek, Rensselaer County, New York, USA
Found: About 1863
Stone, Brecciated gray chondrite
Description: Slice showing crust, 7.5 grams Me281
Polished section, 18.5 grams Me1760

TONGANOXIE, Tonganoxie, Leavenworth County, Kansas, USA
Found: 1886
Iron, Medium octahedrite
Description: Full-sized etched section, 247 grams Me477
End piece, etched, 351.5 grams Me988
Full-sized section, etched, 347 grams Me989

TOUBIL RIVER, Achinsk, Yeniseisk, Siberia, USSR
Found: 1891
Iron, Medium octahedrite
Description: Etched mass, 164 grams Me505
Mass with crust, with etched surface, 327 grams Me1143
Etched fragment with crust, 46 grams Me1167
Thin slab, etched, 16 grams Me1168

TOULOUSE, Toulouse, Haute Garonne, France
Fell: April 10, 1812, 8:00 P.M.
Stone, Veined intermediate chondrite
Description: Complete individual, interior brownish from oxidation, 14 grams Me1869
Fragment from interior, 12 grams Me1870

TOURINNES-LA-GROSSE, Tourinnes-la-Grosse, Tirlemont, Belgium
Fell: December 7, 1863, 11:30 A.M.
Stone, White hypersthene-chondrite
Description: Interior fragment, 3 grams Me486
Fragment with crust, 11 grams Me1796
Interior fragment, 9 grams Me1797

TRENTON, Trenton, Washington County, Wisconsin, USA
Found: 1858
Iron, Medium octahedrite
Description: Full-sized section, etched, 138 grams Me1037
End piece, etched, 3,300 grams Me1038
Thin slice, etched, 135.8 grams Me81

TRENZANO, Trenzano, Brescia, Italy
Fell: November 12, 1856, 4:00 P.M.
Stone, Veined spherical bronzite-chondrite
Description: Cubical fragment with crust on two surfaces, 57 grams Me268
Fragment with crust, 31 grams Me1871

TREYSA, Treysa, Hesse, Germany
Fell: April 3, 1916, 3:30 P.M.
Iron, Medium octahedrite
Description: Small slab with etched surface, 89.3 grams Me2561

TUCSON, Tucson, Pima County, Arizona, USA
Known: Before 1850
Iron, Nickel-rich ataxite
Description: Full-sized polished section, 416 grams Me858
Full-sized polished section, 1,066 grams Me2087
Polished section, 11.7 grams Me59

TULE, Tule, Balleza, Chihuahua, Mexico
Found: 1889
Iron, Medium octahedrite
Description: Etched fragment, 8.4 grams Me955

TULIA, Tulia, Swisher County, Texas, USA
Found: 1917
Stone, Polymict brecciated veined crystalline hypersthene-chondrite
Description: Complete individual, 1,736 grams Me2322
Complete individual, 609 grams Me2251

TYSNES ISLAND, Tysnes Island, Hardanger Fiord, Norway
Fell: May 20, 1884, 8:30 P.M.
Stone, Polymict brecciated gray bronzite-chondrite
Description: Fragment from interior, 26 grams Me543
Mass with crust and armored surface, 427 grams Me1719

UBERABA, Uberaba, Minas Geraes, Brazil
Fell: June 29, 1903, 10:00 A.M.
Stone, Veined spherical chondrite
Description: Mass with crust on three sides, 147 grams Me1528

UDEN, Uden, North Brabant, Netherlands
Fell: June, 12, 1840, 10:30 A.M.
Stone, White hypersthene-chondrite
Description: Fragment with crust, 3 grams Me1715

UDIPI, Udipi taluq, South Kanara district, Madras, India
Fell: April, 1866, 10:00 A.M.
Stone, Veined gray chondrite
Description: Fragment with crust and polished surface, 15 grams Me1701
Fragment from interior with polished surfaces, 9 grams Me1702

ULTUNA, Ultuna, Upsala, Sweden
Found: 1944
Stone, Chondrite
Description: Fragment with crust, 15 grams Me2449

UMBALA, Umbala, Patiala State, Punjab States, India
Fell: 1822–23
Stone, Veined gray chondrite
Description: Polished fragments with crust, 5.5 grams Me1717
Fragment from interior, 4 grams Me1718

UNION COUNTY, Union County, Georgia, USA
Found: 1853
Iron, Coarsest octahedrite
Description: Cuboidal mass with crust and etched surfaces. No lamellae are visible, 67 grams Me1188
Cleavage pieces, 1.5 grams Me63

UTE CREEK, Ute Creek, Union County, New Mexico, USA
Found: 1936
Stone, Crystalline spherical chondrite
Description: Polished slice with crust, 73.4 grams Me2320

UTE PASS, Ute Pass, Summit County, Colorado, USA
Found: 1894
Iron, Coarsest octahedrite
Description: Slab with thick oxidized crust on one side and etched surface on the other, 120 grams Me1112

UTRECHT, Utrecht, Netherlands
Fell: June 2, 1843, 8:00 P.M.
Stone, Veined spherical hypersthene-chondrite
Description: Mass with crust, 50 grams Me581
Fragments, 1.2 grams Me581
Mass with crust, 106 grams Me1700

UWET, Uwet, Calabar, Southern Nigeria, Africa
Known: Before 1903
Iron, Hexahedrite
Description: Etched slab, 348 grams Me778

VACA MUERTA, Vaca Muerta, Taltal, Atacama, Chile
Recognized: 1861
Stony-iron, Mesosiderite

Description: Polished fragment, 54 grams Me188
Complete individual, 136 grams Me189
Thick, polished slab, showing no metal, 38 grams Me190
Complete individual, 740 grams Me193
Individual with polished surface, 245 grams Me194
Full-sized section, polished, metal abundant, 170 grams Me1284
Individual with polished surface, 70 grams Me1286
Polished slab, 21.5 grams Me1295
Complete individual, 43.2 grams Me1293
Individual with polished surface, 78.8 grams Me1297
Fragment with crust and polished surface, 16 grams Me1879
Individual with polished surface, 26.8 grams Me1299
Fragment from interior, 15 grams Me171
Complete individual, 20 grams Me1301
Fragment from interior, 13.2 grams Me1294
Fragment with crust and two polished surfaces, 16 grams Me1300
Complete individual, 38 grams Me1292
Complete individual, 247 grams Me1291
Fragment with crust, 17.5 grams Me170
Polished section, 23.8 grams Me1296

VAVILOVKA, Vavilovka, Kherson, Ukraine, USSR
Fell: June 19, 1876, 2:00 P.M.
Stone, Monomict brecciated amphoterite (rodite)
Description: Mass with crust, 125 grams Me1659

VERA, Vera, Santa Fe, Argentina
Found: Before 1953
Stone
Description: Fragment with crust, 6 grams Me2454

VERAMIN, Veramin, Karand, Teheran, Iran
Fell: May, 1880, three hours before sunset
Stony-iron, Mesosiderite

Description: Fragments with polished surfaces, 18.2 grams Me1268
Mass with crust and polished surface, 912 grams Me1269

VERKHNE DNIEPROVSK, Ekaterinoslav, Ukraine, USSR
Found: 1876
Iron, Finest octahedrite
Description: Etched slab with crust, 97 grams Me862

VERKHNE TSCHIRSKAIA, Region of the Don Cossacks, USSR
Fell: November 12, 1843, midday
Stone, Veined spherical chondrite
Description: Two fragments of about equal size with a crust, 14 grams Me1873

VERKHNE UDINSK, Transbaikal, Siberia, USSR
Found: 1854
Iron, Medium octahedrite
Description: Cuboidal, etched mass with crust, 220 grams Me1138
Etched slab with crust, 75 grams Me1139
Etched section, 432 grams Me1140

VERNON COUNTY, Vernon County, Wisconsin, USA
Fell: March 26, 1865, 9:00 A.M.
Stone, Veined crystalline bronzite-chondrite
Description: Mass from interior with polished surface, 22.5 grams Me1706

VICTORIA WEST, Victoria West, Cape Province, South Africa
Fell: 1860; found: 1862
Iron, Fine octahedrite
Description: Etched slab with crust, 17 grams Me871

VIGARANO, Vigarano, Ferrara, Italy
Fell: January 22, 1910, 9:30 P.M.
Stone, Black spherical chondrite
Description: Mass with crust and polished surface, 110 grams Me782

VIRBA, Virba, Vidin, Bulgaria
Fell: June 1, 1873
Stone, Veined white chondrite
Description: Fragment with crust, 1.7 grams Me1716

VOUILLE, Vouille, Poitiers, Vienne, France
Fell: May 13, 1831, 11:00 P.M.
Stone, Veined intermediate chondrite
Description: Mass from interior, 211 grams Me1662
Mass with crust and polished surface, 453 grams Me1663

WABAR, Wabar, Rub'al Khali, Arabia
Fell: February, 1932
Iron, Medium octahedrite
Description: Individual, 33 grams Me2266
Individual, 29 grams Me2267

WACONDA, Waconda, Mitchell County, Kansas, USA
Found: 1874
Stone, Polymict brecciated spherical hypersthene-chondrite
Description: Mass from interior, 2,542 grams Me309
Mass with crust, veined, 121 grams Me310
Fragments, 12.5 grams Me310
Sawed mass with crust, 228 grams Me1730
Mass with crust, 870 grams Me1731

WAIRARAPA VALLEY, Wairarapa Valley, Wellington, New Zealand
Fell: December 4, 1864
Stone, Crystalline chondrite
Description: Mass with crust and polished surface; color reddish-brown from oxidation, 196 grams Me1882

WALDRON RIDGE, Waldron Ridge, Claiborne County, Tennessee, USA
Known: March, 1887
Iron, Coarse octahedrite
Description: End piece, etched, 427 grams Me1134

WALKER COUNTY, Walker County, Alabama, USA
Found: 1832
Iron, Hexahedrite

Description: Section with crust, 25 grams Me434
Etched section with crust, 38 grams Me914
Two polished sections, 48 grams Me938

WALTERS, Walters, Cotton County, Oklahoma, USA
Fell: July 28, 1941, 3:45 P.M.
Stone, Monomict brecciated hypersthene-chondrite
Description: Polished slice, 535 grams Me2422

WARIALDA, Warialda, County Burnett, New South Wales, Australia
Found: 1919
Iron, Nickel-poor ataxite (or hexahedrite)
Description: Fragment, 3.5 grams Me2040

WARRENTON, Warrenton, Warren County, Missouri, USA
Fell: January 3, 1877, 7:15 A.M.
Stone, Spherical hypersthene-chondrite
Description: Mass with crust, 113.1 grams Me1720

WEAVER MOUNTAINS, Weaver Mountains, Wickenburg, Maricopa County, Arizona, USA
Found: 1898
Iron, Nickel-rich ataxite
Description: Etched segment with crust, 370 grams Me615
Full-sized section, etched, 176 grams Me1158
Thin polished slice, 498 grams Me2414

WEEKEROO STATION, Weekeroo Station, Mannahill, South Australia
Found: 1924
Iron, Brecciated coarse octahedrite, with troilite and silicate inclusions
Description: Etched section, 6,445 grams Me2118

WELDONA, Weldona, Morgan County, Colorado, USA
Found: 1934
Stone, Crystalline spherical chondrite
Description: Polished slice with crust, 1,086 grams Me2321

WELLAND, Welland, Welland County, Ontario, Canada
Found: 1888
Iron, Medium octahedrite

Description: Full-sized etched section, 200 grams Me991
Segment, showing etched and natural surfaces, 713 grams Me132
Thin slab, etched, 13 grams Me990
Taenite, 0.5 grams Me1905

WELLMAN, Wellman, Terry County, Texas, USA
Found: 1940
Stone, Chondrite
Description: Complete individual, 497.5 grams Me2380

WESSELY, Wessely, Hradisch, Moravia, Czechoslovakia
Fell: September 9, 1831, 3:30 P.M.
Stone, Veined gray chondrite
Description: Fragment with crust and polished surface, 4 grams Me1875

WESTON, Weston, Fairfield County, Connecticut, USA
Fell: December 14, 1807, 6:30 A.M.
Stone, Polymict brecciated spherical chondrite
Description: Mass with crust and sawed surfaces, 65 grams Me1835
Fragment from interior, 3.5 grams Me223
Slab with crust and polished surface, 79 grams Me1836

WICHITA COUNTY, Wichita County, Texas, USA
Known: Before 1836
Iron, Coarse octahedrite
Description: Full-sized, etched section, 1,392 grams Me41
Full-sized, etched section, 2,487 grams Me885

WICKENBURG (STONE), Wickenburg, Maricopa County, Arizona, USA
Recognized: 1940
Stone, Black chondrite
Description: End piece with polished surface, 1,446 grams Me2361

WILEY, Wiley, Prowers County, Colorado, USA
Found: 1938
Iron, Finest octahedrite (or nickel-rich ataxite)
Description: Polished slice, 285 grams Me2368

WILLAMETTE, Willamette, Clackamas County, Oregon, USA
Found: 1902
Iron, Medium octahedrite
Description: Full-sized, etched section, 1,487 grams Me592
Mass with crust and broken surface, 923 grams Me1195

WILLIAMSTOWN, Williamstown, Grant County, Kentucky, USA
Found: 1892
Iron, Medium octahedrite
Description: Full-sized etched section, 910 grams Me766
Long narrow end piece, etched, 954 grams Me1185

WILLOW CREEK, Willow Creek, Natrona County, Wyoming, USA
Found: About 1914; recognized: 1934
Iron, Medium octahedrite
Description: Etched slice, 1,820 grams Me2205

WINONA, Winona, Coconino County, Arizona, USA
Found: 1928 (probably prehistoric)
Stony-iron, Mesosiderite
Description: Fragment, 12.8 grams Me2139

WOLD COTTAGE, Wold Cottage, Thwing, Scarborough, Yorkshire, England
Fell: December 13, 1795, 3:30 P.M.
Stone, Veined white chondrite
Description: Polished chips, 2.5 grams Me215
Fragment from interior with three polished surfaces, 10 grams Me1833
Fragment from interior, 2.5 grams Me1834

WOOD'S MOUNTAIN, Wood's Mountain, McDowell County, North Carolina, USA
Found: 1918
Iron, Finest octahedrite
Description: Etched end piece, 146.5 grams Me2255

WOOSTER, Wooster, Wayne County, Ohio, USA
Recognized: 1858
Iron, Medium octahedrite

Description: One etched fragment, 2 grams Me494
Two etched fragments, 9 grams Me1193

WRAY, Wray, Yuma County, Colorado, USA
Found: 1936
Stone, Chondrite
Description: End piece with polished surface, 24.3 grams Me2387

YANHUITLAN, Yanhuitlan, Oaxaca, Mexico
Known: Before 1825
Iron, Fine octahedrite
Description: Full-sized etched section, 7,340 grams Me962
End piece, etched, 9,665 grams Me963

YARDEA, Yardea Station, Gawler Range, South Australia
Found: 1875
Iron, Medium octahedrite
Description: End piece, etched, 73 grams Me935

YATOOR, Yatoor, Rapur taluq, Nellore district, Madras, India
Fell: January 23, 1852, 4:30 P.M.
Stone, Spherical chondrite
Description: Mass with crust and polished surfaces; structure coarse, metal abundant, 27 grams Me1877
Interior fragments, 1 gram Me259

YENBERRIE, Yenberrie, Northern Territory, Australia
Found: 1918
Iron, Coarse octahedrite
Description: Section with polished surface, 4,500 grams Me2004

YORKTOWN, Yorktown, Westchester County, New York, USA
Found: 1896
Stone, Chondrite
Description: Three polished fragments with crust, 7.3 grams Me1763

YOUNDEGIN, Youndegin, South-West Division, Western Australia
Found: 1884
Iron, Coarse (to coarsest) octahedrite

Description: Full-sized, elongated section, etched, 1,083 grams Me118
Nearly complete individual, 141,069 grams Me878
Full-sized etched section, 4,330 grams Me877

ZABORZIKA, Zaborzika, Zhitomir, Volhynia, Ukraine, USSR
Fell: April 11, 1818
Stone, Veined intermediate chondrite
Description: Mass with crust, 50 grams Me1709

ZABRODJE, Zabrodje, Vilna, Lithuania
Fell: September 22, 1893
Stone, Veined intermediate hypersthene-chondrite
Description: Fragment from interior, one polished surface, 4 grams Me1707

ZACATECAS, Zacatecas, Mexico
Known: Before 1792
Iron, Brecciated octahedrite
Description: Etched fragment, 5.6 grams Me28
Mass with three etched surfaces, 1,247 grams Me894
Etched mass with crust, 93 grams Me895

ZAVID, Zavid, Zvornik, Bosnia, Yugoslavia
Fell: August 1, 1897, 11:30 A.M.
Stone, Brecciated gray hypersthene-chondrite
Description: Mass with crust, 384 grams Me1860
Mass with crust, 293 grams Me1861
Mass from interior, 142 grams Me1862

ZEBRAK, Zebrak, Horovice, Beraun, Bohemia, Czechoslovakia
Fell: October 14, 1824, 8:00 A.M.
Stone, Spherical hypersthene-chondrite
Description: Mass with crust, 14 grams Me1708

ZOMBA, Zomba, Nyasaland, British Central Africa
Fell: January 25, 1899, 7:45 A.M.
Stone, White hypersthene-chondrite
Description: Fragment with crust, 18 grams Me1360

ZSADANY, Zsadany, Temes district, Romania
Fell: March 31, 1875, 3–4:00 P.M.
Stone, Spherical chondrite
Description: Nearly complete individual, one surface polished, 14.5 grams Me1878

REFERENCES

Farrington, O. C.

1895. Handbook and Catalogue of the Meteorite Collection. Field Columbian Museum Geological Series, Vol. I, no. 1, pp. 1–66.

1903. Catalogue of the Collection of Meteorites, May 1, 1903. Field Columbian Museum Geological Series, Vol. II, no. 2, pp. 79–124.

1916. Catalogue of the Collection of Meteorites, Field Museum of Natural History Geological Series, Vol. III, no. 10, pp. 231–312.

Mason, Brian

1962. Meteorites. John Wiley and Sons, Inc., New York, 274 pp.

Prior, G. T. and Max H. Hey

1953. Catalogue of Meteorites. British Museum (Natural History), London, 432 pp.

Publication 1000

UNIVERSITY OF ILLINOIS-URBANA
550.5FI C001
FIELDIANA, GEOLOGY CHGO
14-15 1960/65
3 0112 026616034